

# **Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 121.**

## List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abelmoschus crinitus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abelmoschus esculentus* (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abelmoschus ficulneus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abelmoschus manihot* (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abelmoschus moschatus* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abies densa* W. Griff. ex. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abies pindrow* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abies spectabilis* (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abies webbiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abrus fruticulosus* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abrus pulchellus* WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon asiaticum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon avicennae* GAETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon glaucum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon graveolens* (ROXB. EX HORNE.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon hirtum* (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon indicum* (L.) SWEET guineense (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon indicum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon pannosum* (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon persicum* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon theophrasti* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia arabica* SENSU BAKER vadiana COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia arabica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia caesia* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia catechu* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia catechu* (L.F.) WILLD. *sundra* (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia chundra* (ROXB. EX ROTTLE) WILLD. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia concinna* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia dealbata* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia decurrens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia eburnea* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia farnesiana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia indica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia intsia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia jacquemontii* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia leucophloea* (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia melonoxylon* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia modesta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia nilotica* (L.) WILLD. EX DEL. indica (BENTH.) BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia pennata* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia planifrons* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia polyacantha* WILLD. *polyacantha* BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia polyantha* SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia pseudo-eburnea* DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia pycnantha* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia rugata* (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia senegal* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia sinuata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia speciosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia suma* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia torta* (ROXB) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha alnifolia* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha betulina* RETZ. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha ciliata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha fruticosa* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha hispida* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha paniculata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha racemosa* WALL. EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acampe carinata* (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acampe papillosa* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acampe praemorsa* (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acampe wightiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acanthopanax trifoliatum* (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acer caesium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acer cappadocicum* GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acer laevigatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acer mono* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acer oblongum* WALL. EX DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acer pentapomicum* STEWART.EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acer pictum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achillea millefolium* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achillea santolina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achras zapota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achyranthes aquatica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achyranthes aspera* L. *rubrofusca* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achyranthes bidentata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achyranthes lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achyranthes porphyrostachya* WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum atrox* (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum balfourii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum bisma* (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum chasmanthum* STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum deinorrhizum* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum elwesii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum falconeri* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum ferox* WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum heterophyllum* WALL. EX ROYLE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum kashmiricum* STAPF EX COVENTRY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum laciniatum* (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum laeve* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum lethale* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum luridum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum moschatum* (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum napellus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum palmatum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum rotundifolium* KAR. & KIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum soonoricum* STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum spicatum* (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconitum violaceum* JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconogonum rumicifolium* (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aconogonum tortuosum* (D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acorus calamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acorus gramineus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrocarpus fraxinifolius* WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrocephalus hispidus* (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrocephalus indicus* (BURM.F.) KUNTZE NULL and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acronychia laurifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acronychia pedunculata* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acroptilon repens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrostichum aureum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrotrema arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actaea racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actaea spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinopterys australis* (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinopterys dichotoma* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinopteris radiata* (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne angustifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne dichotoma* FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne hookeri* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne obovata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenantha pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenema hyssopifolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenia heterophylla* (BLUME) KOORD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenia hondala* (GAERTN.) W.J.DE WILDE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenia nicobarica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenia palmata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenia penangiana* (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenia wightiana* (WALL. EX WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenosma capitatum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenosma indianum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenosma indicum* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenostemma lavenia* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adhatoda beddomei* C.B. CLARKE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adhatoda vasica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adhatoda zeylanica* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum aethiopicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum capillus-veneris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum caudatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum flabellulatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum incisum* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum lunulatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum melanacaulon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum pedatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum peruvianum* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum philippense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum tinetum* MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum trapiziforme* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adiantum venustum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adina cordifolia* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adinobotrys atropurpureus* DUNN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adonis aestivalis* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adonis chrysocyathus* HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adonis majus* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adonis scrobiculata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adonis vernalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aegiceras corniculatum* (L.) BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerides crispum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerides fieldingii* WILLMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerides multiflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerides odorata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerides rosea* LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerides williamsii* WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerva lanata* (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerva monsonia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerva pseudotomentosa* BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerva sanguinolenta* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerva tomentosa* FORSK. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerva wightii* HOOK .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeschynanthus hookerii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeschynanthus maculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aesculus assamica* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aesculus hippocastamum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aesculus indica* COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aframomum melegueta* (ROSC.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aganosma calycina* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aganosma caryophyllata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aganosma cymosa* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aganosma dichotoma* (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aganosma marginata* G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aganosma wallichii* G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agapanthus africanus* (L.)HOFFMANN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agathis robusta* F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agati grandiflora* (L.) DEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agave americana* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agave angustifolia* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agave cantala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agave sisalana* PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agave vera-cruz* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agave vivipara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ageratina adenophora* (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ageratum houstonianum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia diepenhorstii* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia domestica* (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia elaeagoidea* (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia lawii* (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia minutiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia odorata* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia odoratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia roxburghiana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agni-jwalamonia eupatoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agni-jwalamonia pilosa* LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agropyron repens* BEAUV. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostemma githago* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostis linearis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostistachys meeboldii* PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ailanthus altissima* SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ailanthus excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ailanthus glandulosa* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ailanthus malabarica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ailanthus triphysa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ainsliaea angustifolia* HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ainsliaea aptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ainsliaea pteropoda* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aisandra butyracea* (ROXB.) BAEHNI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ajuga bracteosa* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ajuga macrocarpa* WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ajuga macrosperma* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ajuga parviflora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alangium begonifolium* MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alangium decapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alangium hexapetalum* LAM. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alangium kurzii* CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alangium lamarckii* THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alangium salvifolium* (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia amara* (ROXB.) BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia chinensis* (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia julibrissin* DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia lebbeck* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia lucida* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia lucidior* (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia marginata* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia myriophylla* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia odoratissima* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia procera* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia stipulata* BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alchornea javensis* MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alchornea rugosa* (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alchornea tiliacifolia* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alectra parasitica* RICH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alectra parasitica* A.RICH. *chitrakutensis* RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aleurites moluccana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alhagi camelorum* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alhagi maurorum* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alhagi pseudalhagi* (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alisma plantago* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alisma plantago-aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alisma plantagoaquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alkanna tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *AllamKalam cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alliaria officinalis* ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alliaria petiolata* (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium ampeloprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium ascalonicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium carolinianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium chinense* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium consanguineum* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium hookeri* THW. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium humile* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium leptophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium macleani* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium rubellum* M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium schoenoprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium stracheyi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium tuberosum* ROTTL. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium victorialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium wallichii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allmania nodiflora* (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allophylus cobbe* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allophylus rheedii* (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allophylus serratus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alloterospis cimicina* (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alnus nepalensis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alnus nitida* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alocasia cucullata* SCHOTT. NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alocasia denudata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alocasia fornicata* (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alocasia indica* (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alocasia macrorrhiza* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alocasia montana* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alocasia odora* (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe abyssinica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe barbadensis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe ferox* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe indica* (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe littoralis* KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe perryi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe spicata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe succotrina* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe vera* L. *chinensis* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe vera* L. *littoralis* KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe vera*(typica) (L.) BURM.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloysia triphylla* (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alphonsea veratricosa* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia allhugas* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia calcarata* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia chinensis* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia conchigera* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia galanga* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia khulanjan* M. SHERIFF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia malaccensis* (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia nigra* (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia nutans* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia officinarum* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia speciosa* K.SCHWM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia zerumbet* BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alseodaphne semicarpifolia* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alstonia constricta* F MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alstonia kurzii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alstonia macrophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alstonia scholaris* R.BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alstonia spectabilis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alstonia venenata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alternanthera ficoidea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alternanthera philoxeroides* (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alternanthera pungens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alternanthera sessilis* (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alternanthera triandra* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Althaea ludwigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Althaea officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Althaea rosea* (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Altingia excelsa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus bupleurifolius* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus longifolius* WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus monilifer* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus vaginalis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alyxia reinwartii* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alyxia stellata* ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus atropurpureus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus blitum* L. oleracea DUTHIE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus campestris* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus dubius* E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus fasciatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus gangeticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus gangeticus* LINN. *tristis* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus gracilis* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus graecizans* AUCT. *HISP. EX CUT.* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus hybridus* L. *hybridus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus hybridus* L. *paniculatus* THELL. *cruentus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus hypochondriacus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus lividus* L. *polygonoides* (MIQ.) THELL. EX PROBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus lividus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus mangostanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus polygamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus tenuifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus tristis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaryllis belladonna* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amberboa divaricata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amberboa hookeri* (HASSK.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amberboa ramosa* (ROXB.) JAFRI and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amblyanthus glandulosus* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ambroma augusta* (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amentotaxus assamica* D.K.Ferguson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amischophacelus axillaris* ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amischotolype hookeri* (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ammannia auriculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ammannia baccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ammannia senegalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ammannia vesicatoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomi majus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum aromaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum costatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum dealbatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum fenzlii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum granum-paradisi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum kepulaga* SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum melegueta* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum racemosum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum subulatum* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum xanthioides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum zingiber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amoora cucullata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amoora rohituka* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amorpha fruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amorphophallus bulbifer* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amorphophallus campanulatus* BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amorphophallus commutatus* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amorphophallus dubius* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amorphophallus paeoniifolius* (DENNST.) NICOLSON *campanulatus* (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amorphophallus paeoniifolius* (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amorphophallus prainii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amorphophallus sylvaticus* (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus araneosa* (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus arnotiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus barbata* (WALL.) PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus indica* (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus latifolia* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus tomentosa* (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amphicome emodi* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amphilophis odorata* CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amphineuron extensus* (BL.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amyris gileadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anacolsa densiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anacyclus pyrethrum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anamirta cocculus* (L.) WIGHT & ARN. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ananas comosus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ananas sativus* SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis adnata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis brevifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis cinnamomea* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis contorta* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis cuneifolia* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis neelgerriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis nubigena* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis sarmentosa* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis semepervivoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis triplinervis* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anastatica hierochuntica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anchusa strigosa* LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ancistrocladus heyneanus* WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ancistrocladus tectorius* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andira araroba* AGUIAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrachne cadishaw* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrachne cordifolia* MUELL. ARG. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis atropurpurea* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis echioides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis lineata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis macrobotrys* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis serpyllifolia* (ROTTL. EX VAHL)WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon citratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon contortus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon halepensis* BROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon jwarancusa* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon laniger* DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon martini* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon muricatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon nardus* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon odoratus* DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum phlomidis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum serratum* (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum thomsonae* Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum waiiichii* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Duranta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gmelina arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gmelina philippensis* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holmskioldia sanguinea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lantana camara* L. var. *aculeata* (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lantana camara* L. var. *splendens* (Medic.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lantana indica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lantana trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lantana veronicifolia* Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lippia citriodora* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lippia javanica* (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Petrea volubilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyla nodiflora* (L.) Greene and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna balakrishnanii* Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna coriacea* Clarke var. *coriacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna coriacea* Clarke var. *villosa* (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna glaberrima* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna latifolia* Rozb. var. *latifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna latifolia* Roxb. var. *henryi* D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna latifolia* Rozb. var. *mollissima* (Roth) Clarke and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna latifolia* Roxb. var. *viburnoides* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna mundanthuraiensis* Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna paucinervis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna wightiana* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Priva cordifolia* (L.f.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachytarpheta jamaicensis* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachytarpheta mutabilis* (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachytarpheta urticaefolia* (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tectona grandis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbena bipinnatifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbena bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbena x hybrida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbena rigida* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex altissima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex leucoxydon* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex negundo* L. var. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex peduncularis* Wall. ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Congea tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphenodesme paniculata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symphorema involucratum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avicennia alba* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avicennia marina* (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrocephalus hispidus* (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrocephalus palniensis* Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus argenteus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus carnosus* (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus eriocephalus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus henryi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus paniculatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus robustus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus scaber* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus sericeus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus suffruticosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisomeles heyneana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisomeles indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisomeles malabarica* (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Basilicum polystachyon* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Becium filamentosum* (Forssk.) Chiov. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clinopodium umbrosum* (M. Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colebrookea oppositifolia* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elsholtzia ciliata* (Thunb.) Hyland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Endostemon viscosus* (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eusteralis cruciata* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eusteralis deccanensis* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eusteralis quadrifolia* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geniosporum elongatum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geniosporum menthoides* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphostemma eriocarpon* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphostemma strobilinum* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyptis suaveolens* (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isodon coetsa* (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isodon nigrescens* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isodon nilgherriensis* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isodon walkeri* ( Arn. ) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isodon wightii* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lavendula angustifolia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lavandula lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leonotis leonurus* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leonotis nepetifolia* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leonurus sibiricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas anKalamraoana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas angularis* Benth. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas aspera* (Willd.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas biflora* (Vahl) R.Br. var. *biflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas cephalotes* (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas chinensis* (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas ciliata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas diffusa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas eriostoma* Hook.f. var. *eriostoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas eriostoma* Hook.f. var. *lanata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas eriostoma* Hook.f. var. *latifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas flaccida* R.Br. var. *scaberula* (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas helianthemifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas hirta* (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas indica* (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas lamifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas lanata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas lanceaefolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas marrubioides* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas martinicensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas montana* Spreng. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas nutans* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas prostrata* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas rosmarinifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas stelligera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas stricta* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas suffruticosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas ternifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas urticaefolia* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas vestita* Benth. var. *vestita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas zeylanica* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha x piperita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meriandra bengalensis* Benth. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micromeria biflora* (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micromeria capitellata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta hindostana* (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum basilicum* L. var. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum basilicum* L. var. *pilosum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum basilicum* L. var. *purpurascens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum basilicum* L. var. *thyrsoflorum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Origanum hortensis* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon aristatus* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon comosus* Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon pallidus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon rubicundus* (D.Don) Benth. var. *rubicundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon rubicundus* (D.Don) Benth. var. *hohenackeri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon thymiflorus* (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus amboinicus* (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus barbatus* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus bishopianus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus caninus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus coleoides* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus deccanicus* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus malabaricus* (Benth.) Willemse and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus mollis* (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus rivularis* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus rotundifolius* (Poir.) Spreng. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus scutellarioides* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus stocksii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus subincisus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus urticifolius* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus vettiveroides* (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon atropurpureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon auricularius* (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon benghalensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon cablin* (Blanco) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon gardneri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon hedgei* V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon heyneanus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon nilagiricus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon paludosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon paniculatus* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon purpurascens* Dalz. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon rotundatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon speciosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunella vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia coccinea* Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia farinacea* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia grahamii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia involucrata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia leucantha* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia patens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia rutilans* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia splendens* Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia uliginosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia verbenacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Satureja umbrosa* (Bieb.) Scheele and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutellaria colebrookiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutellaria rivularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutellaria violacea* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutellaria wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetradenia riparia* (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teucrium fruticans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teucrium plectranthoides* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teucrium tomentosum* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teucrium wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago afra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago erosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago exigua* Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago ovata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commicarpus chinensis* (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boerhavia crispa* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wild Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boerhavia erecta* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boerhavia helenae* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bougainvillea glabra* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bougainvillea spectabilis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mirabilis longiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pisonia grandis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achyranthes aspera* L. var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achyranthes bidentata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerva lanata* (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerva persica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerva sanguinolenta* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerva wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allmania nodiflora* (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alternanthera paronychioides* A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alternanthera philoxeroides* (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alternanthera pungens* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alternanthera sessilis* (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alternanthera tenella* Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alternanthera tenella* Colla. var. *bettzickiana* (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus graecizans* subsp. *thellProstateianus* (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell. var. *paniculatus* (L.) Thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celosia polygonoides* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celosia pulchella* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathula prostrata* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digera muricata* (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphrena serrata* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indobanalia thyrsiflora* (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iresine herbstii* Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothosaerva brachiata* (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psilotrichum elliotii* Baker & Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pupalia lappacea* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichuriella monsoniae* (L.f.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arthrocnemum indicum* (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atriplex repens* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atriplex stockesii* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chenopodium ambrosioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chenopodium carinatum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chenopodium giganteum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chenopodium pumilo* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haloxylon recurvum* (Moq.) Bunge and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kochia indica* Wight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salicornia brachiata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Suaeda maritima* (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Suaeda monoica* Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Suaeda vermiculata* Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ercilla spicata* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Petiveria alliacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phytolacca dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phytolacca octandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rivina humilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antigonon leptopus* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coccoloba uvifera* (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Emex spinosus* (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagopyrum esculentum* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Muehlenbeckia gracillima* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persicaria attenuata* ( R.Br. ) Sojak subsp. *pulchra* (

Blume ) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persicaria barbata* ( L. ) Hara var. *gracilis* ( Danser ) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persicaria barbata* ( L. ) Hara var. *stagnina* ( Buch.-Ham. ex Meisn. ) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persicaria capitata* ( Buch.-Ham. ex D.Don ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persicaria chinensis* ( L. ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persicaria dichotoma* ( Blume ) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persicaria hydropiper* ( L. ) Spach var.*hydropiper* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persicaria hydropiper* ( L. ) Spach subsp. *flaccida* ( Meisn. ) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persicaria lapathifolia* ( L. ) Gray var. *lanigera* ( R.Br. ) Chantar. & Tubtimtong and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persicaria nepalensis* ( Meisn. ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persicaria peduncularis* (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum glabrum* Willd. var. *glabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum minus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum molle* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum plebeium* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum sphaerocephalum* Wall. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum raphaniticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex nepalensis* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex vesicarius* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalzellia zeylanica* (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Farmeria indica* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indotristicha ramosissima* (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Podostemon barberi* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Podostemon subulatus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polypleurum dichotomum* (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polypleurum stylosum* (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Willisia selaginoides* (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zeylanidium lichenoides* (Kurz) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zeylanidium olivaceum* (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia bracteolata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia cymbifera* Mart. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia ringens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia tagala* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thottea barberi* (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thottea siliquosa* (Lam.) Ding Hou and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepianthes umbellata* (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peperomia blKalam* (Jacq.) Kunth var. *floribunda* (Miq. ) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peperomia heyneana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peperomia pellucida* (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peperomia candolleana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peperomia tetraphylla* (Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peperomia pseudo - rhombi* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peperomia wightiana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper argyrophyllum* Miq. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper galeatum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper glaberrimum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper harnum* Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper hymenophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper mullesia* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper obtusistigma* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper ootacamunbense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper opacilimum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper ovatostemon* C.DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper pykarahense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper schmidtii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper trichostachyon* (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper trioicum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper wightii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcandra chloranthoides* Gard. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knema attenuata* (Wall. ex Hook.f.& Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myristica dactyloides* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myristica fragrans* Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne campanulata* Hook.f. var. *campanulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne campanulata* Hook.f. var. *obtusata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne lanata* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne malabarica* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne salicina* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actinodaphne tadulingamii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alseodaphne semecarpifolia* Nees var. *angustifolia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apollonias arnottii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Beilschmiedia bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Beilschmiedia gammieana* King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Beilschmiedia wightii* (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassytha capillaris* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum bejolghota* (Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum camphora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum filipedicellatum* Kosterm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum keralaense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum macrocarpum* Hook.f. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum malabattrum* (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum multiflorum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum nitidum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum perrottetii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum riparium* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum sulphuratum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum verum* Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum walaiwarensense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocarya anamalayana* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocarya beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocarya bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocarya lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocarya neilgherrensis* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocarya stocksii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laurus nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea bourdillonii* Gamble and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea coriacea* (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea deccanensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea floribunda* (Blume) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea glabrata* (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea glutinosa* (Lour.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea hookeriana* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea laevigata* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea monopetala* (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea oleoides* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea quinqueflora* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea venulosa* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea wightiana* (Nees) Hook.f. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea wightiana* (Nees) Hook.f. var. *tomentosa* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neolitsea cassia* (L.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neolitsea fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neolitsea foliosa* (Nees) Gamble var. *caesia* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neolitsea scrobiculata* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persea americana* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persea macrantha* (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoebe lanceolata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoebe paniculata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoebe wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gyrocarpus asiaticus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Banksia marginata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grevillea banksii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grevillea bipinnatifida* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grevillea hilliana* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grevillea pumila* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grevillea robusta* A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hakea laurina* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hakea salicifolia* (Vent.) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hakea sericea* Schrader and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helicia nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helicia robusta* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucadendron argenteum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macadamia ternifolia* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Petrophile pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenocarpus salignus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnidia glauca* (Fresen.) Gilg var. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnidia glauca* (Fresen.) Gilg var. *sisparensis* (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gyrinops walla* Gaertn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ovidia humboldtia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wikstroemia indica* (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus conferta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus indica* Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus kologa* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrophthoe falcata* (L.f.) Etting. var. *falcata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrophthoe falcata* (L.f.) Etting. var. *pubescens* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helicanthus elastica* (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helixanthera hookeriana* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helixanthera intermedia* (Wight) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helixanthera lepidophylla* (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helixanthera obtusata* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helixanthera wallichiana* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macrosolen capitellatus* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macrosolen parasiticus* (L.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scurrula cordifolia* (Wall.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taxillus courtallensis* (Gamble) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taxillus cuneatus* (Heyne ex Roth) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taxillus heyneanus* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taxillus recurvus* (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taxillus sclerophyllus* (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Korthalsella japonica* (Thunb.) Engler and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum angulatum* Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum articulatum* Burm.f. var. *articulatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum capitellatum* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum heyneanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum monoicum* Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum orientale* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum ramosissimum* Wight & Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum trilobatum* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osyris quadripartita* Salzm. ex Decne. var. *quadripartita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osyris quadripartita* Salzm. ex Decne. var. *puberula* (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleropyrum pentandrum* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thesium wightianum* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *minor* (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *agastyamalayana* Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *tirunelveli*ensis Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha alnifolia* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha brachystachya* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha ciliata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha fruticosa* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha hispida* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha lanceolata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha malabarica* Muell.-Arg. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha racemosa* Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Actephila excelsa* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostistachys borneensis* Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostistachys indica* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aleurites moluccana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma acidum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma alexiteria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma buniis* (L.) Spreng. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma ghaesembilla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma menasu* (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma walkeri* (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aporosa acuminata* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aporosa fusiformis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aporosa lindleyana* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Baccaurea courtallensis* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Baliospermum montanum* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bischofia javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blachia calycina* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blachia reflexa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blachia umbellata* (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Breynia retusa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Breynia vitis-idaea* (Burm.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bridelia cinerascens* Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bridelia crenulata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bridelia retusa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bridelia scandens* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrozophora prostrata* Dalz. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrozophora rottleri* (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Claoxylon anomalum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Claoxylon wightii* Hook.f. var. *angustatum* Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Claoxylon wightii* Hook.f. var. *hirsutum* (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleidion spiciflorum* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleistanthus collinus* (Roxb.) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleistanthus patulus* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleistanthus travancorensis* Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Codiaeum variegatum* (L.) Juss. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelodepas calycinum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton bonplandianum* Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton caudatus* Geiseler var. *caudatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton caudatus* Geiseler var. *obovoideus* Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton hirtus* L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton klotzchianus* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton laccifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton malabaricus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton oblongifolius* Roxb. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton zeylanicus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalechampia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimorphocalyx glabellus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimorphocalyx lawianus* (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes elata* (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes longifolia* (Blume) Pax & Hoffm. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes malabarica* (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes porteri* (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes roxburghii* (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes sepiaria* (Wight & Arn.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes venusta* (Wight) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia agowensis* Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia balakrishnanii* Binojk. & Gopalan and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia barnhartii* Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia corrigioloides* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia cotinifolia* L. subsp. *cotinoides* (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia cristata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia cyathophora* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia dracunculoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia heterophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia helioscopia* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia heyneana* Spreng. subsp. *heyneana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia indica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia laciniata* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia longistyla* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia milii* Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia nivulia* Buch.-Ham. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia pulcherrima* Willd.ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia pycnostegia* Boiss. var. *zornii* (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia rosea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia rothiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia santapaui* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia serpens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia trigona* Mill. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia tortilis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia vajravelui* Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Excoecaria cochinchinensis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Excoecaria crenulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Excoecaria robusta* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flueggea leucopyrus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flueggea virosa* (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Givotia rottleriformis* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion arboreum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion candolleianum* (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion ellipticum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion fagifolium* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion malabaricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion pauciflorum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion tomentosum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion velutinum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion zeylanicum* (Gaertn.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hevea brasiliensis* (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Homonoia retusa* (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Homonoia riparia* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha glandulifera* Roxb. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha heynei* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha integerrima* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha maheshwarii* Subram. & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha tanjorensis* Ellis & Soroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha villosa* Wight var. *villosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macaranga flexuosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macaranga indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macaranga peltata* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus atrovirens* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus aureo-punctatus* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus distans* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus philippensis* (Lam.) Muell.-Arg. var. *tomentosus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus repandus* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus resinosa* (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus rhamnifolius* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus stenanthus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus subramanyamii* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus tetracoccus* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manihot esculenta* Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manihot glaziovii* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Margaritaria indica* (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meineckia longipes* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meineckia parvifolia* (Wight) Webster and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micrococca beddomei* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micrococca mercurialis* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micrococca wightii* (Hook.f.) prain var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mischodon zeylanicus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedilanthus tithymaloides* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus acidus* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus amarus* Schum. & Thonn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus baillonianus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus beddomei* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus chandrasei* Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus debilis* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus fimbriatus* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus gageana* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus gardnerianus* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus indofischeri* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus kozhikodanus* Sivar. & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus lawii* Graham ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus leschenaultii* Muell. Arg., and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus longiflorus* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus macrocalyx* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus myrtifolius* Moon and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus pinnatus* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus polyphyllus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus reticulatus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus rotundifolius* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus speciosus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus virgatus* Forst. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudoglochidion anamalayanum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sapium insigne* (Royle) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sapium sebiferum* (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sauropus androgynus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sauropus bacciformis* (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sebastiania chamaelea* (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Suregada lanceolata* (Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Synadenium grantii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia bicolor* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia involucrata* L. var. *involucrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia involucrata* L. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia muelleriana* Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia plukenetii* R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trewia polycarpa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trigonostemon nemoralis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernicia montana* Lour. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcococca saligna* (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boehmeria glomerulifera* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boehmeria macrophylla* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boehmeria nivea* (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chamabaina cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Debregeasia ceylanica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Debregeasia longifolia* (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Debregeasia wallichiana* (Wedd.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrocnide sinuata* (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) Friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema acuminatum* (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema cuneatum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema lineolatum* Wight var. *lineolatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema lineolatum* Wight var. *falcigera* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema lineolatum* Wight var. *linearis* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema lineolatum* Wight var. *setosum* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema sessile* Forst. var. *sessile* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema surculosum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Girardinia diversifolia* (Link) Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laportea bulbifera* (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laportea interrupta* (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lecanthus peduncularis* (Wall. ex Royle) Wedd. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oreocnide frutescens* (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oreocnide integrifolia* (Gaudich.) Miq. var. *integrifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oreocnide integrifolia* (Gaudich.) Miq. var. *sylvatica* (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parietaria micrantha* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pellionia heyneana* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pilea angulata* (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pilea kingii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pilea melastomoides* (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pilea microphylla* (L.) Liebm. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pilea wightii* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia bennettiana* Wight var. *bennettiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia bennettiana* Wight var. *quadrialata* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia cymosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia hirta* (Blume) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia pentandra* (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia wightii* Benn. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia wightii* Benn. var. *caudata* (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia wightii* Benn. var. *lawsoniana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia wightii* Benn. var. *nilghirensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia wightii* Benn. var. *scabra* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia zeylanica* (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Procris crenata* Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urtica hyperborea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urtica parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aphananthe cuspidata* (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celtis tetrandra* Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celtis timorensis* Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holoptelea integrifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trema orientalis* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antiaris toxicaria* (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus incisus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus gomezianus* Wall. ex Trec. subsp. *zeylanicus* Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus heterophyllus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus hirsutus* Lam. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Broussonetia papyrifera* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cudrania cochinchinensis* (Lour.) Kudo & Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dorstenia indica* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus albipila* (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus amplissima* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus amplocarpa* Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus arnottiana* (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus auriculata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus beddomei* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus benghalensis* L. var. *benghalensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus benghalensis* L. var. *krishnae* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus callosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus dalhousiae* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus drupacea* Thunb. var. *pubescens* (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus elastica* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus exasperata* Vahl and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus glaberrima* Blume var. *bracteata* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus guttata* (Wight) Kurz ex King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus heterophylla* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus hispida* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus hookeriana* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus laevis* Blume var. *macrocarpa* (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus microcarpa* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus mollis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus nervosa* Heyne ex Roth var. *nervosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus nervosa* Roth var. minor King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus palmata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus pumila* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus talbotii* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus tinctoria* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus tsjahela* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus virens* Ait. var. *virens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morus australis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plecosperrum spinosum* Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Streblus asper* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Streblus taxoides* (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Platanus orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casuarina glauca* Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casuarina equisetifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casuarina junghuhniana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casuarina stricta* Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casuarina suberosa* Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casuarina torulosa* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alnus nepalensis* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Betula alnoides* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Castanea crenata* Sieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Castanea sativa* Mill. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Castanopsis indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Castanopsis roxburghiana* S.N. Biswas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagus sylvatica* L. var. *sylvatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagus sylvatica* L. var. *cuprea* Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus baloot* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus coccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus leucotrichophora* A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus robur* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus serrata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salix tetrasperma* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blyxa octandra* (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enhalus acoroides* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halophila beccarii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halophila decipiens* Ostenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halophila ovata* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halophila stipulacea* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrilla verticillata* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nechamandra alternifolia* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ottelia alismoides* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalassia hemprichii* (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vallisneria natans* (Lour.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Burmannia candelabrum* Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Burmannia coelestis* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Burmannia wallichii* (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acampe praemorsa* (Roxb.) Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acanthephippium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aenhenrya rotundifolia* (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerides crispa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerides maculosum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aerides ringens* (Lindl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anoectochilus elatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anoectochilus rotundifolius* (Blatter) Balakr. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aphyllorchis montana* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundina graminifolia* (D. Don) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachycorythis iantha* (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachycorythis splendida* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum acutiflorum* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum albidum* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum elegantulum* (Rolfe) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum fischeri* Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum fuscopurpureum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum kaitiense* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum sterile* (Lam) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum tremulum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum xylophyllum* Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calanthe sylvatica* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calanthe triplicata* (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calanthe vestita* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cheirostylis flabellata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cheirostylis parvifolia* Lindl. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chiloschista fasciata* (F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysoglossum hallbergii* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysoglossum maculatum* (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne breviscapa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne glandulosa* Lindl. var. *glandulosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne glandulosa* Lindl. var. *bournei* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne glandulosa* Lindl. var. *sathyanarayanae* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne mossiae* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne nervosa* A. Rich. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne odoratissima* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne ovalis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne prolifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne uniflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corymborkis veratrifolia* (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cottonia peduncularis* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crepidium purpureum* (Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbidium aloifolium* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbidium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium aqueum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium barbatulum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium diodon* Reichb.f. subsp. *kodayarensis* Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium haemoglossum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium herbaceum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium heterocarpum* Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium heyneanum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium macrostachyum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium microbulbon* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium nanum* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium nutantiflorum* Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium wightii* A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium panduratum* Lindl. subsp. *villosum* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymoplexis pallens* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diplocentrum congestum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diplocentrum recurvum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Disperis neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epidendrum radicans* Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epipactis veratrifolia* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epipogium roseum* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eria albiflora* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eria dalzellii* (Hook. ex Dalz) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eria microchilos* (Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eria mysorensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eria nana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eria pauciflora* Wight and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eria polystachya* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eria pseudoclavicaulis* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eria reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia cullenii* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia epidendrea* (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia graminea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia pulchra* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia pratensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia spectabilis* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flickingeria nodosa* (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gastrochilus acaulis* (Lindl.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geodorum densiflorum* (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goodyera fumata* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goodyera procera* (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria acuminata* (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria barnesii* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria cephalotes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria crassifolia* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria crinifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria decipens* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria denticulata* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria digitata* Lindl. var. *digitata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria digitata* Lindl. var. *foliosa* (A. Rich) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria digitata* Lindl. var. *travancorica* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria elwesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria furcifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria grandifloriformis* Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria heyneana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria hollandiana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria longicorniculata* Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria longicornu* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria macrostachya* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria marginata* Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria multicaudata* Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria ovalifolia* Wight and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria pallideviridis* Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria perrottetiana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria plantaginea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria polyodon* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria rariflora* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria richardiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria roxburghii* Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria virens* (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria viridiflora* (Rottl. Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hetaeria ovalifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kingidium deliciosum* (Reichb.f.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis atropurpurea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis beddomei* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis biloba* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis caespitosa* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis duthiei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis nervosa* (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis platyphylla* Ridley and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis prazeri* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis resupinata* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis viridiflora* (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis walkeriae* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis wightiana* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luisia birchea* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luisia zeylanica* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malleola gracilis* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nervilia aragoana* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nervilia carinata* (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nervilia plicata* (Andr.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia anamalayana* Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia balakrishnanii* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia brunoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia ensiformis* (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia iridifolia* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia platycaulon* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia proudlockii* King & Pantl. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia santapau* Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia sebastiana* Shetty & Vivek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia seidenfadeniana* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia tenuis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia wightiana* Lindl. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia wightiana* Lindl. var. *nilgiriensis* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oberonia zeylanica* Hook and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pachystoma senile* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paphiopedilum druryi* (Bedd.) Pfitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papilionanthe cylindrica* (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pecteilis gigantea* (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristylus aristatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristylus brachyphyllus* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristylus densus* (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristylus goodyeroides* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristylus lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristylus plantagineus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristylus richardianus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristylus secundus* (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristylus spiralis* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristylus stocksii* (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pholidota pallida* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Podochilus falcatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polystachya concreta* (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Porpax jerdoniana* (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Porpax reticulata* Lindl and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Proteroceras leopardianum* (Par. Reichb.f.) Seidenf. & *Smitin* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchostylis retusa* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhytionanthos nodosus* ( Rolfe ) Garay Hamer & *Siegerist* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Robiquetia josephiana* Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Satyrium nepalense* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schoenorchis jerdoniana* (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & *Ormerod* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Seidenfia densiflora* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Seidenfia intermedia* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Seidenfia rheedii* (Sw.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Seidenfia versicolor* (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sirhookera lanceolata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sirhookera latifolia* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithsonia maculata* (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spathoglottis plicata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spiranthes sinensis* (Pers.) Ames var. *sinensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spiranthes sinensis* (Pers.) Ames var. *wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taeniophyllum alwisii* Lindl. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tainia bicornis* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thelasis pygmaea* (Griff.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thrixspermum muscaeflorum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trias stocksii* Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichoglottis tenera* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tropidia angulosa* (Lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tropidia curculigoides* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *VKalam spathulata* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *VKalam tessellata* (Roxb.) Hook ex. G. Don and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *VKalam testaceae* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *VKalam wightii* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vanilla planifolia* Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vanilla walkeriae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vanilla wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zeuxine gracilis* (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zeuxine longilabris* (Lindl.) Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia abundiflora* Burt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia calcarata* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia galanga* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia malaccensis* (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia nigra* (Gaertn.) B. L. Brutt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alpinia zerumbet* (Pers.) B. L. Burt & R. M.Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum cannicarpum* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum hypoleucum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum masticatorium* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum muricatum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amomum pterocarpum* Thw. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma amada* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma aromatica* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma pseudomontana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma zedoaria* (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elettaria cardamomum* (L.) Maton var. *cardamomum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elettaria cardamomum* (L.) Maton var. *major* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Globba ophioglossa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium coronarium* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium flavescens* Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium spicatum* Hamilton ex Smith var. *acuminatum* (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium venustum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber montanum* (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber nimmonii* (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber officinale* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber roseum* (Roxb.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber wightianum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber zerumbet* (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Costus pictus* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Costus speciosus* (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phrynium pubinerve* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schumannianthus virgatus* (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ensete superbum* (Roxb.) Cheesman and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ensete ventricosum* (Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliconia psittacorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa acuminata* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa balbisiana* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa parasidiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ravenala madagascarensis* Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strelitzia reginae* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ananas comosus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anigozanthos flavidus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Disporum leschenaultianum* D. Don var. *leschenaultianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Disporum leschenaultianum* D. Don var. *angustifolium* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lilium trigrinum* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lilium wallichianum* Schultes & Schultes f. var. *neilgherrense* (Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiopogon intermedius* D. Don var. *intermedius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peliosanthes tetra* Andr. subsp. *humilis* (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristea ecklonii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Babiana stricta* (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Babiana villosa* Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crocasmia pottsii* (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dierama pulcherrima* (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleutherine palmifolia* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Freesia refracta* Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gladiolus primulinus* Baker and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris unguicularis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moraea iridioides* L. Mant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Watsonia rosea* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amaryllis belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum viviparum* (Lam.) R. Ansari & V.J. Nair and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum moorei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucharis x grandiflora* Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eurycles sylvestris* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haemanthus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haemanthus matalensis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hippeastrum x johnsonii* (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hippeastrum reginae* Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hippeastrum vittatum* (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hymenocallis littoralis* (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucojum aestivum* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucojum pulchellum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nerine flexuosa* (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nerine undulata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pancreatium triflorum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaedranassa dubia* (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sprekelia formosissima* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenomeson coccineum* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zephyranthes carinata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zephyranthes grandiflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zephyranthes tubispatha* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agave angustifolia* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agave sisalana* Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agave vera-cruz* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordyline australis* (Forst. F.) Hook. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Furcraea foetida* (L.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dianella ensifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phormium tenax* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracaena fruticosa* (L.) A. Chev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracaena terniflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria roxburghiana* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria trifasciata* Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria thyriflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria varians* N.E.Br and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria zeylanica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alstroemeria aurea* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bomarea caldasiana* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bomarea oligantha* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curculigo orchioides* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypoxis aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Molineria trichocarpa* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tacca leontopetaloides* (L.) Kuntze and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea belophylla* Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea esculenta* (Lour.) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea hamiltonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea hispida* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea kalkapershadii* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea oppositifolia* L. var. *oppositifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea oppositifolia* L. var. *dukhumensis* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea spicata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea tomentosa* Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea wallichii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea wightii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichopus zeylanicus* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stemona tuberosa* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipcadi montanum* (Dalz.) Baker var. *madrasicum* (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucomis autumnalis* (Miller) Chitt. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucomis punctata* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ornithogalum arabicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ornithogalum conicum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scilla hyacinthina* (Roth) Mecbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urginea congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urginea indica* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urginea polyantha* Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asphodelus tenuifolius* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloe vera* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kniphofia uvaria* (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus asiaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus fysonii* Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus gonoclados* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus laevis* Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus setaceus* (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus racemosus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum acaule* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum arundinaceum* Baker and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum attenuatum* (Wight) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum heynei* Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum laxum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum malabaricum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum nimmonii* (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum tuberosum* (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gloriosa rothschildiana* O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iphigenia indica* (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iphigenia magnifica* Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hemerocallis aurantiaca* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.) F. Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agapanthus praecox* Willd. var. *albus* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax perfoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax wightii* A. DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eichhornia crassipes* (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Monochoria hastata* (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Monochoria vaginalis* (Burm. F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xyris capensis* Thunb. var. *schoenoides* (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xyris pauciflora* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aclisia secundiflora* (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aneilema montana* (Wight) Clarke and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aneilema ovalifolia* (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Belosynapsis kewensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Belosynapsis vivipara* (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina attenuata* Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina clavata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina diffusa* Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina ensifolia* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina erecta* L. var. *erecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina forskalaei* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina hirsuta* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina imberbis* Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina indehiscens* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina longifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina paleata* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina paludosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina subulata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina tricolor* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina wightii* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis adscendens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis arachnoidea* Clarke var. *arachnoidea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis arachnoidea* Clarke var. *thwaitesii* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis arcotensis* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis axillaris* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis burmanniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis concanensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis cristata* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis cucullata* (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis obtusa* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis papilionacea* (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis pilosa* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis villosa* (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dictyospermum scaberrimum* (Blumes) Morton ex Hara

et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Floscopa scandens* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia dimorpha* (Dalz.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia edulis* (Stokes) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia esculenta* (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia gigantea* (Vahl.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia glauca* (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia japonica* (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia juncoides* (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia lanceolata* (Wight) Kammathy and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia lanuginosa* (Wall ex Clarke) Beueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia loriformis* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia nudiflora* (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia pauciflora* Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia semiteres* (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia simplex* (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia spirata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia vaginata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa* (Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhoeo discolor* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setcreasea purpurea* Boom and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zebrina pendula* Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juncus bufonius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juncus effusus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juncus inflexus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juncus leschenaultii* J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luzula indica* Kirschner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arenga wightii* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bentinckia condapanna* Berry ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus brandisii* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus gamblei* Beccari ex Beccari & Hook. var. *sphaerocarpa* Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus huegelianus* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus rheedii* Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus travancoricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corypha macropoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Livistona chinensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Livistona rotundifolia* (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix canariensis* Hort ex Chabaud and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix loureirii* Kunth var. *loureirii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix pusilla* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix rupicola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix sylvestris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinanga dicksonii* (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhapis excelsa* (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Roystonea regia* (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sabal mauritiformis* (Karsten) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trachycarpus fortunei* (Hook.) Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Washingtonia robusta* Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus amaryllifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus canaranus* Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus odoratissimus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus tectorius* Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus thwaitesii* Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acorus calamus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alocasia indica* (Roxb.) Schott and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amorphophallus sylvaticus* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphyllum beddomei* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphyllum wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthurium spathiphyllum* N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema auriculatum* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema leschenaultii* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema murrayi* (Graham) Hook. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema tortuosum* (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema translucens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema tuberculatum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema tylophorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caladium bicolor* (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colocasia esculenta* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocoryne ciliata* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocoryne consobrina* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocoryne retrospiralis* (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocoryne spiralis* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epipremnum pinnatum* cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagenandra meeboldii* (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagenandra toxicaria* Dalz. var. *barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Monstera deliciosa* Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plesmonium margaritiferum* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pothos armatus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pothos scandens* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pothos thomsonianus* Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Remusatia vivipara* (Lodd.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhaphidophora pertusa* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Theriophonum fischeri* Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Theriophonum minutum* (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Theriophonum sivaganganum* (Ramam. & Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xanthosoma sagittifolium* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zantedeschia aethiopica* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lemna gibba* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lemna perpusilla* Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spirodela polyrhiza* (L.) Schleiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyalisma janthina* Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caldesia parnassiiifolia* (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophyton obtusifolium* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sagittaria guayanensis* H.B.K. subsp *lappula* (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sagittaria sagittifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Najas graminea* Del. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Najas indica* (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Najas malesiana* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Najas marina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Najas minor* All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruppia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aponogeton appendiculatus* Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aponogeton echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aponogeton natans* (L.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aponogeton undulatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymodocea rotundata* Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymodocea serrulata* (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halodule pinifolia* (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halodule uninervis* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halodule wrightii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potamogeton crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potamogeton nodosus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potamogeton pectinatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potamogeton perfoliatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syringodium isoetifolium* (Asch.) Dandy and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon brownianum* Martius ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon cinereum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon conica* (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon elenorae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon ensiforme* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon leucomelas* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon longicuspis* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon nairii* Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon nepalense* Prescott ex Bongard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon odoratum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon panagudianum* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon pectinatum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon quinquangulare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon ramnadense* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon richardianum* (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon ritchieanum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon robusto-brownianum* Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon robustum* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon talbotii* Ansari & Balakr. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon thwaitesii* Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon xeranthemum* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ascopholis gamblei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbostylis barbata* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbostylis densa* (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *gracilis* C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex baccans* Nees and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex breviculmis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex brunnea* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex christii* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex eluta* Nelmes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex foliosa* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex filicina* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex glaucina* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex hebecarpa* C. Meyer var. *ligulata* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex lateralis* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex lenta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex leucantha* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex lindleyana* Nees var. *lindleyana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex lindleyana* Nees var. *mercurensis* (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex longicruris* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex longipes* D. Don var. *longipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex longipes* D. Don var. *dissitiflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex maculata* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex myosurus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex nubigena* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex phacota* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex pseudoaperta* Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex raphidocarpa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex rara* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex speciosa* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex vicinalis* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex walkeri* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex wallichiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex wightiana* Nees and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus alopecuroides* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell) Kukenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus arenarius* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus bulbosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus castaneus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus cephalotes* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus conglomeratus* Rottb. subsp. *pachyrrhizus* (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus compressus* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus corymbosus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus curvibracteatus* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus cuspidatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus difformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus diffusus* Vahl. var. *diffusus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus digitatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus distans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus distans* L. var. *pseudonutans* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus elatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus exaltatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus halpan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus imbricatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus latovaginata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus lurida* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus michelianus* (L.) Link. subsp. *pygmaeus* (Rottb.)

Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus nutans* Vahl var. *nutans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus natans* Vahl var. *eleusinoides* (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus pangorei* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus pilosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus platyphyllus* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus platystylis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus plumbeonucea* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus polyanthelus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus procerus* Rottb. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus pygmaeus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus rotundus* L. subsp. *rotundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus rotundus* L. subsp. *tuberosus* (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus rubicundus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus rubrighlomosus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus sesquiflorus* (Torr.) Mattf. & Kuek. var. *cylindricus* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus sphaclatus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus stoloniferous* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus stricticulis* Govindarajalu and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus sulcinus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus tenuiculmis* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus tenuispica* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleocharis acutangula* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleocharis atropurpurea* (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleocharis congesta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleocharis dulcis* (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleocharis geniculata* (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria* (Roem. & Schult.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleocharis tetraquetra* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis aestivalis* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis aggregata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis amplexicaulis* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis aphylla* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis argentea* (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis bisumbellata* (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis cinnamometorum* (Vahl) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis complanata* (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis consanguinea* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis contorta* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis crystallina* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis dichotoma* (L.) Vahl subsp. *glauca* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis dipsacea* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis eragrostis* (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis falcata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis ferruginea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis kingii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis latiglumifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis latinucifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis longistigmata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis miliacea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis monospicula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis monticola* Hochst. ex Steud. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis narayanii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis nutans* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis ovata* (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis paupercula* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis pentaptera* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis pierotii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis polytrichoides* (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis pustulosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis rectifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis rigidiuscula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis rugosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis salbundia* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis scabrisquama* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis schoenoides* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis semidisticha* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis sieberiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis strigosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis tenera* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis tetragona* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis tortifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis triflora* (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis tristachya* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis uliginosa* Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis woodrowii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fuirena ciliaris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fuirena pubescens* (Lam.) Kunth var. *pergamentacea*

Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fuirena trilobites* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fuirena umbellata* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fuirena uncinata* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fuirena wallichiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypolytrum nemorum* (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kylinga brevifolius* Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kylinga bulbosa* P. Beavu. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kylinga hyalina* (Vahl) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kyllingia nemoralis* ( J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kyllingia malanosperma* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lipocarpha chinensis* (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lipocarpha raynaleana* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lipocarpha sphacelata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mariscus clarkei* (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mariscus compactus* (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mariscus cyperinus* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mariscus dubius* (Rottboell) Kukenth ex C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mariscus paniceus* (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mariscus squarrosus* (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mariscus sumaterensis* (Retz.) A. Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnus flavescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnus flavidus* (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnus polystachyos* (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnus pumilus* (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnus puncticulatus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnus sanguinolentus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnus stramineus* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnus unioides* (R. Br.) Urb. var. *angulatus* (Nees)

Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchospora corymbosa* (L.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchospora gracillima* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchospora rubra* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchospora rugosa* (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Riklrella squarrosus* (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schoenoplectus articulatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schoenoplectus grossus* (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schoenoplectus juncooides* (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schoenoplectus littoralis* (Schr.) Palla subsp. *subulatus* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schoenoplectus mucronatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus fluitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus subcapitatus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria caricinia* (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria corymbosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria levis* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria mikawana* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria parvula* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria terrestris* (L.) Fassett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrachne henrardiana* (Bor) Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrachne racemosa* (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrachne sundararajii* Umamahesw. et al and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeluropus lagopoides* (L.) Trin ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostis micrantha* Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostis peninsularis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostis pilosula* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostis schmidii* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostis stolonifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostis zenkeri* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alloteropsis cimicina* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon hallii* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon lividus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon longipes* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon polytychus* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon pumilus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthoxanthum borii* Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apocopsis courtallumensis* (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apocopsis vaginata* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristida adscensionis* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristida funiculata* Trin & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristida hystrix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristida mutabilis* Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristida setacea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arthraxon castratus* (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arthraxon depressus* Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arthraxon lanceolatus* (Roxb.) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arthraxon micans* (Nees) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arthraxon prionodes* (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arthraxon quartinianus* (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinaria walkeriana* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinaria wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella ciliata* (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella hookeri* Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella leptochloa* (Nees ex Steud.) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella mesophylla* Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella nepalensis* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella purpurea* Hochst. ex Steud var. *purpurea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella setosa* Trin. var. *setosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella vaginata* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundo conspicua* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avena byzantina* K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avena fatua* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avena sterilis* L. var. *ludoviciana* (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Axonopus compressus* (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bambusa bambos* Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bothriochloa bladhii* (Retz.) S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bothriochloa foulkesii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bothriochloa kuntzeana* (Hack.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bothriochloa pertusa* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria distachya* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria eruciformis* (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria kurzii* (Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria miliiformis* (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria muna* Basappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria mutica* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria nilagirica* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria ramosa* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria remota* (Retz.) Haines and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria reptans* (L.) Gard. & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria Semiundulata* (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria Semiverticillata* (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria setigera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachypodium distachyon* (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachypodium sylvaticum* (Huds.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Briza maxima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Briza media* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Briza minor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bromus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bromus catharticus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bromus diandrus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bromus ramosus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capillipedium filiculme* (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capillipedium huegelii* (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capillipedium parviflorum* (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cenchrus biflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cenchrus glaucus* Mudaliar & Sundararaj and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cenchrus setigerus* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centotheca lappacea* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionachne koenigii* (Spreng.) THw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionachne Semiteres* (Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloris barbata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloris bournei* Rang. & Tadol. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloris dolichostachya* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloris gayana* Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloris montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloris pycnothrix* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloris roxburghiana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloris virgata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloris wightiana* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysopogon aciculatus* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysopogon copei* Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysopogon fulvus* (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysopogon hackelii* (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysopogon orientalis* (Desv.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelachne simpliciuscula* (Wight & Arn. ex Steud) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelachyopsis lagopoides* (Burm.f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coix aquatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coix gigantea* Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cortaderia selloana* (Schultes) Asch. & Graebn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon citratus* (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon coloratus* (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon flexuosus* (Nees ex Steud) Wats var. *coimbatorensis* Gupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon martinii* (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon nardus* (L.) Rendle var. *nardus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon polyneuros* (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon travancorensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynodon arcuatus* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynodon barberi* Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynodon dactylon* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynodon plectostachyus* (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyrtococcum deccanense* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyrtococcum longipes* (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyrtococcum muricatum* (Retz.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyrtococcum oxyphyllum* (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyrtococcum patens* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyrtococcum sparsicomum* (Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyrtococcum trigonum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dactyloctenium aegyptium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrocalamus strictus* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmostachya bipinnata* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichanthium annulatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichanthium aristatum* (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichanthium caricosum* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichanthium foveolatum* (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichanthium oliganthum* (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichanthium pallidum* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichaetaria wightii* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria abludens* (Roem. & Schultes) Veldk. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria bicornis* (Lam.) Roem. & Schultes ex Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria ciliaris* (Retz.) Koeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria duthieana* Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria griffithii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria longiflora* (Retz.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria microbachne* (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria radicata* (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria setigera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria stricta* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria ternata* (A. Rich) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria tomentosa* (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria violascens* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitaria wallichiana* (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimeria acutipes* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimeria avenacea* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimeria balakrishnaniana* K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimeria fuscescens* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimeria kollimalayana* Mohanan & Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimeria lehmanii* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimeria orissae* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimeria ornithopoda* Trin. var. *ornithopoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimeria ornithopoda* Trin. var.  *khasiana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dinebra retroflexa* (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diplachne malabarica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinochloa colona* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinochloa crus - galli* (L.) P. Beauv var. *crus - galli* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinochloa crus - galli* (L.) P. Beauv var. *brevisetia* (Doll) Neillr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinochloa frumentacea* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinochloa oryzoides* (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinochloa picta* (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinochloa stagnina* (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehrharta abyssinica* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleusine coracana* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleusine indica* (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elytrophorus spicatus* (Willd.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enneapogon schimperanus* (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enteropogon coimbatorensis* K K. N. Nair Jain & Nayar

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enteropogon monostachyos* (Vahl) Schum ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostiella bifaria* (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostiella brachyphylla* (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis aspera* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis cilianensis* (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis ciliaris* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis ciliata* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis coarctata* Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis curvula* (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis dayana* Kalmnii P. Ravichandran S.Krishnan N.P. Samson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis gangetica* (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis japonica* (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis kiwueensis* Jedwabn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis macilenta* (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis maderaspatana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis minor* Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis nigra* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis nutans* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis pilosa* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis riparia* (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis rottleri* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis schweinfurthii* Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis superba* Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis tef* (Zucc.) Trotter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis tenella* (L.) P. Beauv ex Roem. & Schultes var. *tenella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis tenuifolia* (A. Rich) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis tremula* (Lam.) Hochst ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis unioides* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis viscosa* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eremochloa muricata* (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eremopogon foveolatus* (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriochloa procera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriochrysis rangacharii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euchlaena mexicana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulalia phaeothrix* (Hack.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulalia trispicata* (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulalia wightii* (Hook. f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulaliopsis binata* (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Festuca ovina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Festuca undata* Stapf var. *aristata* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garnotia arundinacea* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garnotia courtallensis* (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garnotia elata* (Arn. Ex Miq.) Janowski and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garnotia exaristata* Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garnotia fergusonii* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garnotia schmidii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garnotia tenella* (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glyceria spicata* Guss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halopyrum mucronatum* (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helictotrichon polyneuron* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helictotrichon schmidii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helictotrichon virescens* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hemarthria compressa* (L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heteropogon contortus* (L.) P Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heteropogon fischerianus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heteropogon polystachyos* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygroryza aristata* (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hymenachne acutigluma* (Steud.) Gilliland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ichnanthus vicinus* (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Imperata cylindrica* (L.)Raeusch. var. major (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne bourneorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne dispar* Trin. var. *dispar* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne elegans* Dalz ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne globosa* (Thunb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne kunthiana* (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne miliacea* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne oreades* (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne pulchella* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne walkeri* (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum commutatum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum flumineum* Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum indicum* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum nilagiricum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum pilosum* (Klein ex Willd.) Wight and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum rangacharianum* Ficher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum rugosum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum tadulingamii* Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum timorense* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum zeylanicolum* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iseilema antheophoroides* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iseilema jainiana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iseilema laxum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iseilema prostratum* (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jansenella griffithiana* (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leersia hexandra* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptochloa chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptochloa neesii* (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptochloa obtusiflora* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptochloa panicea* (Retz.) Ohwl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptochloa uniflora* Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lolium perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lolium temulentum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lophatherum gracile* Brongn. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lopholepis ornithocephala* (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lophopogon tridentatus* (Roxb.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manisuris myuros* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melanocenchris jacquemontii* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melanocenchris monoica* (Rottl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melica scaberrima* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microchloa indica* (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microstegium ciliatum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microstegium nudum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Miscanthus nepalensis* (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mnesithea granularis* (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mnesithea laevis* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myriostachya wightiana* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oclandra beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochlandra setigera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochlandra travancorica* Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiuros bombaiensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiuros exaltatus* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oplismenus burmannii* (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oplismenus compositus* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oropetium thomaeum* (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oryza barthii* A. Chevali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oryza minuta* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oryza officinalis* Wall ex Watt subsp *malampuzhaensis* (Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.Chandrasekaran) Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oryza rufipogon* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ottochloa nodosa* (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxytenanthera monadelph*(Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxytenanthera ritcheyi* (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum antidotale* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum brevifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum fischeri* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum maximum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum notatum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum paludosum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum psilopodium* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum sparsicomum* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum sumatrense* Roth ex Roem. & Schultes and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum trypheron* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalidium flavidum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalidium geminatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalidium punctatum* (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalum canarae* (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalum conjugatum* Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalum dilatatum* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalum longifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalum vaginatum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum americanum* (L.) Leeke. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum clandestinum* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum hohenackeri* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum pedicellatum* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum polystachyon* (L.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum purpureum* Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum villosum* R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Perotis indica* (L.) Kuntze var. *indica* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Perotis indica* (L.) Kuntze var. *keelakaraiensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phalaris aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phalaris arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phalaris minor* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phragmites karka* (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poa annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poa gamblei* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poa trivialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogonatherum crinitum* (Thunb.) Kunth and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogonatherum paniceum* (Lam.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polypogon fugax* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pommereulla cornucopiae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudanthistiria heteroclita* (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudanthistiria umbellata* (Hack.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudechinolaena polystachya* (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudobrachiaria deflexa* (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudoraphis spinescens* (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudosorghum fasciculare* (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchelytrum repens* (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rottboellia cochinchinensis* (Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum arundinaceum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum narenga* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sacciolepis curvata* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sacciolepis indica* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sacciolepis interrupta* (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sacciolepis myosuroides* (R. Br.) A. Camus and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sehima nervosum* (Rottl.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sehima sulcatum* (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria homonyma* (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria intermedia* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria italica* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria palmifolia* (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria plicata* (Lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria poirietiana* (Schultes) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria pumila* (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria sphacelata* (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria verticillata* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum arundinaceum* (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum bicolor* (L.) Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum cernuum* Host var. *orbiculatum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum cernuum* Host var. *truchmenorum* (C.Koch) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum conspicuum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum coriaceum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum dimidiatum* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum dochna* (Forssk.) Snowden var. *irungu* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum dochna* (Forssk.) Snowden var. *obovatum* (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum durra* (Forssk.) Stapf var. *coimbatoricum* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum guineense* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum halepense* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum laxiflorum* F.M. Bailey and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum nitidum* (Vahl.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum roxburghii* Stapf var. *hians* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *subglabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *irungiforme* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum versicolor* Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spinifex littoreus* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spodiopogon rhizophorus* (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus capillaris* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus coromandelianus* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus hajrae* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus maderaspatanus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus piliferus* (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus spicatus* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus tenuissimus* (Schränk) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus tremulus* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus virginicus* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sporobolus wallichii* Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenotaphrum dimidiatum* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teinostachyum wightii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Themeda cymbaria* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Themeda quadrivalvis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Themeda tremula* (Nees ex Steud.) Hack. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Themeda triandra* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thysanolaena maxima* (Roxb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trachys muricata* (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragus roxburghii* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tripogon bromoides* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tripogon jacquemontii* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tripogon lisboae* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tripogon pungens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tripogon wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tripsacum laxum* Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triticum dicoccum* Schubler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urochloa panicoides* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vetiveria lawsonii* (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vetiveria zizanioides* (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vulpia bromoides* (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vulpia megalura* (Nutt.) Rydb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vulpia myuros* (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zea mays* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zenkeria elegans* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zenkeria sebastinei* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zenkeria stapfii* Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zoysia matrella* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zoysia pungens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon schoenanthus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon sorghum* BROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andropogon squarrosus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Androsace rotundifolia* HARDW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aneilema conspicuum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aneilema lineolatum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aneilema nudiflorum* BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aneilema scapiflorum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aneilema tuberosum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anemarrhena asphodeloides* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anemone falconeri* THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anemone narcissiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anemone obtusiloba* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anemone rivularis* HAM. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anemone rupicola* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anemone tetrasepala* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anemone vitifolia* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aneseia martinicensis* (JACQ.) CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anethum foeniculum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anethum sowa* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Angelica archangelica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Angelica archangelica* L. himalayana (C.B.CLARKE)BADHWAR and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Angelica glauca* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Angelica polymorpha* MAXIM. SINENSIS OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Angelonia salicariaefolia* HUMB. & BONPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Angiopteris evecta* (FORST.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aniseia martinicensis* (JACQ.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisochilus eriocephalus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisomeles indica* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisomeles malabarica* R.BR. EX SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisomeles ovata* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anisoneles multiflorum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Annona cherimola* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anoetochilus regalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anoetochilus roxburghii* BL. REGALIS (BL.)

PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anoetochilus setaceus* (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anogeissus acuminata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anogeissus latifolia* WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anogeissus pendula* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anotis foetida* (DALZ.) BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anplectrum assamicum* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthemis cotula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthemis gayana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthemis nobilis* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthemis odontostephana* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthemis pyrethrum* GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthocephalus cadamba* MIQ.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthocephalus chinensis* (LAM.) A.RICH. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthocephalus indicus* A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthriscus cerefolium* (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthriscus sylvestris* HOFFM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anthyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antiaris innoxia* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antiaris saccidora* DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antiaris toxicaria* (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anticharis glandulosa* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma acidum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma buniis* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma diandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma ghaesembilla* GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma menasu* (TULASNE) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antidesma zeylanicum* LAM. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antirrhinum cymbalaria* GUELLENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antirrhinum orantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apama siliquosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apama tomentosa* (BL.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aphanaxis polystachya* (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aphanache cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apium leptophyllum* F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aplotaxis auriculata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apluda varia* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apocynum foetidum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apollonias arnottii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aponogeton monostachyon* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aponogeton natans* (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aporusa dioica* (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aporusa lindleyana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aporusa octandra* (BUCH.- HAM. EX D. DON) VICK.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aquilaria agallocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aquilaria malaccensis* LAM., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aquilaria ovata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aquilegia fragrans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arabidopsis thaliana* (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arabidopsis wallichii* (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arabis chinensis* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arabis recta* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arabis tribetica* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arachne cordifolia* (DECNE) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aralia armata* SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aralia cachemirica* DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aralia pseudo-ginseng* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aralia quinquefolia* DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aralia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arbutus unedo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arceuthobium minutissimum* HK.F. NULL and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Archangelica himalaica* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Archangelica officinalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Archidendron clypearia* (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Archidendron monadelphum* (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arctium lappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arctostaphylos uva ursi* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia colorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia odontophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia oxyphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia solanacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Areca concinna* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Areca nagensis* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Areca triandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arenaria serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arenga obtusifolia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arenga pinnata* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arenga saccharifera* LABILL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arenga wightii* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argemone alba* LESTIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia aggregata* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia argentea* ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia cuneata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia daltonii* CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia fulgens* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia imbricata* (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia involucrata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia kleiniana* (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia malabarica* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia nervosa* (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia pomacea* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia sericea* Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia setosa* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia speciosa* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aricennia officinalis* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arikuryroba schizophylla* BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema alba* N. E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema curvatum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema decipiens* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema flavum* (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema jacquemontii* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema leschenaultii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema murrayi* (GRAHAM) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema speciosum* (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema tortuosum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema triphyllum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arisaema wallichianum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristida adscensionis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristida depressa* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristida humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristida setacea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia bracteata* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia bracteolata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia indica* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia labiosa* KER.-GAWL.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia reticulata* NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia rotunda* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia roxburghiana* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia saccata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia serpentaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aristolochia tagala* CHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Armoracia rusticana* GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arnebia benthamii* (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arnebia euchroma* (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arnebia guttata* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arnica montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artabotrys hexapetalus* (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artabotrys odoratissimus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artabotrys suaveolens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artanema longifolia* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artanema longifolium* (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artanema sesamoides* (VAHL) BENTH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia abrotanum* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia absinthium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia austriaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia biennis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia brevifolia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia capillaris* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia cina* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia dracunculus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia gmelinii* WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia indica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia japonica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia macrocephala* JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia maderaspatana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia moorcroftiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia nilagirica* (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia pallens* WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia parviflora* BUCH. HAM. EX ROXB. NULL



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia persica* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia roxburghiana* BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia sacrorum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia scoparia* WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia sieversiana* EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia vestita* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia vulgaris* AUCT.NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arthraxon nudus* (STEUD.) HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arthrocnemum indicum* MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arthrophyllum blumeum* ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus chaplasha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus communis* J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus gomezianus* WALL. EX TREC. zeylanicus JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus heterophyllus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus hirsutus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus integra* (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus integrifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artocarpus lakoocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arum campanulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arum colocasia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arum macrorhizon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arum numphaeifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aruncus dioicus* (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundina graminifolia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundinella nepalensis* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arundo karka* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asagraea officinalis* LINDL. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asarum europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asclepias asthmatica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asclepias gigantea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asclepias lactifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asclepias proliferata* ROTTLER EX W. AINSLIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asclepias volubilis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asclepias vomitoria* KOEN. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeschynanthus gracilis* PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aspalathus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aspalathus linearis* (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus adscendens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus curillus* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus filicinus* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus gonocladus* BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus laevis* STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus punjabensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus racemosus* WILLD. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus rotterii* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asparagus sarmentosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asperugo procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asphodelus fistulosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asphodelus tenuifolius* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aspidium polymorphum* (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium adiantoides* (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium adiantum-nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium alternans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium ceterach* L. ceterach Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium dalhousiae* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium falcatum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium furcatum* THUMB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium laciniatum* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium nidus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium parasiticum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium polyodon* G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium ruta-muraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium septentrionale* HOFFM. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium trichomanes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asplenium viride* HUDSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aster amellus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aster asteroides* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aster falconeri* HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aster indamellus* GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aster tibeticus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aster trinervius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asteracantha longifolia* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asteriastigma macrocarpa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astilbe rivularis* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astraeus hygrometricus* (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus aegacanthoides* PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus candolleanus* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus ciliolatus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus graveolens* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus hamosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus heratensis* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus himalayanus* KLOTZ. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus jacquemontii* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus multiceps* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus munori* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus nivalis* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus polyacanthus* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus psilocentrus* FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus rhizanthus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus sarcocola* DYMOCK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus strobiliferus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus tribuloides* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Astragalus verus* OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asystasia coromandeliana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asystasia dalzelliana* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asystasia gangetica* (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asystasia violacea* DALZ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atalantia monophylla* CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atalantia racemosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Athyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Athyrium hohenackerianum* BEDD. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Athyrium puncticaule* (BL.) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Athyrium schimperi* (FEE) MOUG. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atriplex hortensis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atropa acuminata* ROYLE EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atropa belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atylosia barbata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atylosia candollei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atylosia goensis* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atylosia lineata* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atylosia mollis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atylosia platycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atylosia scarabeoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atylosia volubilis* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Auricularia sambucina* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Averrhoa acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Averrhoa carambola* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avicennia alba* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avicennia marina* (FORSK.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Avicennia tomentosa* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Azanza lampas* (CAV.) ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Azima tetraantha* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Baccaurea ramiflora* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanites aegyptiaca* (L.) DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanites roxburghii* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanocarpus utilis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanophora dioica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanophora fungosa* J.R. & G. FORST. indica (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanophora involucreata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanophora polyandra* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Baliospermum axillare* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Baliospermum calycinum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Baliospermum montanum* (WILLD.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Baliospermum sinuatum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Baliospermum solanifolium* (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balsamodendron agallocha* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balsamodendron katarif* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balsamodendron mukul* HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balsamodendron myrrha* N.& E. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balsamodendron stocksiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bambusa arundinacea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bambusa balcooa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bambusa bambos* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bambusa nana* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bambusa nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bambusa oSkiniana* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bambusa tulda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bambusa vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barbarea vulgaris* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria acanthoides* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria acuminata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria courtallica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria cuspidata* HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria involucrata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria longiflora* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria longifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria lupulina* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria montana* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria mysorensis* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria noctiflora* LINN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria prattensis* SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria strigosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barringtonia acutangula* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barringtonia asiatica* (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barringtonia racemosa* (L.) K.SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barringtonia speciosa* FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Basella alba* L. *rubra* (L.) STEWART and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Basella alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Basella cordifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Basilicum polystachyon* (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bassia butyracea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bassia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bassia longifolia* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bassia malabarica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia candida* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia diphylla* BUCH. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia macrostachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia malabarica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia phenicea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia phenicea* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia racemosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia retusa* HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia roxburghiana* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia rufescens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia tenuiflora* WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia vahlii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia wallichii* MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia cathcartii* J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia hatacoa* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia inflata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia josephii* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia laciniata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia luxurians* SCHEIDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia palmata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia picta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia rex* PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia rubro-venia* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia thomsonii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *NripatimcKalam chinensis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Benincasa cerifera* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Benincasa hispida* (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Benkara malabarica* (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bentinckia condapanna* BERRY EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis asiatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis chitria* EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis insignis* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis jaeschkeana* SCH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis kashmiriana* AHRENDT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis kumaoensis* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis lamberti* PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis lycium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis nepalensis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis pachyacantha* JAFRI zabeliana JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis petiolaris* WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis pseudumbellata* PARKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis tinctoria* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis ulicina* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis umbellata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis wallichiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berchemia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bergenia ciliata* (HOW.) STERN. *fa ligulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bergenia ciliata* (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bergenia ligulata* SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bergenia purpurascens* (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bergenia stracheyi* (HOOK.F. & THOMS.) ENGL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bergia koenigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bergia odorata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bergia suffruticosa* (DEL.) FENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Beta benghalensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Beta maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Betula alnoides* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Betula bhojpattra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Betula utilis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bidens biternata* (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bidens cernua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bidens pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bidens tripartita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biebersteinia odora* STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bignonia chelonoides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bignonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bignonia longifolia* (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum apodisciac* TUREZ. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum candolleianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum nervifolium* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum petersianum* KLOTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum reinwardtii* (ZUCC.) KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum sensitivum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bischofia javanica* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bistorta amplexicaulis* GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blastania garcini* COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blechnum orientale* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blechnum spicant* (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blepharis boerhaviifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blepharis edulis* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blepharis linariaefolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blepharis maderaspatensis* (L.) ROTH. *maderaspatensis* NAPPER *maderaspatensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blepharis persica* (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blepharistemma serratum* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blighia sapida* KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea aurita* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea balsamifera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea densiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea eriantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea fistulosa* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea hieracifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea lacera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea laciniata* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea lanceolaria* (ROXB.) DRUCE. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea membranacea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea mollis* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea myriocephala* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea obliqua* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea pubigeru* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea riparia* (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea sessiliflora* DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea wightiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumeopsis falcata* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumeopsis flava* (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blyxa octandra* (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bocagea dalzellii* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boehmeria macrophylla* HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boehmeria nivea* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boehmeria repens* NEES & MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boerhavia repKalam* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boerhavia repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boerhavia verticillata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boesenbergia rotunda* (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bolbitis subcrenata* (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boletus crocatus* BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bombax ceiba* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bombax cibaricum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bombax insigne* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bombax malabaricum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bombax pentandrum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bongardia chrysogonum* (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bongardia rauwolfii* C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bonnaya oppositifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bonnaya reptans* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Borago officinalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Borassus flabelliformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Borreria articularis* (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Borreria hispida* (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Borreria pusilla* (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bosea amherstiana* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boswellia carteri* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boswellia frereana* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boswellia glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boswellia ovalifoliolata* BAL & HENRY. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boswellia serrata* ROXB. *glabra* (ROXB.) BENNETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boswellia serrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boswellia thurifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bothriochloa odorata* (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Botrychium lunaria* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Botrychium ternatum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Botrychium virginianum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boucerosia aucheriana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bougainvillea spectabilis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria eruciformis* (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria ramosa* STAPP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachiaria reptans* (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachyactis roylei* WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bragantia tomentosa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bragantia wallichii* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brasenia schreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brasenia schreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassaiopsis glomerulata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica alba* (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica campestris* L. *dichotoma* (ROXB.) WATT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica campestris* L. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica campestris* L. *rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica campestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica cernua* (THUNB.) FORBES & HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica integrifolia* (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica juncea* (L.) CZERN. *integrifolia* (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica juncea* (L.) CZERN. SSP. *JUNCEA* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica napus* L. *dichotoma* (ROXB.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica napus* L. *glauca* (ROXB.) SCHULZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica nigra* (L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica nigra* (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica oleracea* L. *capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica oleracea* L. *gongylodes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica rapa* L. *campestris* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica tournefortii* GOUAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Breia arvensis* (L.) LESS. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bremekampia verticillata* (ROXB.) SREEMADHAVAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Breynia patens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Breynia retusa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Breynia rhamnoides* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Breynia vitis-idaea* (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bridelia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bridelia montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bridelia retusa* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bridelia scandens* (ROXB.) WILLD, and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bridelia squamosa* (LAM.) GEHRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bridelia stipularis* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bridelia tomentosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bromelia ananas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bromus unioloides* H.B.N.NOV. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Broussonetia papyrifera* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brucea javanica* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brucea mollis* WALL. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bruguiera cylindrica* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bruguiera gymnorrhiza* (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brunfelsia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brunfelsia calycina* BENTH. *MACRANTHA RAFFILL* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bruxanellia indica* DENNST. EX KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bryonia epigoea* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bryonia grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bryonia laciniosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bryonia rostrata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bryonia scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bryonia umbellata* KLEIN EX WILLD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bryonopsis laciniola* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bryophyllum calycinum* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bryophyllum pinnatum* (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bryum bicolor* DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buchanania axillaris* (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buchanania latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buddleja asiatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buddleja davidii* FRANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buddleja macrostachys* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buddleja neemda* HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buettneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum congestum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum neilgherrense* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbophyllum sterile* (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bulbostylis barbata* (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bunium persicum* (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bupleurum falcatum* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bupleurum juncundum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bupleurum lanceolatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bupleurum longicaule* WALL. EX DC. *himalayense* (KI.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bupleurum setaceum* FENZL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bupleurum thompsoni* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bursera serrata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Butea buteiformis* (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Butea frondosa* ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Butea monosperma* (LAM.) TAUB. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Butea parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Butea superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Butia yatay* (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buxus wallichiana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bytneria Kalammanensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bytneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bytneria pilosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cacalia kleinia* HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cacalia pentaloba* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cacalia sonchifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caccinia crassifolia* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cachrys pabularia* (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cactus ficus-indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cadaba farinosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cadaba fruticosa* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cadaba indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cadaba trifoliata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia bonduc* (L.) ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia bonducella* (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia coriaria* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia crista* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia cuculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia decapetala* (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia digyna* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia jayabo* NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia mimosoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia nuga* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia paniculata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia pulcherrima* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesulia axillaris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cajanus bicolor* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cajanus cajan* (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cajanus indicus* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calacanthus grandiflorus* (DALZ.) RADLK.. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caladium bicolor* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caladium sagittaeifolium* SUBER. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamintha clinopodium* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamintha umbrosa* FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus draco* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus erectus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus extensus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus huegelianus* MART, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus latifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus rheedei* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus tenuis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus thwaitesii* BECC. canaranus Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus travancoricus* BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calamus viminalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calanthe masuca* (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calanthe sylvatica* (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calanthe triplicata* (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calanthe veratrifolia* (WILLD.) KER.-GAWL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calendula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callicarpa arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callicarpa cana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callicarpa lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callicarpa longifolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callicarpa macrophylla* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callicarpa psilocalyx* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callicarpa rubella* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callicarpa tomentosa* (L.) MURRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calligonum polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callistemon lanceolatus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callitris inophyllum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calonyction bona-nox* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calonyction muricatum* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calophyllum apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calophyllum calaba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calophyllum elatum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calophyllum inophyllum* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calosanthus indica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calotropis gigantea* (L.) R.BR. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calotropis gigantea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calotropis procera* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caltha alba* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caltha palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calvatia cyathiformis* (BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calycopteris floribunda* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calyptanthus caryophyllifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calyptanthus jombolana* MOON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Camellia kissi* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Camellia sinensis* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Camellia thea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campanula colorata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Camphora officinarum* NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campsis grandiflora* (THUNB.)SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campsis radicans* (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cananga odorata* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canarium odoratum* BAILL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canarium bengalense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canarium commune* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canarium euphyllum* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canarium resiniferum* BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canarium strictum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canarium vulgare* LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canavalia ensiformis* SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canavalia gladiata* (JACQ.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canavalia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canavalia rosea* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canavalia virosa* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canella alba* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canella winterana* (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canna coccinea* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canna orientalis* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cannabis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canscora andrographioides* GRIFF. EX C. B. CLARKE

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canscora decussata* SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canscora diffusa* (VAHL) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canscora perfoliata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cansjera rheedi* J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium angustifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium coromandelicum* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium dicoccum* (GAERTN.) TEIJSM. & BINN. *dicoccum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium parviflorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium rheedei* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium umbellatum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caoxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis aphylla* ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis assamica* HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis bisperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis corundas* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis decidua* (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis diffusa* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis divaricata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis horrida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis micrantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis moonii* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis olacifolia* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis pedunculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis sepiaria* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capsella bursa-pastoris* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capsella thomsoni* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capsicum festigiatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capsicum grossum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capsicum minimum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caragana crassicaulis* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caragana cuneata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caragana pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carallia brachiata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carallia integerrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma adscendens* (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma attenuata* WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma edulis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma tuberculata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma umbellata* HAW. SYN. PL. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carapa granatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carapa gromatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carapa moluccensis* LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carapa obovata* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardamine impatiens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardamine loxostemonoides* O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardamine pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardamine scutata* THUNB. flexuosa (WITH.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardanthera uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardaria draba* (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardocrinum giganteum* (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardiospermum canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carduus edelbergii* RECH.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carduus gigas* UCRIA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carduus nutans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex atrata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex cernua* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex nivalis* BOOTT NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex notha* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carex nubigena* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Careya arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Careya herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carica cKalammarcensis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa carKalams* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa congesta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa opaca* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa spinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carmona microphylla* (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carmona retusa* (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carpesium abrotanoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carpesium cernuum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carpopogon pruriens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carthamus lanatus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carthamus oxyacantha* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carthamus tinctorius* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carum bulbocastanum* Auct. Non Koch: C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carum carvi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carum copticum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carum roxburghianum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carum strictocarpum* C.B. CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caryophyllus aromaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caryopteris odorata* ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caryota mitis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *CascaNripathi thevetia* (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia elliptica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia graveolens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia grewiaefolia* VENT. *deglabrata* KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia ovata* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia vareca* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia zeylanica* (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia absus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia acutifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia angustifolia* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia arborea* MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia auriculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia didymobotrya* FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia elongata* LEMAIER - LIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia fistula* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia glauca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia italica* (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia javanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia laevigata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia lanceolata* COLLAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia marginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia mimosoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia montana* HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia obovata* COLLOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia obtusifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia pumila* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia senna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia siamea* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia sophera* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia surattensis* BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia tora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia uniflora* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia glauca* (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassiope fastigiata* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Castanea sativa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Castanopsis indica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Castanopsis tribuloides* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Castanospermum australe* A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casuarina equisetifolia* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catha edulis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catharanthus pusillus* (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catharanthus roseus* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catimbum malaccense* (BURM.F.) HOLTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catimbum speciosum* (WENDL.) HOLTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catunaregam rugulosa* (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catunaregam uliginosa* (RETZ.) SIVARAJAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catunaregam spinosa* (THUNB.) TIRVENGADUM and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caulophyllum thalictroides* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia auriculata* (ROXB.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia carnosa* (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia mollissima* (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia pedata* (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia pedata* JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia trifolia* (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cedrela serrata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cedrela toona* ROXB. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cedrus deodara* (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cedrus libani* BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cedrus libani* BARREL deodara HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceiba pentandra* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celastrus paniculatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celosia argentea* L. cristata (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celsia coromandeliana* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celtis cinnamomea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celtis orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celtis philippensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celtis tetrandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celtis timorensis* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celtis wightii* PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cenchrus barbatus* SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cenchrus biflorus* ROXB. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centaurea behen* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centaurea calcitrapa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centaurea iberica* TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centaurea picris* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centaurea solstitialis* ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centaureum centaurioides* (ROXB.) ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centaureum roxburghii* (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centella asiatica* (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centipeda minima* (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centipeda orbicularis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centranthera grandiflora* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centranthera indica* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centratherum anthelminticum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centrosema pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centrostachys aquatica* (R.BR.) WALL.EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cepa alba* RENAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cepa flava* MOENCH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cephaelis ipecacuanha* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cephalandra indica* NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cephalanthera ensifolia* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cephalanthera longifolia* (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cephalostachyum capitatum* MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cephalostachyum pergracile* MUNRO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cephalotaxus griffithi* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerastium cerastoides* (L.) BRITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerastium fontanum* BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerastium glomeratum* THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerastium indicum* THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerastium thomsoni* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerastium vulgatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerasus hexagonus* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceratocephalus falcatus* (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceratopteris siliquosa* COPELAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceratopteris thalictroides* (L.) BRONGN. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerbera manghas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerbera odollam* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cereus grandiflorus* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerriops candolleana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerriops roxburghiana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerriops tagal* C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceriscoides turgida* (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia bulbosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia candelabrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia juncea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cestrum diurnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cestrum nocturnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cestrum parqui* L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceterach officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chaerophyllum acuminatum* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chaerophyllum villosum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chamaemelum nobile* (L.) ALL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chamaerops ritchieana* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Champereia griffithii* PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Champereia manillana* (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chasallia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chassalia curviflora* (WALL. EX KURZ) THW. *ophioxyloides* (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chassalia ophioxyloides* (WALL.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chavica betle* MIQ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chavica roxburghii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cheilanthes albomarginata* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cheilanthes farinosa* (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cheilanthes fragrans* (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cheilanthes rufo* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cheilanthes tenuifolia* (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chenopodium ambrosioides* BERT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chenopodium blitum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chenopodium botrys* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chesneya nubigena* (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysanthemum segetum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cirsium wallichii* DC. var. *wightii* (Hook.f.) Vivek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissampelopsis ansteadii* (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissampelopsis corymbosa* (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissampelopsis walkeri* (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conyza aegyptiaca* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conyza bonariensis* (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conyza japonica* (Thunb.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conyza leucantha* (D.Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conyza stricta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coreopsis grandiflora* Nutt. ex Chapm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coreopsis tinctoria* Nutt var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H.

M. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cosmos caudatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cosmos sulphureus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crassocephalum crepidioides* (Benth.) S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathocline purpurea* (Ham. ex D.Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dahlia coccinea* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dahlia imperialis* Roedel ex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendranthema x grandiflorum* (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichrocephala chrysanthemifolia* (Blume) DC. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichrocephala integrifolia* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicoma tomentosa* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinops echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Emilia coccinea* (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Emilia javanica* (Burm.f.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Emilia ramulosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Emilia scabra* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Emilia zeylanica* Clarke var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Emilia zeylanica* Clarke var. *paludosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epilates divaricata* (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epilates pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron alpinus* L. var. *wightii* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron karvinskianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron multiradiatus* (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron sublyratus* DC. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eupatorium ianthinum* Hemsl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eupatorium repandum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flaveria contrayerba* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flaveria trinervia* (Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gaillardia pulchella* Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galinsoga parviflora* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galinsoga quadriradiata* Ruiz. & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gamochaeta coarctata* (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gamochaeta pensylvanica* (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gamochaeta purpurea* (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gazania linearis* (Thunb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gerbera jamesonii* Bolus ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glossocardia bosvallea* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glossogyne bidens* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnaphalium hypoleucum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnaphalium luteo-album* L. subsp. *luteo-album* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnaphalium luteo-album* L. subsp. *affine* (D. Don.) Koster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnaphalium polycaulon* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goniocaulon indicum* (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grangea maderaspatana* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Guizotia abyssinica* (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynura aurantiaca* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynura bicolor* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynura lycopersicifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynura nitida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynura pseudo-china* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynura travancorica* W.W. Smith and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helianthus debilis* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helichrysum buddleioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helichrysum perlanigerum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helichrysum wightii* Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helipterum citrinum* Harv. & Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helipterum roseum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypochoeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypochoeris radicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kleinia grandiflora* (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca hastata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagascea mollis* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagdera crispata* (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea acaulis* (Roxb.) Bab. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea intybacea* (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucanthemum x superbum* ( J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Montanoa bipinnatifida* C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moonia heterophylla* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myriactis wightii* DC. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myriactis wightii* DC. var. *bellidioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Notonia shevaroyensis* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Notonia walkeri* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olearia cassiniae* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oligochaeta ramosa* (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osteospermum ecklonis* (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osteospermum moniliferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentanema cernuum* ( Dalzell ) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentanema indicum* (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllocephalum courtallense* (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllocephalum indicum* (Less.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllocephalum phyllolaenum* (DC.) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllocephalum rangacharii* (Gamble) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllocephalum scabridum* (DC.) Kirkman and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllocephalum sengaltherianum* (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pluchea tomentosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Proustia pyrifolia* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psiadia ceylanica* (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pulicaria angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pulicaria wightiana* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rudbeckia maxima* Nutt. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Santolina chamaecyparissus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sclerocarpus africanus* Jacq.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio ansteadii* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio articulatus* (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio calcadensis* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio candicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio cineraria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio confusus* Elmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio edgeworthii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio hohenackeri* Hook.f. var. *hohenackeri* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio hohenackeri* Hook.f. var. *rupestris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio intermedius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio kundaicus* Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio lavandulaefolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio lessingianus* (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio ludens* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio neelgherryanus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio polycephalus* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio tenuifolius* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio wightii* (DC.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio zeylanicus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sigesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Silybum marianum* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solidago canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solidago gigantea* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solidago microglossa* Dc. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solidago nemoralis* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solidago virga-aurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonchus asper* (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonchus jainii* Chandrabose, Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonchus wightianus* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphaeranthus amaranthoides* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spilanthes calva* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spilanthes radicans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spilanthes uliginosa* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stokesia laevis* (Hill) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Struchium sparganophorum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Synedrella nodiflora* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tagetis erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tagetis lucida* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tagetis minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tagetis patula* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tanacetum parthenium* (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taraxacum javanicum* Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taraxacum officinale* Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tanacetum cinerariaefolium* Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tithonia diversifolia* (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tricholepis radicans* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia albicans* Dc. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia anamallica* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia anthelmintica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia arborea* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia bourneana* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia cinerascens* Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia cinerea* (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia comorinensis* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia conyzoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia dalzelliana* Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia divergens* (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia elaeagnifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia fysonii* Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia gossypina* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia heynei* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia indica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia malabarica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia membranacea* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia monosis* Benth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia pectiniformis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *peninsularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *kodayarensis* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia pothigaiana* Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia ramaswamii* Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia recurva* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia saligna* DC. var. *nilghirensis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia salvifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia setigera* Arn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia travancorica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vittadinia australis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wedelia chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wedelia trilobata* (L.) A. Hitchc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wedelia urticaefolia* (Blume) DC. var. *urticaefolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wedelia urticaefolia* (Blume) DC. var. *wightii* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xanthium indicum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Youngia fuscipappa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Youngia nilgiriensis* Babc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zinnia elegans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scaevola plumieri* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scaevola sericea* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asyneuma fulgens* (Wall.) Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campanula alphonisii* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campanula benthamii* Wall. ex Kitam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campanula drabifolia* Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campanula latifolia* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campanula medium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campanula ramulosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campanula rapunculoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campanula wightii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laurentia longiflora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wahlenbergia marginata* (Thunb.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia alsinoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia angulata* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia chinensis* Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia courtallensis* K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia heyneana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia leschenaultiana* (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia nicotianifolia* Roth ex Schultes var. *nicotianifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia nicotianifolia* Roth ex Schultes var. *trichandra* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphenoclea zeylanica* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vaccinium leschenaultii* Wight var. *leschenaultii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vaccinium leschenaultii* Wight var. *pubescens* S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vaccinium neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arbutus unedo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calluna vulgaris* (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erica arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erica vagans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gaultheria fragrantissima* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron indicum* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron mucronatum* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron simsii* Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clethra arborea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limonium sinuatum* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumbago auriculata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anagallis pumila* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lysimachia candida* Lindl. subsp. *obovata* (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lysimachia leschenaultii* Duby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lysimachia procumbens* Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aegiceras corniculatus* (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antistrophe serratifolia* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia amplexicaulis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia blatteri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia littoralis* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia missionis* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia pauciflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia rhomboidea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia solanacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ardisia sonchifolia* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embelia adnata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embelia basaal* (Roem. & Schultes) A.DC. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embelia gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embelia ribes* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embelia tsjeriam-cottam* (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maesa indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrsine wightiana* Wall. ex. A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rapanea capitellata* (Wall.) Mez var. *capitellata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rapanea capitellata* (Wall.) Mez var. *sessilis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rapanea daphnoides* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rapanea thwaitesii* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jacquinia barbasco* (Loefl.) Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jacquinia aculeata* Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysophyllum roxburghii* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isonandra lanceolata* Wight forma *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isonandra lanceolata* Wight forma *anfractuosa* (Clarke) Jeuken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isonandra montana* (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isonandra perrottetiana* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isonandra stocksii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Madhuca indica* J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Madhuca longifolia* (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Madhuca neriifolia* (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manilkara hexandra* (Roxb.) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manilkara roxburghiana* (Wight) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manilkara zapota* (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Palaquium bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Palaquium ellipticum* (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xantolis tomentosa* (Roxb.) Rafin. var. *tomentosa* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xantolis tomentosa* (Roxb.) Rafin. var. *elengioides* (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros affinis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros assimilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros barberi* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros buxifolia* (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros candolleana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros chloroxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros cordifolia* Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros ebenum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros ferrea* (Willd.) Bakh. var. *buxifolia* (Rottb.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros ferrea* (Willd.) Bakh. var. *neilgherrensis* (Wight) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros foliolosa* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros humilis* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros insignis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros malabarica* (Desr.) Kostel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros melanoxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros montana* Roxb. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros nigresens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros nilgirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros oocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros paniculata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros pruriens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros sylvatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros walkerii* (Wight) Guerin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos authilingomii* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos foliosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea*

(Bedd.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos monantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos nairii* Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos obtusa* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos oligandra* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos pendula* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos pulchra* Wight subsp. *pulchra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos pulchra* Wight subsp. *coriacea* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos wynadense* (Kuntze) Nooteb. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionanthus leprocarpa* Thw. var. *courtallensis* (Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionanthus linocieroides* (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionanthus macrophylla* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionanthus mala-elengi* (Dennst.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionanthus ramiflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionanthus zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum angustifolium* (L.) Willd. var. *angustifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum arborescens* Roxb. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum auriculatum* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum azoricum* L. var. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum azoricum* L. var. *travancorensis* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum bignoniaceum* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum brevifolium* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum calophyllum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum cordifolium* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum cuspidatum* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum grandiflorum* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum malabaricum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum mesnyi* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum multiflorum* (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum polyanthum* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum ritchiei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum rottlerianum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum sambac* (L.) Ait. var. *sambac* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum sambac* (L.) Ait. var. *heyneanum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum scandens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum trichotomum* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum decaisnei* Clarke var. *decaisnei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum gamblei* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum lucidum* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum perrottetii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum robustum* (Roxb.) Blume subsp. *walkeri* (Decne.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myxopyrum serratum* A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olea dioica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olea paniculata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olea polygama* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schrebera swietenoides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Azima tetraantha* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenium obesum* Roem & Schult. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aganosma cymosa* (Roxb.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aganosma dichotoma* (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *AllamKalam cathartica* L. var. *nobilis* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *AllamKalam violacea* Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alstonia scholaris* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alstonia venenata* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Beaumontia grandiflora* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Beaumontia jerdoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa carKalam*s L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa grandiflora* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa hirsuta* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa inermis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa salicina* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carissa spinarum* L. var. *spinarum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catharanthus pusillus* (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catharanthus roseus* (L.) G.Don and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerbera odollam* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chonemorpha fragrans* (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ellertonia rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Funtumia africana* (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holarrhena pubescens* (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hunteria zeylanica* (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ichnocarpus frutescens* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kopsia fruticosa* (Ker-Gawl.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mandevilla laxa* (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parsonsia alboflavescens* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumeria obtusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rauvolfia hookeri* Srinivasan & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rauvolfia micrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rauvolfia serpentina* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rauvolfia verticillata* (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strophanthus wightianus* Wall. ex Wight and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabernaemontana divaricata* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabernaemontana gamblei* Subram. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabernaemontana heyneana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thevetia peruviana* K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vallaris solanacea* (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vinca major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Voacanga grandiflora* (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wrightia arborea* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wrightia indica* Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachystelma bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachystelma brevityubulatum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachystelma maculatum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brachystelma rangacharii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calotropis gigantea* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calotropis procera* (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma bhupinderana* Sarkaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma diffusa* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma indica* (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma nilagiriana* Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma pauciflora* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma procumbens* Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma stalagmifera* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caralluma umbellata* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia barnesii* Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia bulbosa* Roxb. var. *bulbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia bulbosa* Roxb. var. *lushii* (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia candelabrum* L. var. *candelabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia candelabrum* L. var. *biflora* (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia ciliata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia decaisneana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia elegans* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia ensifolia* Bedd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia fimbriifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia intermedia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia juncea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia maculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia mannarana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia metziana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia oculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia omissa* Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia pusilla* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia spiralis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceropegia thwaitesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cosmostigma racemosum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynanchum alatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynanchum callialatum* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynanchum tunicatum* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphocarpus fruticosus* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphocarpus physocarpus* E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema alterniflorum* (Lour.) Merr. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema elegans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema hirsutum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema lactiferum* (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema montanum* (Roxb.) Hook.f. var. *montanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema montanum* (Roxb.) Hook.f. var. *beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema tingens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heterostemma tanjorensense* Wight & Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holastemma ada-kodien* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya alexicaca* (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya kanyakumariana* Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya ovalifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya wightii* Hook.f.subsp. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptadenia reticulata* (Retz.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsdenia brunoniana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsdenia tenacissima* (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsdenia tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentatropis capensis* (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pergularia daemia* (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Raphionacme purpurea* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostemma acidum* (Roxb.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostemma brunonianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostemma intermedium* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostemma secamone* (L.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Secamone emetica* (Retz.) R.Br. ex Schultes and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stapelia gigantea* N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stapelia grandiflora* Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Telosma minor* (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Telosma pallida* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Toxocarpus beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Toxocarpus kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Toxocarpus palghatensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora capparidifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora macrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora mollissima* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora multiflora* (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora pauciflora* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora rotundifolia* Buch.-Ham. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora tertrapetala* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora zeylanica* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, Oudhia, P. (1990-2021). Safed Musli farming for

Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wattakaka volubilis* (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bacolepis nervosa* (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptolepis buchananii* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptolepis grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptostegia grandiflora* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Decalepis hamiltonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Decalepis arayalpathra* Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utreria salicifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagraea ceilanica* Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardneria ovata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mitrasacme indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spigelia anthelmia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos lenticellata* Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos minor* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos vanprukii* Craib and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos wallichiana* Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buddleja asiatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buddleja davidii* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buddleja madagascariensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buddleja volubilis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canscora decurrens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canscora decussata* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canscora heteroclita* (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canscora perfoliata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canscora roxburghii* Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enicostema axillare* (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum anamallayanam* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum atropurpureum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum grande* Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum lawii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum petiolare* Griseb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum pumilum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum sessile* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum tetragonum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum wightianum* Arn. var. *wightianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halenia perrottetii* Griseb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoppea dichotoma* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoppea fastigiata* (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham. ex D. Don) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia densifolia* (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia minor* (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphoides aurantiacum* (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphoides hydrophylla* (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphoides indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrolea zeylanica* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wigandia canacasana* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phlox drummondii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carmona retusa* (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia alba* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia diffusa* Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia domestica* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia evolutior* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia gharaf* (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia macleodii* (Griff.) Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia monoica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia obliqua* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia wallichii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia sebestena* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia subcordata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia aspera* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia canarensis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia laevis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia wightiana* Wall. ex G. Don and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium bracteatum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium curassavicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium marifolium* Retz. subsp. *marifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium marifolium* Retz. subsp. *wallichii* (Clarke) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium ovalifolium* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium peruvianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium rottleri* Lehm. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium strigosum* Willd. subsp. *brevifolium* (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium supinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium zeylanicum* (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotula aquatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tournefortia argentea* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tournefortia heyneana* Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tournefortia reticosa* Wight and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tournefortia wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichodesma indicum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichodesma inaequale* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichodesma zeylanicum* (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aniseia martinicensis* (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyrea argentea* Choisy var. *venusta* (Choisy) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyrea coonoorensis* W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyrea cuneata* (Willd.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyrea cymosa* (Roxb.) Sweet and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia daltonii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia elliptica* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia fulgens* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia imbricata* (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia involucrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia kleiniana* (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia nellygherya* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia nervosa* (Burm.f.) Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia osyrensis* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia pilosa* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia pomacea* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia populifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia sericea* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyreia setosa* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bonamia evolvuloides* (Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bonamia Semidigyna* (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus flavus* Willd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus rotterianus* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuscuta campestris* Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuscuta chinensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuscuta hyalina* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuscuta reflexa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erycibe paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Evolvulus alsinoides* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Evolvulus nummularius* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hewittia sublobata* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea aquatica* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea barlerioides* (Choisy) Benth.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea batatus* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea cairica* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea carnea* Jacq. subsp. *carnea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy)

D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea coptica* (L.) Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea deccana* Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea dichroa* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea diversifolia* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea eriocarpa* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea involucrata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea marginata* (Desr.) Verdc . and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea mauritiana* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea nil* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea obscura* (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea pileata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea purpurea* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea quamoclit* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea rumicifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea sepiaria* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea sinensis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea staphylina* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea tuberculata* Ker - Gawl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea turbinata* Lag. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea wightii* (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jacquemontia caerulea* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jacquemontia paniculata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jacquemontia pentantha* (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepistemon leiocalyx* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia aegyptia* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia dissecta* (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia emarginata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia hederacea* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia quinata* (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia quinquefolia* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia tridentata* (L.) Hall.f. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia umbellata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia umbellata* (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia vitifolia* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Operculina turpethum* (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Porana paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Porana racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rivea hypocrateriformis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rivea ornata* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stictocardia tiliifolia* (Desr.) Hall.f. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Browallia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Browallia speciosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Browallia viscosa* Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brugmansia arborea* (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brugmansia versicolor* Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brunfelsia undulata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capsicum frutescens* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cestrum aurantiacum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cestrum corymbosum* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cestrum diurnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cestrum elegans* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cestrum fasciculatum* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cestrum nocturnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cestrum parqui* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyphomandra betacea* (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura cornigera* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura innoxia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura metal* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura sanguinea* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iochroma coccinea* Scheid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycium barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycopersicon esculentum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicandra physalodes* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicotiana alata* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicotiana glauca* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicotiana glutinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicotiana plumbaginifolia* Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicotiana repKalam* Willd. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nierembergia gracilis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Petunia axillaris* (Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Petunia x hybrida* Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis ixocarpa* Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis lagascae* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis pruinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schizanthus pinnatus* Ruiz & Pav. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schizanthus wisetonensis* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solandra grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum americanum* Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum anguivi* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum ariculari* G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum barbisetum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum capsicastrum* Link & Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum capsicoides* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum clavatum* Rusby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum convolvulus* Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum elaeagnifolium* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum erianthum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum giganteum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum grandiflorum* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum hispidum* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum jasminoides* Paxt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum kurzii* Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum macrocarpon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum macrophyllum* Dunal and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum marginatum* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum mauritianum* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum melongena* L. var. *melongena* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum insanum* J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum lasiocarpum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum pseudo-capsicum* L.var. *pseudo-capsicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum pseudo-capsicum* L. *difflorum* (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum robustum* H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum seaforthianum* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum sisymbriifolium* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum stramonifolium* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum torvum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum vagum* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum viarum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum violaceum* Ortega Subsp. *violaceum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B.

Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum wendlandii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum wrightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Streptosolon jamesonii* (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Withania somnifera* (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenosma indianum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Angelonia biflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antirrhinum orontium* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Antirrhinum purpureum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artanema longifolia* (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bacopa floribunda* (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bacopa hamiltoniana* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bacopa monnieri* (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buchnera hispida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calceolaria gracilis* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celsia arcturus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centranthera indica* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centranthera tranquebarica* (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbalaria muralis* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dopatrium lobelioides* (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dopatrium nudicaule* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glossostigma diandrum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hebe speciosa* (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hebe andersonii* Cockayne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kickxia ramosissima* (Wall.) Janchen and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila aromatica* (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila connata* (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila heterophylla* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila polystachya* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila repens* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila rugosa* (Roth) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindenbergia indica* (L.) Kuntze and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia anagallis* (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia antipoda* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia caespitosa* (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia ciliata* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia crustacea* (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia hyssopioides* (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia minima* (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia nummulariifolia* (D.Don) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia oppositifolia* (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia parviflora* (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia procumbens* (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia rotundifolia* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia ruellioides* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia srilankana* Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia sessiliflora* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia tenuifolia* (Colsm.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia viscosa* (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maurandya barclaiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maurandya erubescens* (D.Don) Gray and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maurandya lophospermum* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maurandya semperflorens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mazus pumilus* (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mecardonia procumbens* (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micrargeria wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microcarpaea minima* (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paulownia tomentosa* (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedicularis perrottetti* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedicularis zeylanica* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Penstemon azureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Penstemon campanulatus* (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peplidium maritimum* (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Russelia equisetiformis* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sopubia stricta* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sopubia trifida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stemodia viscosa* Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Striga angustifolia* (D.Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Striga asiatica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Striga densiflora* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Striga gesnerioides* (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Striga masuria* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sutera dissecta* (Del.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia bicolor* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia courtallensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia fournieri* Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia hirsuta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia vagans* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbascum chinense* (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbascum thapsus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbascum virgatum* Stokes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica polita* Fries and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica speciosa* R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica persica* Poir.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeginetia pedunculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christisonia bicolor* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christisonia neilgherrica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christisonia saulierei* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christisonia subacaulis* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orobancha cernua* Loebl. var. *nepalensis* Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia australis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia bifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia exoleta* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia graminifolia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia hirta* Klein ex Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia minutissima* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia nayarii* Jana. & Henry and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia polygaloides* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia reticulata* J.E.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia roseo-purpurea* Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia scandens* Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia smithiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia stellaris* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia striatula* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia uliginosa* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia wightiana* Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeschynanthus ceylanica* Gard. var. *pinguis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeschynanthus perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus gambleanus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus humboldtianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus innominatus* Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus lyrata* Wight var. *lyrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus lyrata* Wight var. *prostrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus meeboldii* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus missionis* Wall. ex R.Br. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus repens* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus tomentosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus wightii* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epithema carnosum* (G. Don) Benth. var. *hispida* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gesneria cardinalis* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jerdonia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchoglossum notonianum* (Wall) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosyris permolle* (Nees) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arrabidaea magnifica* Sprague ex Steenis Bull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bignonia megapota* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Campsis radicans* (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catalpa bignonioides* Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clytostoma callistegioides* (Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parmentiera alata* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crescentia cujeta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichandrone arcuata* (Wight) Clarke and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichandrone atrovirens* (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichandrone falcata* (Wall.ex DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haplophragma adenophyllum* (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *JacarKalam mimosifolia* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kigelia africana* (Lam.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macfadynea unguis-cati* (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Markhamia stipulata* Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Millingtonia hortensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nyctocalos cuspidata* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oroxylum indicum* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pandorea jasminoides* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaedranthus buccinatorius* (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllarthron bojerianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleotoma jasminifolia* (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Podranea ricasoliana* (Tranf.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrostegia venusta* (Ker-Gawl.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Radermachera xylocarpa* (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spathodea campanulata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabblerley

var. colais and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *angustifolium* (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabebuia rosea* (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabebuia arjentea* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabebuia pallida* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabebuia palmeri* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tecoma stans* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tecomaria capensis* (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cobaea scandens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedaliium murex* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesamum alatum* Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesamum laciniatum* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesamum prostratum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesamum radiatum* Schumach. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acanthus mollis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis affinis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis alata* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis atropurpurea* (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis ceylanica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis echioides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis elongata* (Vahl) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis explicata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis lineata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis lobelioides* Wight var. *lobelioides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis lobelioides* Wight var. *composita* Clarke

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis macrobotrys* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis neesiana* Wight var. *neesiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis neesiana* Wight var. *producta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis neesiana* Wight var. *rotundifolia* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis rothii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis stellulata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis stenophylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Andrographis viscosula* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aphelandra deppeana* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asystasia chelonoides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asystasia crispata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asystasia dalzelliana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asystasia gangetica* (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Asystasia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria acuminata* Nees and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria courtallica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria cuspidata* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria gibsonii* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria involucreta* Nees var. *elata* (Dalz.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria longiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria mysorensis* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria nitida* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria noctiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria paniculata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria pilosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria prattensis* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria strigosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria tomentosa* Roth var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria tomentosa* Roth var. *glandulosa* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barleria vestita* T. And. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blepharis maderaspatensis* (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blepharis repens* (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clinacanthus nutans* (Burm.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crossandra infundibuliformis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicliptera cuneata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicliptera foetida* (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicliptera verticillata* (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diotacanthus albiflorus* (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diotacanthus grandis* (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipteracanthus beddomei* (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipteracanthus patulus* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipteracanthus prostratus* (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dyschoriste madurensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dyschoriste nagchana* (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dyschoriste vagans* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ecbolium ligustrinum* (Vahl) Vollesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ecbolium viride* (Forssk.) Alston var. *viride* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ecbolium viride* (Forssk.) Alston var. *dentata* (Klein ex Link) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ecbolium viride* (Forssk.) Alston var. *rotundifolia* (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elytraria acaulis* (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eranthemum capense* L. var. *capense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eranthemum capense* L. var. *concanensis* (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eranthemum nervosum* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eranthemum purpurascens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eranthemum roseum* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Graptophyllum hortense* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnostachyum canescens* (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnostachyum ceylanicum* Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnostachyum latifolium* (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haplanthodes neilgherryensis* (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haplanthodes verticillatus* (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila balsamica* (L.f.) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila heinei* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila salicifolia* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M.

Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jacobinia carnea* (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia beddomei* (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia diffusa* Willd. var. *diffusa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia diffusa* Willd. var. *hedyotidifolia* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia diffusa* Willd. var. *orbiculata* (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia gendarussa* Burm.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia glabra* Koen.ex Roxb. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia glauca* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia latispica* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia neesii* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia nilgherrensis* (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia prostrata* (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia salsoloides* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia santapau* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia simplex* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia tranquebariensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia trinervia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia vahlii* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia wynaadensis* (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis cristata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis cuspidata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis diffusa* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis fasciculata* (Retz.) Nees and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis incurva* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis mitis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis pungens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis scariosa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis spinosa* Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis subarmata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptostachya wallichii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meyenia hawtayneana* (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Monotheclium aristatum* (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neuracanthus neesianus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristrophe montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristrophe paniculata* (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Petalidium barlerioides* (Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaulopsis imbricata* (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseuderanthemum malabaricum* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruellia colorata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia apiculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia crenata* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia laeta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia latior* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia parviflora* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia pectinata* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia repens* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia sisparensis* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia wightiana* Nees and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sanchezia nobilis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sanchezia parvibracteata* Sprague & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Santapaua madurensis* Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Staurogyne glauca* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Staurogyne zeylanica* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenosiphonium confertum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenosiphonium cordifolium* (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenosiphonium parviflorum* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenosiphonium russellianum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenosiphonium wightii* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes asperimus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes amabilis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes anamallai* J. R. I. Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes andersonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes barbatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes bolampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes ciliatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes consanguineus* (Nees) T. Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes cuspidatus* (Benth.) Anders. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes decurrens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes foliosus* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes heyneanus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes hamiltoniana* (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes heteromallus* T. Anderson ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes homotropus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes humilis* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes isophylla* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes ixiocephala* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes kunthianum* (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes lanatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes lupulinus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes luridus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes matthewiana* R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes micranthes* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes microstachya* Benth. ex Hohen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes neoasper* Venu & P. Daniel and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes neilgherrensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes papillosus* T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes perrottetianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes pulneyensis* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes rubicundus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes sessilis* Nees var. *sessilis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes sessilis* Nees var. *sessiloides* (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes sexennis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes tristis* (Wight) T. Anderson and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes urceolaris* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes violaceus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes zenkerianus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia alata* Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia bicolor* (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia erecta* (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia fragrans* Roxb. var. *fragrans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia fragrans* Roxb. var. *vestita* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia mysorensis* (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia tomentosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aloysia triphylla* (L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bouchea hyderabadense* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callicarpa arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callicarpa tomentosa* (L.) Murr. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citharexylum fruticosum* L. forma *subseriatum* (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum aculeatum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum cordatum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum inerme* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum neriifolium* Wall.ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum philippinum* Schauer and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionachne koenigii* (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionanthus macrophylla* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionanthus mala-elengi* (DENNST.) GREEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chionanthus crispus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloranthus elatior* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloranthus glaber* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloranthus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloranthus officinalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloris barbata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloris virgata* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophora excelsa* BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum arundinaceum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum attenuatum* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum laxum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chlorophytum tuberosum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloroxylon dupada* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chondrus crispus* STACKH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chonemorpha fragrans* (MOON) ALSTON and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chonemorpha macrophylla* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chorchorus trilocularis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christella arida* (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christella contiguum* (ROSENT) HOLTTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christella crinipes* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christella parasitica* (L.) LEV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christella subpubescens* (BL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrozophora plicata* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrozophora prostrata* DALZ . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrozophora rottleri* (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrozophora tinctoria* A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysanthellum americanum* (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysanthellum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysanthemum cinerariifolium* (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysanthemum coccineum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysanthemum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysanthemum purethroides* (KAR. & KIR.) FEDT. and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysanthemum roxburghii* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysobalanus icaco* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysophyllum roxburghii* DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysopogon aciculatus* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysopogon fulvus* (SPRENG.) CHIOV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chukrasia tabularis* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cibotium barometz* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cicca acida* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cicca disticha* L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cicer microphyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cichorium noeanum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cicuta virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cimicifuga foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cimicifuga racemosa* NUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinchona calisaya* WEDD. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinchona calisaya* WEDD. *ledgeriana* HOWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinchona excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinchona ledgeriana* MOENS EX TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinchona robusta* HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinchona succirubra* PAV. EX KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum aromaticum* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum bejolghota* (BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum camphora* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum cassia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum cecidodaphne* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum glanduliferum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum glaucescens* (NEES) HAND-MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum impressinervium* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum iners* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum macrocarpum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum malabathrum* BATKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum obtusifolium* NEES and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum parthenoxylon* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum pauciflorum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum sulphuratum* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum tamala* NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum travancoricum* GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum verum* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum wightii* C.F.W.MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinnamomum zeylanicum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cipadessa baccifera* (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Circaea alpina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Circaea cordata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cirrhopetalum sutepense* (ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cirsium argyracanthum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cirsium arvense* (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cirsium sinense* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cirsium verutum* (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cirsium wallichii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissampelos pareira* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus acida* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus adnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus discolor* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus javanica* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus lanceolata* MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus latifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus pallida* (WIGHT & ARN.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus pedata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus repKalam* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus repens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus trilobata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cistanche tubulosa* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cistus creticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citharexylum suberratum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrullus colocynthis* (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI

fistulosus (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrullus vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrullus vulgaris* SCHRAD. *fistulosus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus acida* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus aurantifolia* (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus aurantium* L. *bergamia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus bergamia* RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus bigaradia* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus decumana* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus grandis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus hystrix* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus jambhiri* LUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus karna* RAFIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus latipes* (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus limetta* RISSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus limon* (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus limonum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus macroptera* Montr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus madurensis* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus maxima* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus medica* L. *medica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus medica* L. *limetta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus medica* L. *limonum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus paradisi* MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus pyxidata* (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus reticulata* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus sinensis* (L.) OSBECK and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cladonia alpestris* (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Claoxylon indicum* HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Claoxylon polot* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clausena dentata* (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clausena excavata* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clausena heptaphylla* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clausena lansium* (LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clausena pentaphylla* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clausena wampi* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clausena willdenowii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Claviceps purpurea* (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Claxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleidion nitidum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleisostoma tenuifolium* (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleisostoma williamsonii* (RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis barbellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis buehneriana* DC. *vitifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis connata* DC. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis gouriana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis grata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis hedysarifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis montana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis smilacifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis triloba* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis wightiana* WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome brachycarpa* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome burmanni* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome chelidonii* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome felina* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome gynandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome heptaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome icosandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome pentaphylla* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome vahliana* FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum colebrookianum* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum indicum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum inerme* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum kaempferi* (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum multiflorum* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum philippinum* SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum phlomides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum serratum* (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum siphonanthus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum splendens* G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum viscosum* H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clerodendrum wallichii* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clinogyne dichotoma* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clinogyne grandis* BENTH. HOOK. F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clinopodium umbrosum* (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clinopodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clitoria mariana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coccinia cordifolia* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coccinia glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coccinia grandis* (L.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coccinia indica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coccoloba uvifera* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocculus cordifolius* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocculus hirsutus* (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocculus leaeba* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocculus macrocarpus* W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocculus pendulus* (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocculus suberosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocculus villosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cochlearia armoracia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cochlearia cochlearioides* (ROTH) SANTAPAU &

MAHESHWARI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cochlospermum gossypium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cochlospermum religiosum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocos schizophylla* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Codiaeum variegatum* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Codonacanthus pauciflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Codonopsis clematidea* (SCHR.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Codonopsis ovata* BTH. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelodepas calycinum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne cristata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne ovalis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne punctulata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coelogyne stricta* (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coffea travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coix gigantea* KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coix lachryma* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cola nitida* (VENT.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colchicum autumnale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colchicum luteum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colchicum variegatum* BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colebrookea oppositifolia* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coleus ambonicus* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coleus aromaticus* BENTH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coleus barbatus* (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coleus forskohlii* (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coleus osmirrhizon* W.ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coleus rotundifolius* (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coleus scutellarioides* (L.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coleus vettiveroides* K.C. JACOB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coleus zeylanicus* (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colocasia antiquorum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colocasia esculenta* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colocasia macrorrhiza* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colocasia virosa* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colophospermum mopane* KIRK EX LEON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colubrina asiatica* (L.) BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colutea arborescens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colutea nepalensis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Combretum acuminatum* (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Combretum decandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Combretum extensum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Combretum latifolium* BL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Combretum nanum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Combretum pilosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Combretum roxburghii* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina communis* EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina diffusa* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina longifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina obliqua* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina paludosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina salcifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commelina suffruticosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commicarpus chinensis* (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commicarpus helenae* (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commicarpus verticillatus* STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora abyssinica* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora agallocha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora berryi* (ARN.) ENGLR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora caudata* (WIGHT & ARN.) ENGLER

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora molmol* ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora mukul* (HOOK. EX. STOCKS) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora myrrha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora opobalsamum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora playfairii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora roxburghii* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora schimperi* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora stocksiana* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora wightii* (A.) BHKALAMRI and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conium maculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conocarpus latifolia* ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conocephalus suaveolens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Consolida ajacis* (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Consolida ambigua* (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Consolida regalis* S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convallaria majalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus auricomus* (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus gemellus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus grandiflorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus malabaricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus microphyllus* SIEB.EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus pluricaulis* CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus prostratus* FORSSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus scammonia* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus speciosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus spinosus* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Convolvulus turpethum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conyza bonariensis* (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conyza cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conyza japonica* (THUNB.) LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Conyza stricta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Copernicia cerifera* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coptis teeta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corallocarpus epigaea* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corallocarpus epigaeus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corbichonia decumbens* EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus acutangulus* AUCT.NON FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus antichorus* ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus depressus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus olitorius* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus urticifolius* WIGHT & ARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia dichotoma* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia gharaf* (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia grandis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia macleodii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia monoica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia myxa* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia obliqua* WILLD. wallichii (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia obliqua* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia rothii* ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia vestita* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordia wallichii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordyceps sinensis* (BERK.)SAAC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordyline fruticosa* GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cordyline terminalis* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coriandrum sativum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coriaria nepalensis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coronilla picta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coronopus didymus* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cortia depressa* (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corydalis adiantifolia* HK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corydalis flabellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corydalis govaniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corydalis meifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corydalis ramosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corydalis rutifolia* (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corydalis vaginans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corylus avellana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corylus colurna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corylus jacquemonti* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corymbis veratrifolia* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corymborkis veratrifolia* (REINW.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coscium fenestratum* (GAERTN.) COLEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cosmostigma racemosa* WT. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Costus arabicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Costus speciosus* (KOEN. EX RETZ.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotinus coggygia* SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotinus racemiflora* (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotoneaster bacillaris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotoneaster buxifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotoneaster microphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotoneaster microphyllus* WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotoneaster nummularia* FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotula anthemoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotula aurea* Loefl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cousinia thomsonii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crambe cordifolia* STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crassocephalum crepidioides* (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crataegus laevigata* (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crataegus oxyacantha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crataegus songarica* KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crataeva adansonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crataeva magna* (LOUR.) DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crataeva marmelos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crataeva nurvala* SENSU KANJ. & DAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crataeva religiosa* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crataeva tapia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cratoxylum cochinchinense* (LOUR.) BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cratoxylum neriifolium* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cremanthodium arnicoides* DC. GOOD trigida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cremanthodium decaisnei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cremanthodium plantagineum* MAX. maximowiczii GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cremastra appendiculata* (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cremastra wallichiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crepidium acuminatum* (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crepis flexuosa* (DC) BETH. & HK.F. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crepis japonica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crescentia cujete* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum amoenum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum defixum* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum powellii* HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum pratense* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum revolutum* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crinum viviparum* (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crocus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crossandra infundobuliformis* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crossandra undulaefolia* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria alata* BUCH.-HAM. EX D. DON NULL and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria albida* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria anagyroides* H.B. & K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria angulosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria benghalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria bialata* SCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria biflora* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria burhia* BUCH-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria calycina* SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria linifolia* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria medicaginea* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria mucronata* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria mysorensis* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria pallida* DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria paniculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria prostrata* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria pulchra* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria quinquefolia* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria ramosissima* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria saltiana* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria sericea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria spectabilis* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria striata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria trifoliatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton argyrateus* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton aromaticus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton bonplandianum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton caudatus* GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton joufra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton malabaricus* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton oblongifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton plicatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton polyandrum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton reticulatus* HEYNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton roxburghii* BALAK. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton sebiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton sparsiflorus* MORONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Croton zeylanicus* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocarya wightiana* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptocoryne spiralis* FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptolepis buchananii* ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptolepis elegans* WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptolepis grandiflora* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cryptostegia grandiflora* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ctenolepis cerasiformis* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ctenolepis garcinii* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cubeba officinalis* RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucubalus baccifer* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis acutangulus* DESCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis agrestis* NAUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis anguinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis callosus* (ROTTL.) COGN. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis colocynthis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis hardwickii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis lagenarius* DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis madraspatanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis melo* L. *utilissimus* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis melo* L. *momordica* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis melo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis momordica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis myriocarpus* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis pseudo-colocynthis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis pubescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis trigonus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis utilisissimus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucurbita citrullus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucurbita lagenaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucurbita maxima* DUCHESNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cudrania javanensis* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cullenia exarillata* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cupressus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curanga amara* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curanga fel-terrae* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curculigo capitulata* (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curculigo crassifolia* GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curculigo orchoides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curculigo prainiana* (DEB.) BENNET & RAIZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curculigo recurvata* DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma amada* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma aromatica* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma caesia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma domestica* (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma inodora* BLAT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma leucorrhiza* ROXB. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma pseudomontana* GRAHAM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma rubescens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma zedoaria* (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Curcuma zerumbet* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuscuta capitata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuscuta chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuscuta europaea* BOVE & ENGELM. *indica* ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuscuta hyalina* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuscuta reflexa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyamopsis psoralioides* (LAM). DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyamopsis tetragonoloba* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyamopsis tetragonoloba* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis axillaris* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis concanensis* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis cristata* (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathea albo-setacea* (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathea gigantea* (WALL. EX HOOK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathea spinulosa* WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathocline purpurea* (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathostemma micranthum* J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathula prostrata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathula tomentosa* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathus limbatus* TULSANE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathus stercoreus* (SCHW.) NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cycas beddomei* DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cycas circinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cycas revoluta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cycas rumphii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclamen europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclamen persicum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclea arnotii* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclea bicristata* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclea burmanni* (DC.) HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclea fissicalyx* DUNN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclea peltata* (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclosorus dentatus* (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclosorus gongylodes* (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclosorus parasiticus* (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cydonia oblonga* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cydonia vulgaris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cylista scariosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbalaria muralis* G.M. SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbidium grandiflorum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbidium hookerianum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbidium pendulum* (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon caesius* STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon citratus* (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon coloratus* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon flexuosus* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon jwarancusa* (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon jwarancusa* (JONES) SCHULT. olivieri (BOISS.) SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon martini* (ROXB.) WATS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon nardus* (L.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cymbopogon schoenanthus* (L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynanchum arnottianum* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynanchum extensum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynanchum heydei* HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynanchum vincetoxicum* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynanthus lobatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynara scolymus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynodon dactylon* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynodon linearis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynoglossum denticulatum* A. DC. zeylanicum HORNE. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynoglossum glochidiatum* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynoglossum lanceolatum* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynoglossum micranthum* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynoglossum wallichii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynoglossum zeylanicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynometra iripa* KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynometra mimosoides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynometra ramiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynometra ramiflora* Linn. bijuga (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynosurus coracanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus alopecuroides* ROTTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus amabilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus brevifolius* (ROTTB.) HASSK. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus bulbosus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus compactus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus compressus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus corymbosus* ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus cyperoides* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus denticulatus* SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus diffusus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus distans* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus exaltatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus haspan* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus inundatus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus jemicus* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus juncifolius* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus kyllingia* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus longus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus malaccensis* LAM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus michelianus* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus nutans* VAHL. *eleusinoides* (KUNTH) HAINES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus pangorei* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus pedunculatus* (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus pertenus* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus pilosus* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus platyphyllus* ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus platystylis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus rohita* and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus rotundus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus scariosus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus stoloniferus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus triceps* (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus tuberosus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyperus undulatus* KUKENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyphostemma setosum* (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyrtomium caryotideum* (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyrtomium falcatum* (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyrtophyllum peregrinum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cythocline purpurea* (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cytisus scoparius* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dactyloctenium aegyptium* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dactyloctenium indicum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dactylorhiza hatagirea* (DON.) SOO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daedalacanthus roseus* T. ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daemia cordata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daemia extensa* R.BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daemonorops draco* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dahlia rosea* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia arborea* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia candenatensis* (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia emarginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia horrida* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia lanceolaria* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia oogeinensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia pinnata* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia sissooides* GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia sissoo* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia stipulacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia sympathetica* NIMMO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia tamarindifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia volubilis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia spinosa* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalechampia indica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalhousiea bracteata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daphne cannabina* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daphne oleo* SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daphne oleoides* SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daphne papyracea* WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daphniphyllum himalayense* MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daphniphyllum neilgherrense* ROSENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datisca cannabina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura alba* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura fastuosa* L. alba (NEES) C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura fastuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura innoxia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura metel* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura metel* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura nilhummatu* DUN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Datura tatula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daucus carota* L. sativa DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Davallia tenuifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Davallia trichomanoides* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Debregeasia longifolia* (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Decalepis hamiltonii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Decaspermum fruticosum* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Deeringia amaranthoides* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delima scandens* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delonix elata* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delonix regia* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium denudatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium altissimum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium bruonianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium caeruleum* JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium cashmirianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium denudatum* WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium glaciale* HOOK.F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium kashmirianum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium kohatense* (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium paciflorum* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium roylei* MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium saniculifolium* AUCTION NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium semibarbatum* BLENERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium speciosum* JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium vestitum* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium viscosum* HK. & TH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium zalil* AITCH & HEMSL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium aduncum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium aggregatum* - JENKINSII K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium amoenum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium chrysanthum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium coerulescens* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium crumenatum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium crumentum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium densiflorum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium jenkinsii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium macraei* AUCT. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium moschatum* (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium nobile* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium ovatum* (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrobium paxtonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrocalamus hamiltonii* NEES EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrocalamus strictus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrocnide sinuata* (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrophthoe elastica* (DESR.) DANSER and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrophthoe falcata* (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dendrophthoe pentandra* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dentella repens* (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris elliptica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris ferruginea* (ROXB.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris indica* (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris malaccensis* PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris robusta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris scandens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris trifoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Descurainia sophia* (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmanthus cinereus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmanthus virgatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmochaeta atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium biarticulatum* (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium dichotomum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium gangeticum* (L.) DC. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium gyrans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium gyroides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium heterocarpon* - *strigosum* VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium heterocarpon* (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium heterophyllum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium lasiocarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium latifolium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium microphyllum* (THUNB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium motorium* (HOUTT.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium oojainense* (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium polycarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium pseudotriquetrum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium pulchellum* BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium retroflexum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium styracifolium* (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium tiliaefolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium triangulare* (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium triflorum* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium umbellatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium velutinum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmos chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmos cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmos dumosa* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmos longiflorus* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmostachya bipinnata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmotrichum fimbriatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Deutzia scabra* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dianthus anatolicus* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dianthus caryophyllus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dianthus chinensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicaelospermum ritchiei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicentra chrysantha* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicentra thalictrifolia* HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichanthium caricosum* (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichanthium pertusum* CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichopsis ellipticum* BENTH & HOOK.F. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichroa febrifuga* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichrocephala integrifolia* (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichrocephala latifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichrostachys cinerea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicliptera bupleuroides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicliptera cuneata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicliptera micranthus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicliptera roxburghiana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicliptera verticillata* (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicoma tomentosa* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicranopteris linearis* (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dictamnus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus aromaticus* WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Didymocarpus pedicellata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dieffenbachia seguine* (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dienia muscifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digera arvensis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digera muricata* (L.) MART. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitalis lanata* EHRH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dillenia aurea* SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dillenia bracteata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dillenia pentagyna* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimocarpus longan* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimorphocalyx glabellus* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dinebra arabica* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dinebra retroflexa* (VAHL) PANZER retroflexa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dinochloa Kalammanica* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dionysia diapiensiaefolia* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea belophylla* VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea composita* HEMSLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea crispata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea daemona* ROXB. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea deltoidea* WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea esculanta* (LOUR.) BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea glabra* AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea globosa* ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea hamiltonii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea hirsuta* DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea hispida* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea prazeri* PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea puber* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea purpurea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea rubella* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea sativa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea tomentosa* KOEN. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea triphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dioscorea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros bourdilloni* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros buxifolia* (BLUME) HIERN and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros candolleana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros chloroxylon* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros cordifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros ebenum* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros embryopteris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros exsculpta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros ferrea* (WILLD.) BATCH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros glutinosa* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros insignis* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros kaki* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros lancaefolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros lotus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros malabarica* (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros melanoxylon* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros oocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros paniculata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros peregrina* (GAERTN.) GURKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros quaesita* THW. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros sylvatica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diospyros toposia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipcadi erythraeum* WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diplazium esculentum* (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diplazium stoliczkae* BEDD. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diplocisia glaucescens* (BL.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diplocyclos palmatus* (L.) JAFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diploknema butyraceae* (ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diplospora singularis* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diplospora sphaerocarpa* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipsacus fullonum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipsacus inermis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipsacus mitis* D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipteracanthus patulus* (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipteracanthus prostratus* (POIR.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipteracanthus suffruticosus* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipterocarpus alatus* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipterocarpus bourdillonii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipterocarpus gracilis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipterocarpus indicus* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipterocarpus laevis* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipterocarpus pilosus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipterocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipterocarpus turbinatus* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dischidia rafflesiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Disporum cantoniense* (LOUR.)MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Distemon indicum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dittelasma raraka* (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dodonaea angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dodonaea burmanniana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dodonaea viscosa* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dodonaea viscosa* JACQ. *angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichandrone arcuata* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichandrone atrovirens* (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichandrone falcata* SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichandrone spathacea* (L.F.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichandrone stipulata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos biflorus* SENSU AUCT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos bulbosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos catiang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos catjang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos cylindricus* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos falcatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos gladiatus* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos lablab* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos lablab* L. *typicus* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos pruriens* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos trilobus* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos uniflorus* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolomaea macrocephala* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dombeya cayeuxii* HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Donax connaeformis* (FORST.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dopatrium junceum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dopatrium lobelioides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dopatrium nudicaule* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dorema ammoniacum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dorema aureum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Doronicum falconeri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Doronicum hookeri* C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Doronicum pardalianches* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Doronicum roylei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dorstenia indica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dosma bracteatum* WALL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Douepia tortuosa* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Draba muralis* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Draba setosa* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracaena angustifolia* (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracaena cinnabari* BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracaena petiolata* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracaena terminalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracaena terniflora* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracocephalum heterophyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracocephalum moldavica* LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracocephalum royleanum* ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracocephalum stamineum* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dracontium polyphyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drimia indica* (ROXB.) J.P. JESSOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drimys winteri* FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drosera burmannii* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drosera lunata* HAM. EX DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drosera peltata* SM.WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drymaria cordata* (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drymaria cordata* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drymaria diandra* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drymoglossum carnosum* (WALL.)SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drynaria quercifolia* (L.) J.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dryobalanops aromatica* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dryopteris barbigera* (MOORE) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dryopteris blanfordii* (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dryopteris cochleata* (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dryopteris filix-mas* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dryopteris marginata* (WALL.) CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dryopteris odontoloma* (MOORE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dryopteris schimperiana* (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dryopteris sparsa* (DON)KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes confertiflora* (HOOK. F.) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes macrophylla* (BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes roxburghii* (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drypetes zeylanica* (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Duboisia myoporoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Duchesnea indica* (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Duranta repens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Durio zibethinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dyschoriste madurensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysophylla auricularia* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysophylla rugosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysophylla stelata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysophylla stellata* BENTH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysoxylum alliarum* (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysoxylum binectariferum* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysoxylum hamiltonii* HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysoxylum malabaricum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysoxylum procerum* HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ebermaiera glutinosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ecbolium linneanum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ecbolium viride* (FORSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ecbolium virids* (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echeveria glauca* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinacea angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinochloa colona* LINK. *frumentacea* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinochloa crusgalli* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinochloa frumentacea* LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinochloa stagnina* (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinops cornigerous* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echinops echinatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echioglossum williamsonii* (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Echites dichotoma* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eclipta alba* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eclipta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eclipta parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Edgeworthia gardneri* (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Edgeworthia tomentosa* NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Edwardsia griffithii* (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia acuminata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia aspera* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia canarensis* MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia laevis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia laevis* ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia microphylla* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ehretia obtusifolia* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eichhornia crassipes* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Codariocalyx motorius* (Houtt.) H. Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria acicularis* Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria agatiflora* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria alata* Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria albida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria anagyroides* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria angulata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria barbata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria berteriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria bidiei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria bifaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria bourneae* Fyson and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria calycina* Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria candicans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria clarkei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria clavata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria conferta* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria digitata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria dubia* Graham ex benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria epunctata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *acutifolia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria formosa* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria fysonii* Dunn var. *fysonii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria fysonii* Dunn var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria globosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria hebecarpa* (DC.) Rudd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria heyneana* Grahma ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria hirta* Willd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria humifusa* Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria laevigata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria beddomeana* Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria spectabilis* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria linifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria longipes* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria lunulata* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria madurensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria medicaginea* Lam. var. *medicaginea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria medicaginea* Lam. var. *neglecta* (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria multiflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria mysorensis* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria nana* Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria notonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria obtecta* Graham ex Wight & Arn. var. *obtecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria obtecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria orixensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria ovalifolia* Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria pallida* Dryand. var. *pallida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria pallida* Dryand. var. *obovata* (G.Don) Polhill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria paniculata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria peduncularis* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria priestleyoides* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria prostrata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria pulchra* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria pusilla* Neyne ex Roth and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria ramosissima* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria rigida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria salicifolia* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria scabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria scabrella* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria semperflorens* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria speciosa* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria subperfoliata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria tecta* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria trifoliatum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria triquetra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria umbellata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria wightiana* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyamopsis tetragonoloba* (L.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cytisus canariensis* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cytisus hirsutus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cytisus monspessulanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cytisus multiflorus* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cytisus proliferus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cytisus scoparius* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cytisus supinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia congesta* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia coromandeliana* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia gardneriana* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia horrida* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia lanceolaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia latifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia malabarica* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia melanoxylon* Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia pinnata* (Lour.) prain var. *acaciaefolia* (Dalz.)

Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia pseudo-siso* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia rubiginosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia sissooides* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia sissoo* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia spinosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia tinneveli*ensis Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dalbergia volubilis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris benthamii* (Thw.) Thw. var. *benthamii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris brevipes* (Benth) Baker var. *brevipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris brevipes* (Benth) Baker var. *coriacea* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris canarensis* (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris scandens* (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris thothathrii* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Derris trifoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium alysicarpoides* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium barbatum* (L.) Benth. subsp. *sauliereri* (Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium dichotomum* (Willd.) DC. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium dolabriforme* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium ferrugineum* Wall ex Thw. subsp. *wynaadense* (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium heterocarpon* (L.) DC. var. *strigosum* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium heterophyllum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium laxum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium microphyllum* (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium oojainense* (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium pryonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium pulchellum* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium repandum* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium styracifolium* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium tortuosum* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium triangulare* (Retz.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium triflorum* (L.) DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium velutinum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmodium zonatum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicerma biarticulatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dolichos trilobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dumasia villosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dunbaria ferruginea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dunbaria heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleiotis monophylla* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina crista-galli* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina suberosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina subumbrans* (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia lineata* (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia macrophylla* (Willd.) Prain ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia nilgheriensis* (Baker) Wight ex Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia Semialata* Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia strobilifera* (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia tuberosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia wallichii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia wightiana* Grahams ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galactia longifolia* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *lucida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geissaspis cristata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycine max* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hardenbergia comptoniana* (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera aspalathoides* Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera caerulea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera cassioides* Rottl. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera colutea* (Buem. F.) Merr. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera constricta* (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera cordifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera glandulosa* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera hochstetteri* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera karnatakana* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera karuppiana* Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera linifolia* (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera linnaei* Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera longiracemosa* Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera mysorensis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera nummularifolia* (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera oblongifolia* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera parviflora* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera pedicellata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera prostrata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera spicata* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera stachyodes* Lindl. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera tirunelvelica* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera trita* L.f. var. *trita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera trita* L. f. var. *maffei* (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera trita* L. f. var. *marginulata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera uniflora* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera vicioides* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera wightii* Graham ex Wight & Arn. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera zollingeriana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lablab purpureus* (L.) Sweet var. *purpureus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lablab purpureus* (L.) Sweet var. *lignosus* (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laburnum anagyroides* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus latifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus odoratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lens culinaris* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptodesmia congesta* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lespedeza cuneata* (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonchocarpus violaceus* Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lupinus angustifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lupinus luteus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lupinus pilosus* Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macroptilium atropurpureum* (DC.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macroptilium lathyroides* (L.) Urban var. *semierectum* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macrotyloma ciliatum* (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macrotyloma uniflorum* (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melilotus alba* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Millettia racemosa* (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Millettia rubiginosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Millettia splendens* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna gigantea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna monosperma* DC. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna pruriens* (L.) DC. var. *pruriens* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna pruriens* (L.) DC. var. *hirsuta* (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mundulea sericea* (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neonotonia wightii* (Graham ex Wight & Arn.) Lackey var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neonotonia wightii* (Wight & Arn.) Lackey var. *coimbatorensis* (Ajita Sen) Karthik. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ormocarpum cochinchinense* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ormosia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ougeinia oojeinensis* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paracalyx scariosa* (Roxb.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parochetus communis* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllodium pulchellum* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pongamia pinnata* (L.) Pierre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudarthria viscida* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psophocarpus tetragonolobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psoralea corylifolia* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psoralea pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterocarpus marsupium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterocarpus santalinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pueraria triloba* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pueraria tuberosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnospora lutescens* (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia albiflora* (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia aurea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia cana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia capitata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia densiflora* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia filipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia jacobii* Chandrabose & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia nummularia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia rothii* Benth ex Aitch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia rufescens* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia suaveolens* (L.f.) DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia velutina* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia viscosa* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Robinia pseudo-acacia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rothia indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania bispinosa* (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania grandiflora* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania procumbens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania sesban* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania speciosa* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Shuteria involucrata* (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia bigemina* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia capitata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia conferta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia gracilis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia hirsuta* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia sensitiva* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia setulosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sophora glauca* Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sophora interrupta* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sophora wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spartium junceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stylosanthes fruticosa* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stylosanthes sunaica* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia calophylla* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia candida* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia canarensis* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia fusca* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia hookeriana* Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia maxima* Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia pumila* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia purpurea* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia spinosa* (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia tinctoria* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia vegellii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia villosa* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teramnus labialis* (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teramnus mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium alexandrium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium cernuum* Brot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium dubium* Sibth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium incarnatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium pratense* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium subterraneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ulex europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uria alopecuroides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uria lagopodioides* (L.) Desv. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uria rufescens* (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vicia faba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vicia hirsuta* (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vicia sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vicia villosa* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna aconitifolia* (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna adenantha* (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna bourneae* Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna dalzelliana* (Kuntze) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna grahamiana* (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna hosei* (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna khKalamlensis* (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna mungo* (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna radiata* (L.) Wilczek var. *radiata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna radiata* (L.) Wilczek var. *sublobata* (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna subramaniana* (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna trilobata* (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna umbellata* (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna unguiculata* (L.) Walp. subsp. *cylindrica* (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna vexillata* (L.) A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna wightii* Benth. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Virgilia oroboides* (Berg.) Salter and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wisteria sinensis* (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zornia diphylla* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zornia gibbosa* Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrocarpus fraxinifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amherstia nobilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia malabarica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia phoenicea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia racemosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia vahlii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brownea grandiceps* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brownea macrophylla* Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia bonduc* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia coriaria* (Jacq.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia cucullata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia decapetala* (Roth) Alston and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia mimosoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia pulcherrima* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia grandis* L. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia javanica* L. var. *javanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia montana* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia siamea* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassia spectabilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chamaecrista absus* (L.) H. Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chamaecrista auricoma* (Graham ex Benth.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chamaecrista lechenaultiana* (DC.) O. Deg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chamaecrista mimosoides* (L.) Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chamaecrista nigricans* (Vahl) Greene and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chamaecrista pumilla* (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cynometra travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delonix elata* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delonix regia* (Boj. ex Hook) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hardwickia binata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Humboldtia bourdillonii* Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Humboldtia brunonis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Humboldtia decurrense* Bedd. ex Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Humboldtia unijuga* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Humboldtia vahliana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kingiodendron pinnatum* (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parkinsonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peltophorum africanum* Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peltophorum pterocarpum* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saraca asoca* (Roxb.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saraca thaipingensis* Cantley ex. Prain. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schizolobium parahybum* (Vell.) S. F. Blake and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna alata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna alexandrina* Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna auriculata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna didymobotrya* (Fresn.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna hirsuta* (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna intermedia* (Sharma et al. ) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna italica* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna multiglandulosa* (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna occidentalis* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna pallida* (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna septumtrionalis* (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna sophora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna surattensis* (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna timoriensis* (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna tora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia armata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia auriculiformis* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia baileyana* F. v. Muell. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia caesia* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia catechu* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia chundra* (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia confusa* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia cultriformis* A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia concurrens* Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia dealbata* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia decora* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia decurrens* (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia eburnea* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia elata* Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia farnesiana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia grahamii* Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia hohenackeri* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia homalophylla* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia holosericea* A.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia horrida* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia leucophloea* (Roxb.) Willd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia longifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia maidenii* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia mearnsii* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia melanoxylon* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia myrtifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia neriifolia* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia pennata* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia planifrons* Wight & Arn. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia podalyriifolia* A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia polyacantha* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia pruinescens* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia pruinosa* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia pycnantha* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia retinodes* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia saligna* (Labill.) H. L. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia sinuata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia torta* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia verticillata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acacia wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenantha pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia amara* (Roxb.) Boivin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia chinensis* (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia lathamii* Hole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia lebbeck* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia procera* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia Kalamn* (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Albizia thompsonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Archidendron clypearia* (Jack) Nilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Archidendron monadelphum* (Roxb.)Nielsen var. *gracile* (Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calliandra brevipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calliandra calothyrsus* Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calliandra haematocephala* Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calliandra inmeris* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cathormion umbellatum* (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmanthus virgatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichrostachys cinerea* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichrostachys muelleri* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichrostachys santapaui* Sebastine & Raman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Entada pursaetha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enterolobium cyclocarpum* Griseb. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haematoxylum campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucaena leucocephala* (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa intsia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa hamata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neptunia prostrata* (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neptunia plena* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neptunia triquetra* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paraserianthes falcataria* (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parkia biglandulosa* Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecellobium dulce* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prosopis cineraria* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prosopis juliflora* (Sw.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alchemilla indica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chaenomeles speciosa* (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotoneaster bacillaris* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotoneaster buxifolia* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotoneaster microphyllus* Wall ex Lindl. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cotoneaster transiens* G. Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriobotrya japonica* (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fragaria chiloensis* (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fragaria nilgerrensis* Schlecht. ex Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fragaria vesca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kerria japonica* (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malus baccata* (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malus sylvestris* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Photinia integrifolia* Lindl. var. *sublanceolata* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla indica* (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla leschenaultiana* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla sundaica* (blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prinsepia utilis* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus cerasoides* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus ceylanica* (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus laurocerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus persica* (L.) Batsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus salicina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus serrulata* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quillaja saponaria* Molina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa banksiae* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa brunonii* Lindl. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa x centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa x damascena* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa gigantea* Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa laevigata* Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa leschenaultiana* Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa multiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus ellipticus* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus fairholmianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus glomeratus* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus indicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus micropetalus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus niveus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus racemosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus rugosus* Smith var. *rugosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus rugosus* Smith var. *thwaitesii* Focke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spiraea canescens* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spiraea cantoniensis* Lour. var. *cantoniensis* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spiraea japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spiraea nipponica* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atuna indica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atuna travancorica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysobalanus icaco* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saxifraga stolonifera* Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vahlia dichotoma* (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vahlia digyna* (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parnassia mysorensis* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parnassia wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Deutzia scabra* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrangea macrophylla* (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Philadelphus coronarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Escallonia rubra* (Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Escallonia montevidensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeonium arboreum* (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crassula multicava* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crassula quadrifida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe bhidei* Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe lanceolata* (Forsk.) Pers. var. *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe olivacea* Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe pinnata* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe schweinfurthii* Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe tubiflora* Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rochea coccinea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sedum mexicanum* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tillaea pentandra* Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drosera burmannii* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drosera peltata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liquidambar styraciflua* L. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laurembergia coccinea* (Blume) Kan. var. *coccinea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laurembergia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callitriche stagnalis* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bruguiera cylindrica* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bruguiera gymnorrhiza* (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carallia brachiata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassipourea ceylanica* (Gard.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerriops decandra* (Griff.) Ding Hou and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerriops tagal* (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kandelia candel* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhizophora x annamalayana* Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhizophora apiculata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhizophora mucronata* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anogeissus acuminata* (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anogeissus latifolia* (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calycopteris floribunda* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Combretum albidum* G. Don and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Combretum coccineum* (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Combretum nanum* Willd. Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lumnitzera racemosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quisqualis malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia bellirica* (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia chebula* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia cuneata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia elliptica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia gella* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia pallida* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia paniculata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia travancorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acca sellowiana* (Berg) Burret and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agonis flexuosa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Angophora costata* (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Angophora intermedia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Angophora lanceolata* Cav. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Angophora subvelutina* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Baeckea virgata* (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callistemon brachyandrus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callistemon citrinus* (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callistemon polandii* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callistemon rigidus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callistemon salignus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callistemon viminalis* (Gaertn.) Don ex Loudon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus alpina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus amygdalina* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus blakelyi* Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus bosistoana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus botryoides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus bridgesiana* R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus calophylla* R. Br. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus camaldulensis* Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus cephalocarpa* Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus citriodora* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus cladocalyx* F. v. Muell. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus crebra* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus cypellocarpa* L.A.S. Johnson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus elata* Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus diversicolor* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus eugenioides* Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus ficifolia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus globulus* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus grandis* W.Hill ex Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus hemiphloia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus leucadendron* Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus leucoxydon* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus longifolia* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus macarthurii* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus maculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus megacornuta* C. A. Gardener and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus microcorys* F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus melliodora* A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus nitida* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus nova-anglica* Deane & Maiden and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus obliqua* L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus ovata* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus paniculata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus pauciflora* Sieb ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus pipertia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus polyanthemus* Schauers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus ptychocarpa* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus punctata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus radiata* Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus regnans* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus resinifera* Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus robusta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus saligna* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus siderophloia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus tereticornis* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus torelliana* F. v. Muell. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus viminalis* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia bracteata* (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia calcadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia continifolia* Jacq.subsp. *codyensis* (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia discifera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia floccosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia indica* (Wight) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia mabaeoides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia manickamia* Murugan and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia rottleriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia singampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia thwaitesii* Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptospermum flavescens* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptospermum scoparium* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptospermum stellatum* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lophostemon confertus* (R.Br.) Peter G. Wilson & J.T. Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melaleuca armillaris* Sm. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melaleuca hypericifolia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melaleuca nesophylla* F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melaleuca quinquenervia* S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melaleuca styphelioides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meteoromyrtus wynaadensis* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimenta dioica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psidium cattleianum* Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhodomyrtus tomentosa* (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syncarpia glomerulifera* (Sm.) Nied. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syncarpia laurifolia* Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium alternifolium* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium aqueum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium aromaticum* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium beddomei* (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium benthamianum* (Wight ex Duthie) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium bourdillonii* (Gamble) Rathakr. & Nair and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium calophyllifolium* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium caryophyllum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium chandrasekharanii* Chandrabose & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium courtallense* (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium cumini* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium densiflorum* Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium fergusonii* (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium gambellanum* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium hemisphericum* (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium jambos* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium laetum* (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium lanceolatum* (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium malabaricum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium malaccensis* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium megacarpum* (Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium mundagam* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium munronii* (Wight) Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium myhendrae* (Bedd. ex Brandis) Gamble and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium rama - varmae* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium revolutum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium rubicundum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium scoparium* Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium spathulatum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium sriganesanii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium tamilnadensis* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium venosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium zeylanicum* (L.) DC. var. *zeylanicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium zeylanicum* (L.) DC. var. *ellipticum* Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium zeylanicum* (L.) DC. var. *lineare* (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium zeylanicum* (L.) DC. var. *megamalayana* K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Couroupita guianensis* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gustavia superba* Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barringtonia acutangula* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barringtonia asiatica* (L.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barringtonia racemosa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Careya arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kendrickia walkeri* (Wight) Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Medinilla beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Medinilla fuchsioides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Medinilla malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon angustifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon bremeri* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon depressum* Benth ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon edule* Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon flavescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon gracile* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon gracillimum* Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon grande* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon heyneanum* Benth ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon leucanthemum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon lushingtonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon manickamii* C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon molestum* (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon mundanthuraianum* Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon randerianum* S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon rivulare* Bremer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon rostratum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon sisparens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon subcordatum* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon talbotianum* Brandis & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon tirunelvelicum* Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon umbellatum* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon variens* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia aspera* (L.) Blume var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia brachystemon* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia buxifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia muralis* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia reticulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia rubicunda* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia parvifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. hispidissima (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. rostrata (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia tirunelvelica* Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia virgata* D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia wynaadensis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia zeylanica* L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila clarkei* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila devicolamensis* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila elegans* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila grandiflora* R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila inaequalis* Murugan et Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila kanyakumariana* Gopalan & Henry and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila parameswaranii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila rotundifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila sadasivanii* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila speciosa* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila tenera* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila tinneveliensi* Fischer and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila versicolor* Wight var. *versicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila wallichii* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila zeylanica* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tibouchina urvilleana* (DC.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ammania baccifera* L. subsp. *baccifera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ammania baccifera* L. subsp. *aegyptiaca* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ammania multiflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ammania octandra* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuphea hyssopifolia* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuphea ignea* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuphea platycentra* Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia microcarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia reginae* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nesaea brevipes* Koehne and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pemphis acidula* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala fimbriata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala illecebroides* (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala indica* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala macrKalam* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala rosea* (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala verticillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonneratia apetala* Buch. -Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fuchsia arborescens* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fuchsia boliviana* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fuchsia magellanica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia adscendens* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia hyssopifolia* (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia peruviana* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia prostrata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oenothera glazioviana* Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oenothera nocturna* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oenothera odorata* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oenothera rosea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oenothera stricta* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oenothera tetraptera* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trapa natans* L. var. *bispinosa* (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turnera subulata* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenia hondala* (Gaertn.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenia wightiana* (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora alba* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora antioquiensis* Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora caerulea* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora edulis* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora holoserica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora laurifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora ligularis* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora mollissima* (H. B. K.) Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora suberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora subpeltata* Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Benincasa hispida* (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrullus colocynthis* (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coccinia grandis* (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ctenolepis garcinii* (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis melo* L. var. *melo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis melo* L. var. *utilissimus* (Roxb.) and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucumis trigonus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucurbita maxima* Duchesne ex Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucurbita moschata* (Duchesne ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diplocyclos palmatus* (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnopetalum wightii* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynostemma pentaphyllum* (Thunb.) Makino and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kedrostis courtallensis* (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kedrostis foetidissima* (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagenaria siceraria* (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa acutangula* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa cylindrica* (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica charantia* L. var. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica charantia* L. var. *muricata* (Willd.) Chakravarty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica cymbalaria* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica dioica* Roxb. ex Willd. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica subangulata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mukia leiosperma* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mukia maderaspatana* (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sechium edule* (Jacq.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solena amplexicaulis* (Lam.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solena angulata* (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes anaimalaiensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes lobata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes tricuspidata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zehneria maysorensis* (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zehneria scabra* (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zehneria thwaitesii* (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia albo-coccinea* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia aliciae* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia anamalayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia cordifolia* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia floccifera* Bedd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia integrifolia* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia malabarica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Begonia subpeltata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetrameles nudiflora* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cereus pterogonus* Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cylindropuntia ramosissima* (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epiphyllum oxypetalum* (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hylocereus undatus* (Haw.) Britton & Rosc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nopalea cochenillifera* (L.) Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia elatior* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia ficus - indica* (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia vulgaris* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pereskia aculeata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lampranthus spectabilis* (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesuvium portulacastrum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trianthema triquetra* Rottl. var. *triquetra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trianthema salsoloides* Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zaleya decandra* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corbichonia decumbens* (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glinus oppositifolius* (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo cerviana* (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo disticha* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo nudicaulis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo pentaphylla* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bupleurum distichophyllum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bupleurum plantaginifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bupleurum wightii* Mukh. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carum nothum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centella asiatica* (L.) Urban and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Foeniculum vulgare* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum aquilegifolium* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum candolleianum* (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum ceylanicum* Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum courtallense* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum hookerianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum rigens* Wall ex DC. var. *rigens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum rigens* Wall ex DC. var. *elongatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum rigens* Wall ex DC. var. *multiradiatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum sprengeianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrocotyle conferta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrocotyle javanica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrocotyle sibthorpioides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pastinaca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Petroselinum crispum* (Mill.) Nyman ex auct.non. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peucedanum anamallayense* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella candolleana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella heyneana* (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella wallichiana* (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sanicula elata* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trachyspermum ammi* (L.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trachyspermum roxburghianum* (DC.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vanasushava pedata* (Wight) Mukh. & Constance and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aralia malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedera australiana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedera helix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyscias acuminata* (Wight) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyscias fruticosa* (L.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentapanax leschenaultii* (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera capitata* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera clarkiana* Craib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera maduraiensis* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera racemosa* (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera rostrata* (Wight) Harms var. *rostrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera roxburghii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera stellata* (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera venulosa* (Wgith & Arn.) Harms var. *venulosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera venulosa* (Wgith & Arn.) Harms var. *obliquinervia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera wallichiana* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetrapanax papyrifer* (Hook.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cornus capitata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diervilla florida* Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera caprifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera etrusca* Santi. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera leschenaultii* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera ligustrina* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera periclymenum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum cylindricum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum erubescens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum hebanthum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum punctatum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acranthera anamallica* Bedd. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acranthera grandiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aidia gardneri* (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostemma courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Agrostemma verticillatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Benkara malabarica* (Lam.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Byrsophyllum tetrandrum* (Bedd.) Hook.f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium angustifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium ficiforme* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium neilgherrense* Wight var. *neilgherrense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium neilgherrense* Wight var. *chartacea* (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium coromandelicum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canthium travancoricum* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catesbaea spinosa* Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Catunaregam spinosa* (Thunb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceriscoides turgida* (Roxb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chassalia curviflora* (Wall. ex Kurz) Thw. var. *ophioxyloides* (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinchona calisaya* Wedd. var. *calisaya* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinchona calisaya* Wedd. var. *ledgeriana* How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cinchona succirubra* Pav. ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coffea canephora* Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coffea travancorensis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Deccania pubescens* (Roth) Tirvengadam var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Deccania pubescens* (Roth) Tirvengadam var. *candolleana* (Wight & Arn.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dentella repens* (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dentella serpyllifolia* Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fergusonia tetracocca* (Thw.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galium asperifolium* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia angusta* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia gummiifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia latifolia* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia resinifera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geophila repens* (L.) I.M. Johnston and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haldina cordifolia* (Roxb.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hamelia patens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis affinis* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis albo-nervia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *santapau* (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis aspera* Heyne ex Roth and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis barberi* (Gamble) Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis biflora* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis brachiata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis buxifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis caerulea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis corymbosa* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis devicolamensis* Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis diffusa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis erecta* Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis gamblei* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis gracilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis graminifolia* L.f. var. *graminifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis hirsutissima* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis lessertiana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis nitida* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis ovatifolia* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis pruinosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis pterita* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis puberula* (G.Don) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis pumila* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble)

Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis ramarowii* (Gamble) R. Rao & Hemadri var. *kannikattica* Sundaresan, Manickam ,G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis shettyi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis sisparensis* Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis swertioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis villosostipulata* (Gamble) R.Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis viscida* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrophylax maritima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hymenodictyon obovatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hymenodictyon orixense* (Roxb.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora brachiata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora cuneifolia* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora elongata* Heyne ex G.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora finlaysoniana* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora johnsoni* Hook.f. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora leucantha* Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora malabarica* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora monticola* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora nigricans* R.Br. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora notoniana* Wall.ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora pavetta* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knoxia wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus acuminatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus blumeanus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus capitulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus ciliatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus cinereus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus dichotomous* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus jackianus* Wight and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus oblongifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus parvifolius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus rostratus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus strigillosus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus truncatus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus venulosus* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luculia grandifolia* Ghose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luculia gratissima* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luculia pinceana* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mitracarpus villosus* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mitragyna parvifolia* (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mitragyna tubulosa* (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda pubescens* J.E. Smith var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda pubescens* J.E. Smith var. *tomentosa* Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda pubescens* J.E. Smith var. *stenophylla* (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda reticulata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda belilla* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda tomentosa* Wight ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mycetia acuminata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis decipiens* (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis hutchinsonii* Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis indica* (DC.) W.H. Lewis var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis indica* (DC.) W.H. Lewis var. *affinis* (Wall. ex

Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis indica* (DC.) W.H. Lewis var. *deltoidea* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *monosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *tirunelvelica* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis nummularia* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis rheedei* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis richardiana* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis tubulosa* (G.Don) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neolamarckia cadamba* (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neonauclea purpurea* (Roxb.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Octotropis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza eriantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza grandiflora* Wight and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza hirsutula* Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza incarnata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza pectinata* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza pykarensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza roxburghiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza rugosa* Wall. var. *prostrata* (D.Don.) Deb &

Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxyceros rugulosus* (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta blKalam* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta breviflora* DC. var. *breviflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta breviflora* DC. var. *pubescens* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta brunonis* Wall. ex G. Don and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta calophylla* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta hispidula* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta hohenackeri* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta indica* L. var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta indica* L. var. *minor* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta laeta* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta oblanceolata* Bremek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta praeterita* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta thomsonii* Bremek. var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta tomentosa* Roxb. ex J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta zeylanica* (Hook.f.) Gamble var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta zeylanica* (Hook.f.) Gamble var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentas lanceolata* (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentas zanzibarica* (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleiocraterium verticillare* (Wight & Arn.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portlandia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudaidea speciosa* (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria beddomei* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria bisulcata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria connata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria flavida* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria fosbergii* Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria globicephala* Gamble and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria johnsonii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria macrocarpa* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria nigra* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria nilgiriensis* Deb & Gang. var. *nilgiriensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria nilgiriensis* Deb & Gang. var. *astephana* (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria nudiflora* Wight & Arn. var. *nudiflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria nudiflora* Wight & Arn. var. *latifolia* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria octosulcata* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria sarmentosa* Blume and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria subintegra* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria truncata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psydrax dicoccos* Gaertn. var. *dicoccos* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psydrax ficiformis* (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psydrax umbellata* (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Richardia brasiliensis* Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saprosma corymbosum* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saprosma foetens* (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saprosma fragrans* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saprosma glomeratum* (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermacoce articularis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermacoce assurgens* Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermacoce latifolia* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermacoce mauritiana* Osea Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermacoce pusilla* Wall. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermacoce ramanii* Sivarajan & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermacoce ocymoides* Burm.f. var. *ocymoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermacoce ocymoides* Burm.f. var. *thekkumalensis* (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamilnadia ulginosa* (Retz.) Tirvengadam & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tarenna alpestris* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica forma rigida* (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tarenna canarica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tarenna monosperma* (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tarenna nilagirica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tricalysia apiocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tricalysia sphaerocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urophyllum ceylanicum* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wendlandia angustifolia* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wendlandia thyrsoides* (Schultes) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana arnottiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana hookeriana* Wight & Arn. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana moonii* Arn.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipsacus leschenaultii* Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scabiosa atropurpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Achillea millefolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acroclinium roseum* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenoon indicum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenostemma lavenia* (L.) Kuntze var. *lavenia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenostemma lavenia* (L.) Kuntze var. *madurense* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ageratina adenophora* (Spreng.) R.King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ageratum houstonianum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Amberboa ramosa* (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis bournei* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis brevifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis busua* (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis elliptica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis lawii* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis leptophylla* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis marcescens* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis meeboldii* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis neelgerryana* (Sch. - Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis notoniana* (DC.) DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis subdecurrens* (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis travancorica* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anaphalis wightiana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arctotis venusta* Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argyranthemum frutescens* Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia nilagirica* (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia pallens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artemisia sieversiana* Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aster indamellus* Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aster laevis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aster cordifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aster rotundifolius* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bidens biternata* (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bidens pilosa* L. var. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bidens pilosa* L. var. *minor* (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blainvillea acmella* (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blepharispernum petiolare* DC. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea alata* (D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea aurita* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea barbata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea Nripatingeriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea bifoliata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea clarkei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea eriantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea fistulosa* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea hieracifolia* (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea lacera* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea lanceolaria* (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea malcolmii* (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea membranacea* Wall. ex DC. var. *membranacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea membranacea* Wall. ex DC. var. *jacquemontii* (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea mollis* (D.Don) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea obliqua* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea virens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Blumea flava* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bracteantha bracteata* (Vent.) Andr. var. *albidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Callistephus chinensis* (L.) Nees and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carpesium cernuum* L. var. *nilagiricum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centrantherum punctatum* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centipeda minima* (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chromolaena odorata* (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysanthemum anethifolium* Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus angustifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus conferta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus hortensis* M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus indica* SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus kologa* SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus parvifolia* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus pyriformis* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeagnus umbellata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus floribundus* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus ganitrus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus lanceolatus* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus munronii* (WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus oblongus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus sphaericus* (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeodendron glaucum* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeodendron roxburghii* W. & A. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema lineolatum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema platyphyllum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatostema sessile* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleocharis dulcis* (BURM.F.) TRIN. EX HENSCHEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elettaria cardamomum* MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elettaria cardamomum* MATON major THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elettaria cardamomum* MATON minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elettaria cardamomum* MATON miniscula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elettaria repens* BAILOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleusine aegyptiaca* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleusine coracana* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleusine indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elsholtzia blKalam* (BTH.) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elsholtzia ciliata* (THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elsholtzia densa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elsholtzia pilosa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elsholtzia polystachya* BENTH. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elsholtzia strobilifera* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elytraria acaulis* (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elytrophorus spicatus* (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embelia acutipetalum* (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embelia ribes* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embelia robusta* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embelia subcoriacea* (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embelia tsjeriam-cottam* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embllica officinalis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Embryopteris glutinifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Emilia javanica* (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Engelhardia polystachya* RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Engelhardtia roxburghiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Engelhardtia spicata* LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eniada scandens* AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enicostemma axillare* (LAM.) RAYNAL and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enicostemma hyssopifolium* (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enicostemma littorale* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enicostemma verticillatum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Entada phaseoloides* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Entada pursaetha* DC. *pursaetha* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Entada rheedii* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Entada scandens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Enteropogon dolichostachyus* (LAGAS.) KENG EX LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epaltes divaricata* (L.) CASS. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ephedra equisetina* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ephedra gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ephedra intermedia* SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ephedra major* HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ephedra nevadensis* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ephedra peduncularis* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ephedra saxatilis* STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ephedra sinica* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ephedra vulgaris* HOOK.F. NON A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epidendrum retusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epidendrum tenuifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epilobium angustifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epilobium hirsutum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epilobium roseum* SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epilobium royleanum* HOUSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epimedium elatum* MORR. & DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Epipactis latifolia* ALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Equisetum arvense* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Equisetum debile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Equisetum diffusum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Equisetum ramosissimum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis amabilis* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis ciliata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis cynosuroides* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis gangetica* (ROXB.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis nutans* (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis tremula* HOCHST. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eragrostis viscosa* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eranthemum bicolor* SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eranthemum nervosum* (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eranthemum purpurascens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eranthemum roseum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erechtites valerianaefolia* (WOLF.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eremostachys acanthocalyx* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eremostachys loasifolia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eremostachys superba* ROYLE EX BENTH. NULL and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eremostachys vicaryi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eremurus himalaicus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eria calamifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eria pannea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erianthus arundinaceus* (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erianthus munja* JESW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron alpinus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron asteroides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron bellidioides* (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron canadensis* TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron floribundus* (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron multiradiatus* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriglossum rubiginosum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriobotrya japonica* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriobotrya latifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon setaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon sexangulare* L. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriocaulon sieboldianum* S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriodendron anfractuosum* BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erioglossum rubiginosum* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriolaena hookeriana* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriolaena quinquelocularis* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriosema chinense* VOG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriosema himalaicum* OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eritrichium canum* (BTH.) KITAMURA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erodium cicutarium* (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erodium moschatum* L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erophila verna* (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eruca sativa* GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eruca vesicaria* (LINN.) CAV. sativa (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ervatamia coronaria* (JACQ.) STAPP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ervatamia dichotoma* (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ervatamia heyneana* T.COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ervatamia orientalis* (R.BR.) TURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ervatamia divaricata* (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erycibe paniculata* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erygium caeruleum* BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erygium coeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eryngium biebersteinianum* NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eryngium billardieri* DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eryngium caeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eryngium foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erysimum altaicum* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erysimum repandum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erysimum sisymbrioides* C.A. MEY. NULL and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythraea roxburghii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina corallodendron* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina fusca* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina resupinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina suberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythrina variegata* L. *orientalis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythronium indicum* ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythralium scandens* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylium coca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylium areolatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylium lucidum* MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylium monogyneum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylium monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylium monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylium moonii* HOCHR. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylum retusum* BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylum retusum* BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ethulia conyzoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus camaldulensis* DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus citriodora* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus globulus* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucalyptus resinifera* HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euchresta horsfieldii* (LESCH.) BENNETT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euchretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eucomis undulata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia aromatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia bracteata* (WILD.)ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia caryophyllaea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia hemispherica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia jambolana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia jambos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia malaccensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia munroii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia occidentalis* BOURD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia operculata* SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia spicata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia Kalammanensis* REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia campestris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia cullenii* (WIGHT) BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia dabia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia epidendrea* (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia explanata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia herbacea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia nuda* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia pratensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia ramentacea* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eulophia spectabilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euodia lanu-ankenda* (GAERTN.)MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus atropurpureus* JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus crenulatus* WALL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus hamiltonianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus indicus* HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus javanicus* BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus pendulus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus serratifolius* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus theophrasti* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus tingens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eupatorium adenophorum* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eupatorium ayapana* VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eupatorium birmanicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eupatorium cannabinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eupatorium glandulosum* SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eupatorium odoratum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eupatorium perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eupatorium triplinerve* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia atoto* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia barnhartii* CROIZAT, EUPHORB. NULL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia bombaiensis* SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia caducifolia* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia cognata* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia dracunculoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia fusiformis* BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia granulata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia hispida* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia hypericifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia inaequilatera* SOND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia laeta* HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia lathyris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia ligularia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia longan* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia longifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia microphylla* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia milii* DESMOUL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia nivulia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia onicrophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia orbiculata* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia prostrata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia pulcherrima* WILLD. EX KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia resinifera* BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia rosea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia rothiana* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia royleana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia sanguinea* HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia splendens* BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia stracheyi* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia thomsoniana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia tibetica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia tirucalli* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia tortilis* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia trigona* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia turcomanica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia uniflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia wallichii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphorbia longana* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphrasia himalaica* WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphrasia odontites* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphrasia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euphrasia platyphylla* PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eurya acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eurya japonica* AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eurya nitida* KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euryale ferox* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euryangium sumbul* KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eurycoma longifolia* JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Evodia fraxinifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Evodia lunu-ankenda* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Evodia meliaefolia* BENTH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Evodia roxburghiana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Evodia rutaecarpa* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Evodia trichotoma* (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Evolvulus alsinoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Evolvulus emarginatus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Evolvulus nummularius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum bicolor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum lawii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Excoecaria tetragonum* ROXB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Excoecaria acerifolia* F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Excoecaria crenulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Exogonium purga* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fabiana imbricata* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagonia arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagonia bruguieri* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagonia indica* L. *schweinfurthii* HADIDI and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagopyrum cymosum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagopyrum dibotrys* (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagopyrum esculentum* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagopyrum tataricum* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagraea ceilanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagraea imperialis* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagraea obovata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagraea racemosa* JACK, ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Farsetia aegyptiaca* TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Farsetia edgeworthii* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Farsetia hamiltonii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Farsetia jacquemontii* HOOK. F. & TH. *jacquemontii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Farsetia jacquemontii* HOOK.F. TH. *edgeworthii* (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Feronia elephantum* CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Feronia limonia* (L.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ferula alliacea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ferula assa-foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ferula foetida* REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ferula galbaniflua* BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ferula jaeschkeana* VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ferula narthex* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ferula orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ferula persica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ferula suaveolens* AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ferula sumbul* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ferula thomsoni* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Festuca indica* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fibraurea chloroleuca* Miers and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fibraurea tinctoria* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus altissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus amplissima* SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus arnottiana* (MIQ.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus asperima* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus auriculata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus bengalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus benamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus callosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus cunia* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus dalhousiae* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus drupacea* THUNB. pubescens (ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus elastica* ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus exasperata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus fistulosa* REINW. EX BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus fulva* REINW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus gibbosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus glabella* BLUME and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus glomerata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus heterophylla* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus hirta* VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus hispida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus infectoria* SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus lacor* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus lacor* BUCH.- HAM. infectoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus lacor* BUCH.- HAM. lambertiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus lacer* BUCH.- HAM. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus lucescens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus microcarpa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus mollis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus oppositifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus palmata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus retusa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus ribes* REINW. EX BL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus rumphii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus scandens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus semicordata* BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus talboti* G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus tinctoria* FORST. F. *parasitica parasitica* (WILLD.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus tinctoria* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus tomentosa* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus tsiela* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus tsjakela* BURM .F. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus virens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ficus wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Filicium decipiens* (WIGHT & ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis annua* (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis argentea* (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis bisumbellata* (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis diphylla* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis falcata* (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis junciformis* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis miliacea* L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis ovata* (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis polytrichoides* (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fimbristylis sietiniana* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fioria vitifolia* (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Firmiana colorata* (ROXB.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fissendocarpa linifolia* (VAHL) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fissistigma polyanthum* MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flacourtia cataphracta* ROXB. EX WILLD. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flacourtia indica* (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flacourtia jangomas* (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flacourtia ramontchi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flacourtia sapida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flacourtia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flaveria australasica* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia bracteata* (ROXB.) WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia chappar* BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia congesta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia grahamiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia macrophylla* (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia procumbens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia semialata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia strobilifera* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia tuberosa* DALZ. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fleurya interrupta* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flickingeria fugax* (RCHB.F.) SEODEMF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flickingeria macraei* (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flickingeria nodosa* (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Floscopa scandens* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fluegea leucopyrus* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flueggea leucopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flueggea microcarpa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flueggea virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Foeniculum capillaceum* GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Foeniculum vulgare* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Foeniculum vulgare* GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fomes officinalis* (VILL EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fortunella japonica* (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fragaria indica* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fragaria nilgherrensis* SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Francoeria crispa* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Frankenia pulverulenta* L and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fraxinus excelsior* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fraxinus floribunda* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fraxinus hookeri* WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fraxinus ornus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fritillaria cirrhosa* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fritillaria imperialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fritillaria roylei* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fucus distichus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fucus nodosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fucus vesiculosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fumaria indica* PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fumaria parviflora* AUCT. NON. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fumaria vaillantii* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Furcraea foetida* (L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fynura bicolour* (WILLD.)DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gaillonia aucheri* JAUB. & SPACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galega purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galega spinosa* L.F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galeopsis tetrahit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galidium cartilagineum* (L.) GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galinsoga parviflora* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galium acutum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galium aparine* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galium asperifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galium elegans* BLOCKI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galium mullugo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galium triflorum* MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galium verum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ganophyllum falcatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia atroviridis* GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia cambogia* GAERTN. DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia cornea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia cowa* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia dulcis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia echinocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia gummi-gutta* (L.) ROBS. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia hanburyi* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia heterandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia indica* (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia kydia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia morella* (GAERTN.) DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia pedunculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia pictoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia purpurea* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia rubro-echinata* KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia spicata* (WIGHT & ARN.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia talbotii* RAIZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia tinctoria* (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia travancorica* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia wightii* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia xanthochymus* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia augusta* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia campanulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia dumetorum* RETZ. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia floribunda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia florida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia gummifera* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia incida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia jasminoides* ELLIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia latifolia* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia lucida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia nummularioides* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia resinifera* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gardenia turgida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garuga pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gastrochilus longiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gastrochilus pandurata* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gaultheria fragrantissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gaultheria nummularioides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gaultheria procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gaultheria trichiphylla* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gelidium cartilagineum* GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gelonium bifarium* Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gelsemium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gelsemium sempervirens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gemphostemma ovatum* WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gendarussa vulgaris* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geniosporum gracile* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geniosporum prostratum* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geniosporum tenuiflorum* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana algida* PALLAS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana argentea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana borealis* GRISEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana carinata* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana chirayta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana decumbens* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana desonasa* (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana kurroo* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana lutea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana moorcroftiana* WALL. EX. G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana olivieri* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana quadrifaria* Bl. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana renella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana stipitata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana tenella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentiana thianschanica* RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentianella moorcroftiana* (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentianella pedunculata* (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentianella tenella* (ROTTB.) BORNER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gentianopsis detonsa* (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geodorum densiflorum* (LAM.) SCHLECHTER and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geodorum dilatatum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geophila herbacea* KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geophila reniformis* D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geophila repens* (L.) I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium himalayense* KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium lucidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium mascatense* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium nepalense* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium ocellatum* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium pusillum* BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium rivulare* VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium robertianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium sibiricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium wallichianum* DON EX SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gerbera gossypina* (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gerbera lanuginosa* BENTH. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gerbera piloselloides* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geum alatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geum elatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geum roylei* WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geum urbanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Giesekia pharnacoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ginkgo biloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Girardinia diversifolia* (LINK) FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Girardinia heterophylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Girardinia leschenaultiana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Girardinia zeylanica* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Girardinia cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Girardinia reticulata* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Givotia rottleriformis* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gleditsia sinensis* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gleditsia triacanthos* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gleichenia longissima* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glinus dictamnoides* BURM.F. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glinus oppositifolius* (L.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Globba clarkeii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Globba multiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Globba orixensis* ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Globba pauciflora* KING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion calocarpem* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion calocarpum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion ellipticum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion heyneanum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion hohenackeri* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion lanceolarium* VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion multiloculare* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion oblatum* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion sumatrana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion tomentosum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glochidion zeylanicum* A. JUSS. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glossocardia bosvallea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glossocardia linearifolia* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glossogyne bidens* (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glossogyne pinnatifida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glossonema varians* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gluta travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycine labialis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycine max* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycine pentaphylla* DLAZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycine soja* SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis arborea* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis cochinchinensis* PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis macrocarpa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis mauritiana* (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis mauritiana* (LAMK.) TANAKA Kalammanensis (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis pentaphylla* (RETZ.) DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycyrrhiza glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycyrrhiza glabra* L. violace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycyrrhiza radix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycyrrhiza uralensis* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gmelina arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gmelina elliptica* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gmelina parviflora* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gmelina philippensis* CHAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnaphalium indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnaphalium luteo-album* L. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnaphalium polycaulon* PER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnetum edule* (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnetum gnemon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnetum montanum* MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnetum scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnetum ula* BRONGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gnidia glauca* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goldfussia thomsonii* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphia angustifolia* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphia serrata* (GAERTN.) KANIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphostemma crinitum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphostemma parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphostemma wallichii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphrena celosioides* MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gonatanthus pumilus* (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goniothalamus sequipedalis* HK.F.& TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goniothalamus waynaadensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goniothalamus wightii* HOOK.F. & THOMAS and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gonostegia hirta* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gonystylus macrophyllus* (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goodyera repens* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goodyera schlectKalamliana* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goodyera secundiflora* (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gordonia obtusa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium acuminatum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium indicum* TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium obtusifolium* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium purpurascens* POIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium religiosum* WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium stocksii* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gouania tiliaefolia* LAMK. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Govania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gracilaria lichenoides* GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grangea maderaspatana* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Graptophyllum hortense* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Graptophyllum pictum* (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gratiola monniera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grevillea robusta* A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia abutilifolia* VENT. EX JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia asiatica* L. vestita MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia asiatica* MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia carpinifolia* JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia elastica* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia helicterifolia* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia heterotricha* MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia hirsuta* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia microcos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia obtusa* WALL. EX GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia oppositifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia optiva* DRUMMOND and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia orbiculata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia polygama* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia populifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia rhamnifolia* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia salvifolia* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia sapida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia scabrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia sclerophylla* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia subinaequalis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia tenax* (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia tiliaefolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia umbellata* AUCT.NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia villosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Guazuma tomentosa* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Guazuma ulmifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Guettarda speciosa* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Guilandina bonducella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Guizotia abyssinica* CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnadenia himalayica* SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnadenia orchidis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema aurantiaca* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema balsamicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema hirsutum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema khalamlense* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema lactiferum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema latifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema montanum* (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema spartium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnema sylvestre* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnocladus assamicus* Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnopetalum cochinchinensis* (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnopetalum wightii* WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnosporia montana* (ROTH.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnosporia royleana* M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnosporia spinosa* MERILL & ROLFE and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gymnostachyum febrifugum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynandropsis gynandra* BRIQUET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynandropsis pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynocardia odorata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynostemma pentaphyllum* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynura angulosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynura cusimbua* (D.DON) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynura hispida* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynura pseudo-china* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gyrocarpus americanus* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria commelinifolia* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria crinifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria diphylla* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria edgeworthii* HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria intermedia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria longicorniculata* GRAH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria orchidis* (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria ovalifolia* WT. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria plantaginea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria rariflora* A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria rotundifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Habenaria roxburghii* (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hackelochloa granularis* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haemanthus multiflorus* MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haematoxylon campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hagenia abyssynica* GMEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haldina cordifolia* (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Halophila ovalis* (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haloxylon multiflorum* (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haloxylon recurvum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haloxylon salicornicum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hamamelis virginiana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hamelia patens* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hamiltonia suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haplanthodes verticillata* (ROXB.) MAJUMDAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haplanthus tentaculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Haplanthus verticillata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hardwickia binata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hardwickia pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Harpagophytum procumbens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Harpullia arborea* (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hebanthe paniculata* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedeoma pulegioides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedera helix* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedera nepalensis* C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedgsonia macrocarpa* (BL.) COGN. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium acuminatum* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium coccineum* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium coronarium* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium ellipticum* HAMILT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium gardnerianum* SHEPPARD EX KER-GAWLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium glaucum* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium gracile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium marginatum* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium spicatum* BUCH.-HAM. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedychium wardii* C.E.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis articularis* R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis auriculata* (LINN.). AURICULARIA ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis biflora* (L.) LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis brachypoda* (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis capitellata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis corymbosa* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis costata* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis diffusa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis glabra* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis gracilis* WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis hispida* (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis lineata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis pinifolia* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis pruinosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis puberula* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis pumila* L.F. O.PU(L.F.) DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis tenelliflora* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis umbellata* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis uncinella* HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis verticillata* (L.) LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedyotis vestita* R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedysarium sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedysarum alhagi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedysarum gangeticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedysarum purpureum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedysarum sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedysarum triflorum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hedysarum tuberosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helicanthes elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helicia excelsa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helicia robusta* (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helicteres isora* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helicteres isora* L. *glabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helicteres isora* L. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliophyllum indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium bacciferum* FORSK. *tuberosum* (BOISS.) KAZMI *bacciferum* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium brevifolium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium curassavicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium eichwaldi* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium ellipticum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium indicum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium keralense* SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium ophioglossum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium ovalifolium* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium peruvianum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium rariflorum* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium strigosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium subulatum* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium supinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium tuberculatum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium undulatum* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium zeylanicum* HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helixanthera wallichiana* (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helleborus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helleborus viridis* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helminthostachys zeylanicus* (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heliotropium ophioglossum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hemarthria compressa* (L.F.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hemerocallis fulva* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hemidesmus indicus* (L.) SCHULT. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hemidictyum ceterach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hemigraphis latebrosa* NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hemionitis arifolia* (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum cachemiricum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum candicans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum candolleianum* (WT. & ARN.) GAMBLE . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum canescens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum lanatum* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum nepalense* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum pinda* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum pinnatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum rigens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heracleum wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heritiera littoralis* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heritiera minor* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heritiera papilio* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hermodactylus tuberosus* (L.)MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hernandia ovigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hernandia peltata* MEISSN. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Herniaria glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Herniaria hirsuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Herniaria intermedia* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Herpestis monniera* (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hesperethusa alata* (W. & A.) ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hesperethusa crenulata* (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hetaeria obliqua* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heterophragma quadriloculare* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heterophragma roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heteropogon contortus* (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heterostemma piperifolium* KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heterostemma tanjorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hevea brasiliensis* (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hewittia malabarica* (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heylandia latebrosa* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heynea sumatrana* MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heynea trijuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus abelmoschus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus aculeatus* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus cancellatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus canescens* HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus ficulneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus furcatus* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus hispidissimus* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus lampas* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus lunariifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus manihot* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus micranthus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus obtusifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus ovalifolius* (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus platanifolius* (WILLD.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus populneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus sabdariffa* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus vitifolias* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hieracium umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hieracium virosum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hieracium vulgatum* (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hippocratea indica* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hippophae rhamnoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hippophae rhamnoides* L. *saticifolia* (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hippophae salicifolia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hippophae tibetana* SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hiptage benghalensis* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hiptage madablota* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hitchenia caulina* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hodgsonia macrocarpa* (BI.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holarrhena antidysenterica* (ROTH.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holarrhena mitis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holarrhena pubescens* (BUCH.-HAM.) WALLICH EX DO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holboellia latifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holigarna arnottiana* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holigarna ferruginea* MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holigarna grahamii* (WGT.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holigarna longifolia* BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holigarna nigra* BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holmskioldia sanguinea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holoptelea integrifolia* (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holostemma ada-kodien* SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holostemma annulare* (ROXB.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holostemma rheedianum* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holostemma rheedii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holosteum umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Homalomena aromatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Homalomena rubescens* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Homonoia retusa* (GRAH. EX WT.) MUELL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Homonoia riparia* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hopea glabra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hopea odorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hopea parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hopea ponga* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hopea wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoppea dichotoma* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hornstedtia costata* (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Horsfieldia glabra* (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Horsfieldia irya* (GAERTN.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Horsfieldia kingii* (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Houttuynia cordata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hovenia acerba* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya carnososa* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya globulosa* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya multiflora* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya ovalifolia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya pendula* WGT. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya viridiflora* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hoya wightii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Humboldtia unijuga* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Humboldtia vahliana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Humulus lupulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hunteria corymbosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hunteria legocii* SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hunteria zeylanica* (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Huperzia phlegmaria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hybanthus enneaspermus* (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyderangea macrophylla* (THUNB.) SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus alpina* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus anthelminthica* PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus castanea* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus inebrians* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus kurzii* (KING) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus laurifolia* (DENNST.) STEUM. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus macrocarpa* (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus octandra* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus pentandra* (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus venenata* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus wightiana* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnophytum Kalammanense* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnophytum formicarium* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrangea arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrangea aspera* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrangea macrophylla* (THUNB.) SER. *stylosa* (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrangea paniculata* SIEB. *grandiflora* SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrastis canandensis* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrilla verticillata* (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrocharis dubia* (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrocotyle asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrocotyle javanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrocotyle javanica* THUNB. *PODUNTHA MOLKENBOER* EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrocotyle rotundifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrocotyle sibthorpioides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrolea zeylanica* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila auriculata* (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila erecta* (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila heinei* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila phlomoides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila polysperma* (ROXB.) AND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila salicifolia* NEES and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila schulli* (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila spinosa* T. ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hygrophila aristata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hymenaea courbaril* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hymenaea hornemannianum* (HAYNE) D. DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hymenocrater sessilifolius* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hymenodictyon excelsum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hymenodictyon obovatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hymenodictyon orixense* (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyoscyamus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyoscyamus muticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyoscyamus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyoscyamus pusillus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyoscyamus reticulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyoscyamus squarrosus* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypocoum leptocarpum* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypocoum pendulum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypocoum procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyperanthera moringa* VAHL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum cernuum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum elodeoides* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum humifusum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum japonicum* THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum laxum* (BL.) KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum monanthemum* HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum monogynum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum mysurense* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum oblongifolium* CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum patulum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum perforatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum sampsoni* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum uralum* BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypobathrum microcarpum* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypochaeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypodematium crenatum* (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypolepis punctata* (THUNB.) METT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypolytrum nemorum* (VAHL) SPRENG. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypoxis aurea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypoxis orchoides* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyptis brevipes* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyptis capitata* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyptis pectinata* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyptis suaveolens* POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyssopus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hyssopus parviflora* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ichnocarpus frutescens* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilex denticulata* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilex godajam* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilex paraguariensis* A.ST.HIL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilex wightiana* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Illecebrum lanatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Illicium anisatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Illicium griffithii* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Illicium religiosum* S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Illicium verum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Illigera appendiculata* BLUME NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Illigera villosa* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilysanthes oppositifolia* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilysanthes reptans* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens brachycentra* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens gigantea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens glandulifera* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens minor* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens roylei* WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens scabrida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens tilo* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens tripetala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Imperata arundinacea* CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Imperata cylindrica* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Incarvillea emodi* (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera anil* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera argentea* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera articulata* GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera aspalathoides* VAHL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera caerulea* ROXB. caerulea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera cassioides* ROTTB. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera ennaeophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera galeoides* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera gerardiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera glandulosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera hebeptala* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera heterantha* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera linifolia* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera linnaei* ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera nummulariifolia* (L.) SKINA EX ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera oblongifolia* FORSK. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera paucifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera pulchella* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera suffruticosa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera sumatrana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera trita* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indigofera uniflora* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indoneesiella echicides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indoneesiella echiodides* (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Indoneesiella intermedia* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Intsia bijuga* (Colebr.) O. Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Inula cappa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Inula cuspidata* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Inula grandiflora* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Inula grantioides* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Inula graveolens* DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Inula helenium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Inula obtusifolia* KERN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Inula racemosa* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Inula royleana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ionidium enneaspermum* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ionidium suffruticosum* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iphigenia indica* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea aquatica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea batatas* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea biloba* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea bona-nox* HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea burmanni* CHOISY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea cairica* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea candicans* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea carnea* (MART. EX CHOISY) AUSTIN. *fistulosa* (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea carnea* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea coccinea* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea coptica* (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea cymosa* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea dasysperma* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea dissecta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea eriocarpa* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea fastigiata* (ROXB.) SWEET NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea fistulosa* MART EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea glaberrima* BOJ. EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea grandiflora* ROXB. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea hederacea* AUCT. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea hederifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea hispida* ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea illustris* (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea involucrata* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea marginata* (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea maxima* G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea muricata* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea nil* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea obscura* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea paniculata* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea pes-caprae* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea purga* (WEND.) HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea purpurea* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea reniformis* and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea reptans* (L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea sindica* STAPF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea staphylina* R, BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea tridentata* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea turbinata* LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea turpethum* (L.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea uniflora* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ipomoea vitifolia* SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris decora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris ensata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris florentina* KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris foetidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris kashmiriana* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris kemaonesis* D.DON EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris nepalensis* D.DON and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris songarica* SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iris versicolor* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isachne globosa* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum muticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum pilosum* HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ischaemum rugosum* SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isopyrum acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isopyrum anemonoides* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Isopyrum thalictroides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Itea chinensis* HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora arborea* ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora brunnescens* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora cuneifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora grandiflora* Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora nigricans* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora notoniana* WALL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora parviflora* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora pavetta* ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora polyantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora sub-sessilis* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ixora undulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *JacarKalam acutifolia* HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jacobinia tinctoria* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jaeschkea gentianoides* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jaeschkea oligosperma* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Janakia arrayalpathra* JOSEPH & CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum amplexicaule* BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum anastomozans* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum angustifolium* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum auriculatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum azoricum* L. azoricum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum bignoniaceum* WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum calophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum chrysanthemum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum cuspidatum* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum diversifolium* KOBUSKI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum flexile* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum humile* SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum malabaricum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum multiflorum* (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum nervosum* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum officinale* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum pubescens* (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum ritchiei* CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum rottlerianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum sambac* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum sambac* AIT. heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum scandens* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum subhumila* W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum trichotomum* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jasminum undulatum* KER-GAWLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jateorhiza palmata* (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha glandulifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha glandulosa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha glauca* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha nana* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jatropha panduraefolia* ANDR. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Joannesia princeps* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juglans regia* L. kumaonia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juncellus inundatus* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juncus inflexus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juncus lampocarpus* EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juncus prismatocarpus* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juniperus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juniperus excelsa* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juniperus indica* BERTOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juniperus macropoda* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juniperus polycarpus* C. KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juniperus recurva* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Juniperus wallichiana* HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jurinea dolomiaea* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jurinea himalaica* STEWART NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jurinea macrocephala* (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jurinea macrophylla* BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jussiaea repens* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jussiaea suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Jussiaea tenella* BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia acaulis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia beddomei* (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia bicalyculata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia bilvalvis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia ecboium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia gendarussa* BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia madurensis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia nasuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia paniculata* (VAHL) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia picta* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia prostrata* (CL.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia quinqueangularis* KOEN. EX. ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia repens* DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia simplex* DON NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia tranquebariensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Justicia vasculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kaempferia angustifolia* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kaempferia rotunda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe integra* (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe laciniata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe pinnata* (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe rosea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalanchoe spathulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kallstroemia pubescens* (DON) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kandelia candel* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kandelia rheedei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kandelia rheedii* W.&A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kedrostis foetidissima* (JACQ.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kedrostis rostrata* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kickxia ramosissima* (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kigelia africana* (LAMK.) BENTH. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kigelia pinnata* (JACQ.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kingiodendron pinnatum* (ROXB. EX DC.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kirganelia reticulata* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kleinia grandiflora* (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knema angustifolia* (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knema attenuata* (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knema erratica* (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knema linifolia* (ROXB.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knoxia brachycarpa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knoxia corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knoxia roxburghii* (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Knoxia sumatrensis* (RETZ.) DC. hookeriana BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kochia indica* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kochia scoparia* (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kochia sedoides* SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Koelpinia linearis* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kokoona zeylanica* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kopsia flavida* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kopsia fruticosa* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kurrimia bipartita* M.LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kydia calycina* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kyllinga brevifolia* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kyllinga monocephala* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kyllinga nemoralis* HUTCH. & DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kyllinga squamulata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kyllinga triceps* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lablab purpureus* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca dissecta* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca gracilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca heyneana* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca orientalis* (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca remotiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca runcinata* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca scariola* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca serriola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca tatarica* C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lactuca virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagascea mollis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagascea spinosissima* COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagenandra ovata* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagenandra toxicaria* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagenaria leucantha* RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagenaria siceraria* (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagenaria vulgaris* SER. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia flos-reginae* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia hirsuta* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia lanceolata* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia microcarpa* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia parir-flosh* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia reginae* PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagerstroemia speciosa* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laggera alata* (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laggera aurita* (WILD.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laggera crispata* (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laggera flava* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laggera pterodonta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lagotis glauca* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lallemantia royleana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lamarkia aurea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laminaria saccharina* LAM. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lamium album* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lamium amplexicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lamprachaenium microcephalum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lancea tibetica* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Lannea coromandelica* (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lannea grandis* (DENNST.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lansium domesticum* JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lantana aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lantana camara* L. *aculeata* (L.) MOLDENKE and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lantana camara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lantana indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laportea crenulata* GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laportea interrupta* (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Larrea tridentata* (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasia aculeata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasia heterophylla* SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasia spinosa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasianthus Kalammanicus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasiophon eriocephalus* (MEISNER) DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lasiurus hirsutus* (FORSK.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lastrea filix-mas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathraea squamaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus altaicus* LED. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus luteus* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus odoratus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus pratensis* L. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lathyrus sphaericus* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea acaulis* (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea aspleniifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea capitata* (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea chondrilloides* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea fallax* (JAUB. & SPACH.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea glomerata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea nudicaulis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea pinnatifida* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea procumbens* (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea remotiflora* (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea resedifolia* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launaea sarmentosa* (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launea acaulis* (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launea procumbens* (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Launea sarmentosa* ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens chandrasekharanii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens clavicornu* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens cordata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens crenata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens dasysperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens debilis* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens denisonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens disotis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens diversifolia* Wall ex Wight & Arn. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens elegans* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens floribunda* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens fruticosa* Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens goughii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens grandis* Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens hensloviana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens herbicola* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens hookeriana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens inconspicua* Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens jerdoniae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens laticornis* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens lawsonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens lenta* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens leptura* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens leschenaultii* (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens levingei* Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens ligulata* Bedd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens maculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens minor* (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens modesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens munronii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens neo-barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens nilgirica* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens orchioides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens parasitica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens parvifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens phoenicea* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens rufescens* Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens scabriuscula* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens scapiflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens tangachee* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens tenella* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens tomentosa* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens trichocarpa* Hook. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens umbellata* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens uncinata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens viridiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens viscida* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens viscosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens wightiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acronychia pedunculata* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aegle marmelos* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atalantia monophylla* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atalantia racemosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Atalantia wightii* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boenninghausenia albiflora* (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Choisya ternata* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus aurantifolia* (Christm.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus limon* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus maxima* (Burm.) Merr. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus nobilis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus reticulata* Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Citrus sinensis* (L.) Osbeck. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clausena austro-indica* B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clausena dentata* (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clausena indica* (Dalz.) Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clausena lansium* (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euodia fraxinifolia* (D. Don.) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-ankenda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fortunalla japonica* (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis angustifolia* Lindl.ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis macrocarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis mauritiana* (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis pentaphylla* (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glycosmis tirunelveliensis* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melicope indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murraya koenigii* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murraya paniculata* (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Naringi crenulata* (Roxb.) Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pamburus missionis* (Wight) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paramigyna beddomei* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paramignya monophylla* Wight and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleiospermium alatum* (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetradium fraxinifolia* (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Toddalia asiatica* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triphasia trifolia* (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vepris bilocularis* (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum ovalifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum rhetsa* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum limonellia* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ailanthus excelsa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ailanthus triphysa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quassia amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Suriana maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphia serrata* (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochna integerrima* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochna lanceolata* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochna obtusata* DC. var. *obtusata* and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochna gamblei* King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Boswellia serrata* Roxb. ex Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canarium strictum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canarium vulgare* Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora berryi* (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora caudata* (Wight & Arn.) Engler var. *caudata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Commiphora caudata* (Wight & Arn.) Engler var. *pubescens* (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garuga floribunda* Decne var. *gamblei* (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garuga pinnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia apiocarpa* (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia domestica* (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia elaeagnoidea* (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia edulis* (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia lawii* (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia tomentosa* Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia odorata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aglaia simplicifolia* (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aphanamixis polystachya* (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Azadirachta indica* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chukrasia tabularis* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cipadessa baccifera* (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysoxylum binectariferum* (Roxb.) Hook. f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysoxylum ficiforme* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dysoxylum malabaricum* Bedd. ex Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melia azedarach* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Naregamia alata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reinwardtiadendron anamallayanum* (Bedd.) Saldahnha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sandoricum koetjape* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Soyimida febrifuga* (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swietenia macrophylla* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swietenia mahagoni* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Toona ciliata* M. Roem. var. *ciliata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichilia connaroides* (Wight & Arn.) Benthelzen and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turraea villosa* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Walsura trifolia* (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xylocarpus granatum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dichapetalum gelonioides* (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anacolosa densiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olex scandens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olex imbricata* Roxb. var. *imbricata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olex imbricata* Roxb. var. *nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strombosia ceylanica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cansjera rheedii* Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opilia amentacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Apodytes dimidiata* E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphandra coriacea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gomphandra tetrandra* (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Miquelia dentata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothapodytes nimmoniana* (Graham) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrenacantha volubilis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostigma kleinii* Wight & Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythralium populifolium* (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilex aquifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilex denticulata* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilex gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilex malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilex opaca* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilex walkeri* Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ilex wightiana* Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bhesa indica* (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassine glauca* (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cassine paniculata* (Wight & Arn.) Loeb.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celastrus paniculatus* Willd. var. *paniculatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Celastrus paniculatus* Willd. subsp. *aggregatus* K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus angulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus barberi* C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus crenulatus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus dichotomous* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus indicus* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus japonicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus kanyakumariensis* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus paniculatus* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Euonymus serratifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glyptopetalum grandiflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glyptopetalum lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Glyptopetalum zeylanicum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Loeseneriella bourdillonii* (Gamble) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lophopetalum wightianum* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maytenus emarginata* (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maytenus heyneana* (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maytenus rufa* (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microtropis microcarpa* Wight var. *microcarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microtropis latifolia* Wight ex Lawson and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microtropis ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microtropis ramiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microtropis stocksii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microtropis wallichiana* Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleurostyliia opposita* (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reissantia grahamii* (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reissantia indica* (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia fruticosa* Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia macrosperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia oblonga* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alphitonia excelsa* Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colletia cruciata* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colletia ferox* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Colubrina asiatica* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hovenia acerba* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maesopsis eminii* Engler and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pomaderris apetala* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pomaderris lanigera* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus dahuricus* Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus virgatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus wightii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sageretia hamosa* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sageretia parviflora* (Klein) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutia myrtina* (Burm. f.) Kurz. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ventilago denticulata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ventilago gamblei* Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ventilago goughii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ventilago madraspatana* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus glabrata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus horrida* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus incurva* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus mauritiana* Lam. var. *mauritiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus mauritiana* Lam. var. *fruticosa* (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical



practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus oenoplia* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus rugosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus xylopyrus* (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus indica* (L.) Planch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus latifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ampelocissus wightiana* Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia auriculata* (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia japonica* (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia mollissima* (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia roxburghii* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cayratia trifolia* (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus arnottiana* B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus adnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus discolor* Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus latifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus glyptocarpa* (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus heyneana* (Wall. ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus repKalam* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus repens* Lam. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyphostemma setosum* (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parthenocissus neilgherriensis* (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parthenocissus semicordata* (Wall.) Planchon var. *roylei* (King) Raizada & Saxina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetrastigma gamblei* Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetrastigma leucostaphylum* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetrastigma nilagiricum* (Miq.) Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetrastigma sulcatum* (Lawson) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis vinifera* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea asiatica* (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea guineensis* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea indica* (Burm. F. ) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea macrophylla* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Allophylus cobbe* (L.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardiospermum canescens* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dimocarpus longan* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dodonaea viscosa* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Filicium decipiens* (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Harpullia arborea* (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepisanthes erecta* (Thw.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepisanthes tetraphylla* (Vahl.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litchi chinensis* Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Otonephelium stipulaceum* (Bedd.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sapindus emarginatus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sapindus trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schleichera oleosa* (Lour.) Oken and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aesculus indica* (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acer caesium* Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acer oblongum* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acer pseudo-platanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melanthus major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turpinia malabarica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turpinia cochinchinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meliosma pinnata* (Roxb.) Maxim. subsp. *barbulata* (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meliosma simplicifolia* (Roxb.) Walp. subsp. *simplicifolia*

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meliosma simplicifolia* (Roxb.) Walp. subsp. *pungens* (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sabia limoniacea* Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buchanania axillaris* (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Buchanania lanzan* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gluta travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holigarna arnottiana* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holigarna beddomei* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holigarna ferruginea* Marchand and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holigarna grahamii* (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Holigarna nigra* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothopegia aureo-fulva* Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothopegia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothopegia colebrookeana* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothopegia heyneana* (Hook. f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothopogia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothopogia travancorica* Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothopogia vajravelui* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus mysorensis* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus paniculata* Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schinus molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schinus terebinthifolius* Raddi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Semecarpus anacardium* L. var. *anacardium* and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Semecarpus anacardium* L. var. *cuneifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Semecarpus auriculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Semecarpus travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spondias pinnata* (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corynocarpus laevigata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moringa concanensis* Nimmo ex Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moringa pterygosperma* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Connarus sclerocarpus* (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Connarus wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ellipanthus tomentosus* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rourea minor* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abrus fruticulosus* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abrus pulchellus* Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeschynomene americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aeschynomene indica* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus beddomei* Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus bupleurifolius* (L.) DC. var. *bupleurifolius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus bupleurifolius* (L.) Dc. var. *gracilis* (Edgew.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus bupleurifolius* (L.) Dc. var. *hybridus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus heterophyllus* (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus longifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus monilifer* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus ovalifolius* (Schumac) J. Leon. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus racemosus* Benth. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus roxburghianus* Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus glumaceus* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Butea acuminata* (Benth.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Butea monosperma* (Lam.) Taub. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Butea parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Butea purpurea* (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cajanus albicans* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cajanus goensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cajanus lineata* (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cajanus cajan* (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cajanus rugosus* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cajanus scarabaeoides* (L.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cajanus trinervius* (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calopogonium mucunoides* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calpurnia aurea* (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canavalia cathartica* Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canavalia gladiata* (Jacq.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canavalia maritima* (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canavalia mollis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Canavalia virosus* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Castanospermum australe* A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Centrosema pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chorizema ilicifolium* Labill. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christia obcordata* (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Christia vespertilionis* (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clanthus puniceus* Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laurentia longiflora* (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laurus cassia* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laurus cinnamomum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Laurus nobilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lavandula bipinnata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lavandula burmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lavandula carnososa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lavandula stoechas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lavandula vera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lavatera kashmiriana* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lawsonia alba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lawsonia spinosa* L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lechea verticillata* WILLD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea aequata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea alata* EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea arguata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea asiatica* (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea aspera* EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea bracteata* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea compactiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea crispa* V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea guineensis* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea hirta* ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea indica* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea macrophylla* ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea robusta* ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leea sambucina* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lemanea australis* ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lemnaphyllum carnosum* (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lemna globosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lemna obcordata* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lemna perpusilla* TORREY NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lens culinaris* MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lens esculenta* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leonotis nepetaefolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leontopodium jacotianum* BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leonurus cardiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leonurus hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leonurus incurva* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leonurus japonicus* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leonurus sibiricus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leonurus stelligera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepeocercis serrata* TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepianthes umbellata* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis cristata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis incurva* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis pungens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis scariosa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis trinervia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidagathis trinervis* NEES and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium capitatum* HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium cartilagineum* (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium draba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium iberis* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium iberis* POLL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium perfoliatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium ruderales* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium virginicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepionorus sylvestris* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepionurus sylvestris* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepisanthes Kalammanica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepisanthes rubiginosa* (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepisanthes tetraphylla* (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptadenia pyrotechnica* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptadenia spartium* WIGHT and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptochilus decurrens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptochloa malabarica* (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptodermis lanceolatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptonychia heteroclita* (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lespedeza sericea* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lettsomia aggregata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lettsomia atropurpurea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lettsomia elliptica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lettsomia mysorensis* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lettsomia nervosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lettsomia setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucaena glauca* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas aspera* (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas capitata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas cephalotes* (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas ciliata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas flaccida* R.BR. scaberula (HOOK.F.) SRINIVASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas indica* (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas lanata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas lavandulifolia* J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas linifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas martinicensis* (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas mollissima* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas plukenetii* (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas stelligera* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas stricta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas urticaefolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucas zeylanica* (L.) R.BR. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leuconotis eugenifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucosceptrum canum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucostegia immersa* (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leucostegia nodosa* BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leueas rosmarnifolia* CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Levisticum officinale* W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Licuala spinosa* WURMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligularia amplexicaule* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligularia jacquemontiana* (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligusticum elatum* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum indicum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum lucidum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum nicum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ligustrum robustum* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lilium candidum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lilium giganteum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lilium martagon* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lilium neilgherrense* LINN. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lilium polyphyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lilium wallichianum* SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnanthemum cristatum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnanthemum indicum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnanthemum nymphaeoides* LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila aromatica* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila gratioloides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila gratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila polystachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila rugosa* (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophila sessiliflora* (VAHL) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnophyton obtusifolium* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limodrum spatulatum* WLLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limonia alata* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limonia crenulata* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limonium cabulicum* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Linaria cirrhosa* H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Linaria minor* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Linaria ramosissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindelia longiflora* (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindenbergia indica* (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindenbergia muraria* (ROXB.) P.BRUCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindenbergia urticaefolia* LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindera caudata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindera neesiana* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindera pulcherrima* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia anagallis* (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia antipoda* (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia caespitosa* (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia ciliata* (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia cordifolia* (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia crustacea* (L.) F. V. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia hyssopioides* (L.) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia oppositifolia* (RETZ.) MUKH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia procumbens* (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia pyxidaria* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia rotundifolia* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindernia ruellioides* (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lindsaea cultrata* (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Linociera malabarica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Linociera ramiflora* (ROXB.) WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Linum perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Linum strictum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis nervosa* (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liparis parviflora* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lippia alba* N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lippia geminata* H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lippia javanica* (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lippia nodiflora* MICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liquidambar orientalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liqustrum indicum* (LOUR.) NERR. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Liriodendron tulipifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litchi chinensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lithocarpus pachyphyllus* (KURZ) REHDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lithospermum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lithospermum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea citrata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea coriacea* (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea cubeba* (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea glutinosa* (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea glutinosa* (LOUR.) ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea lancifolia* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea monopetala* (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea polyantha* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea quinqueflora* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea sebifera* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea stocksii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea umbrosa* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Litsea zeylanica* C. & T. NESS NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia alsinoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia cordigera* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia excelsa* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia inflata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia leschenaultiana* (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia nicotianaefolia* ROTH. EX. R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobelia pyramidalis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobularia maritima* DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lochnera pusilla* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lochnera rosea* REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lodoicea maldivica* (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lodoicea seychellarum* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lomatogonium carinthiacum* (WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera glauca* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera japonica* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera leschenaultii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera macrantha* (D.DON) SPRENG. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera semenovii* REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lonicera webbia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lophopetalum wallichii* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Loranthus coriaceous* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Loranthus elasticus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Loranthus falcatus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Loranthus longiflorus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lotus corniculatus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Loxococcus rupicola* WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia adscendens* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia clavelliana* GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia hyssopifolia* (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia octovalvis* (JACQ.) RAVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia octovalvis* (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia perennis* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia peruviana* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ludwigia prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa acutangula* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa acutangula* ROXB. *amara* (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa aegyptiaca* MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa cylindrica* (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa echinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa graveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa graveolens* ROXB. *longystyla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa pentandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luffa umbellata* (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luisia tenuifolia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lumnitzera racemosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lupinus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lupinus angustifolius* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lupinus digitatus* FORSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lupinus luteus* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luvunga scandens* (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Luzula campestris* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lychnis apetala* L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lychnis coronaria* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycianthes laevis* (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycianthes laevis* (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycium barbarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycium europaeum* L. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycium ruthenicum* MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycoperdon gemmatum* BATSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycoperdon pusillum* PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycopersicon esculentum* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycopersicon lycopersicum* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycopersicum esculentum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycopodium cernuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycopodium clavatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycopodium phlegmaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycopus europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lycoris radiata* (L'HERIT.) HERBERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lygodium circinatum* (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lygodium flexuosum* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lygodium japonicum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lygodium microphyllum* (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lygodium pinnatifidum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lygodium scandens* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lyonia ovalifolia* (WALL.) DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maba bauxifolia* PERS. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maba buxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macadamia ternifolia* F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macaranga denticulata* (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macaranga indica* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macaranga nicobarica* BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macaranga peltata* (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macaranga roxburghi* WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macaranga tanarius* (L.) M. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macaranga tetraococcus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Machilus bombycina* KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Machilus macrantha* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Machilus villosa* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maclura pomifera* (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macropanax dispermus* (BI.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macrosolen cochinchinensis* (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macrosolen parasiticus* (L.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macrotomia benthamii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macrotomia perennis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macrotomia speciosa* AITCHET HEMST. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Macrotyloma uniflorum* (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Madhuca butyracea* (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Madhuca diplostemon* (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Madhuca indica* GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Madhuca insignis* (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Madhuca longifolia* (KOEN.) MACLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Madhuca malabarica* (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Madhuca neriifolia* (MOON) LAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maerua apetala* (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maerua arenaria* HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maerua oblongifolia* (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maesa chisia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maesa indica* (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maesa montana* DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maesa ramentacea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maharanga emodi* (WALL.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mahonia acanthifolia* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mahonia borealis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mahonia leschenaultii* (WALL. EX. WIGHT & ARN.)



and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mahonia manipurensis* TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mahonia nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mahonia pycnophylla* (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mahonia sikkimensis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mahonia simonsii* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Majorana hortensis* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malachra capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malaxis acuminata* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malaxis biloba* (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malaxis mackinnonii* (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malaxis muscifera* (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malaxis rheedei* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malaxis saprophyta* (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus ferrugineus* (ROXB.) MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus philippensis* (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus repandus* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malpighia glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malpighia punicifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malus pumila* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malus sylvestris* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malva neglecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malva rotundifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malvastrum americanum* (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malvastrum coromandelianum* GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mammea americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mammea longifolia* PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mandragora autumnalis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mandragora officinalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mangifera caesia* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mangifera domestica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mangifera indica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mangifera sylvatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manihot esculenta* CRANTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manihot utilissima* POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manilkara hexandra* (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manilkara kauki* (L.) DUBJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manilkara zapota* (L.) VAN ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Manisuris granularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maoutia puya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mappia foetida* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marchantia palmata* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marchantia polymorpha* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mariscus concinnus* SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mariscus javanicus* (HOUTT.) MERR. & METCALF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marlea tomentosa* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marrubium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsdenia brunoniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsdenia hamiltonii* W. & A. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsdenia lucida* EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsdenia roylei* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsdenia tenacissima* (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsdenia tinctoria* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsdenia volubilis* (L.F). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsilea dentata* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsilea grandifolia* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsilea minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Marsilea quadrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Martynia diandra* GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Martynia diandra* GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mastixia assamica* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mastixia arborea* CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mathiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Matricaria aurea* (Loefl.)Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Matricaria chamomilla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Matricaria lasiocarpa* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Matricaria recutita* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Matthiola flavida* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Matthiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Matthiola tristis* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mattiastrium thomsonii* (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maytenus emarginata* (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maytenus heyneana* (ROTHY) RAJU & BABU NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maytenus senegalensis* (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mazus japonicus* (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mazus pumilus* (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meconopsis aculeata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meconopsis nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meconopsis paniculata* (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meconopsis robusta* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meconopsis simplicifolia* (G.DON) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meconopsis wallichii* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mecoropsis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Medicago lupulina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Medicago minima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Medicago polymorpha* L. NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Megacarpaea polyandra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melaleuca alternifolia* (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melaleuca cajaputi* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melanorrhoea curtisii* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melanorrhoea usitata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melanorrhoea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melanthesa rhamnoides* (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melanthesa turbinata* (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melanthium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melasma thompsonii* (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melastoma affine* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melastoma asperum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melastoma decemfidum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melia azadirachta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melia composita* WILLD. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melia dubia* HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melanthus major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melica ciliata* DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melica jacquemontii* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melilotus indica* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melilotus officinalis* (L.) PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melilotus parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meliosma arnottiana* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meliosma simplicifolia* (ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melissa axillaris* (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melissa officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melissa parviflora* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melocanna bambusiodes* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melocanna bambusoides* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melodinus monogynus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melothria heterophylla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melothria indica* LOUR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melothria maderaspatana* (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melothria perpusilla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon amplexicaule* ROXB. *malabarica* CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon angustifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon edule* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon gracile* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon heyneanum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon malabaricum* (CLARKE) COGN. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon sessile* BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon talbotianum* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Memecylon umbellatum* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Menanthes sumatrana* (MIQ.) BREMEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Menispermum cocculus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Menispermum columba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Menispermum cordifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Menispermum glabrum* BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha cordifolia* OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha crispa* GARSALT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha dumetorium* SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha longifolia* (L.) HUDS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha mulleriana* SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha niliaca* JACQ. *alopecuroides* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha piperita* STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha pulegium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha rotundifolia* (L.) HUDS. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha verticillata* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mentha viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meriandra benghalensis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meriandra strobilifera* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia dissecta* (JACQ.) HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia emarginata* (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia gangetica* (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia hastata* (DESR. ) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia hederacea* (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia mammosa* (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia peltata* (Linn.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia tridentata* (L.) HAILLIER tridentata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia tridentata* (L.) HALL. F. hastata (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia tridentata* (L.)H. HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia tuberosa* (LINN.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia turpethum* RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia umbellata* (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Merremia vitifolia* (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mesembryanthemum crystallinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mesua ferrea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mesua nagassarium* (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Metathelypteris gracilescens* (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meyna laxiflora* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meyna spinosa* ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mezoneuron sumatranum* W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Michelia doltsopa* BUCH.- HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Michelia montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Michelia nilagirica* ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micranthus oppositifolius* WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microcos paniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microglossa pyrifolia* (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microglossa volubilis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microlepidia puberula* VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microlepidia speluncae* (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micromelum hirsutum* OSKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micromelum integerrimum* (Buch-Ham) Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micromelum minutum* (FORST. F.) WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micromelum pubescens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micromeria biflora* (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micromeria capitellata* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micrometum integerrimum* (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Micropus xanthopus* (FR.) KUNT. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microsorhynchus nudicaulis* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microsorium alternifolium* COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microsorium punctatum* (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microsorium scolopendria* (BURM.F.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microstegium ciliatum* A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microstylis muscifera* RIDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microstylis saprophyta* KING & PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microstylis versicolor* (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microstylis wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microtoena insuavis* (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Microula tibetica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mikania cordata* (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mikania micrantha* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Milium ramosum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Miliusa roxburghiana* (GRIFF.) HK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Miliusa tomentosa* (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Miliusa velutina* HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Millettia auriculata* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Millettia caudata* (BENTH.) BAKER and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Millettia extensa* (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Millettia pachycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Millettia piscidia* WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Millettia racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Millingtonia hortensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa abstergens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa cineraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa ferruginea* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa flexuosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa hamata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa intsia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa invisa* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa lucida* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa paniculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa pudica* L. hispida BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa pudica* L. tetrandra (WILLD.)DC and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa pudica* L. unijuga (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa rubicaulis* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa rubicaulis* LAMK. himalayana (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa spinisilqua* KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimosa suma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimulus moschatus* DOUGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimulus strictus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimusops hexandra* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimusops indica* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mimusops kauki* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mischocarpus sundaicus* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mitracarpus villosus* (SW.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mitragyna rotundifolia* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mnesithea laevis* (RETZ.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Modecca palmata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Modecca trilobata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Modecca wightiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moghania bracteata* HIU-LIN-LI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moghania chappar* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moghania macrophylla* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moghania nana* MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moghania phursia* O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moghania semialata* (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moghania stricta* (ROXB.) KUNTZE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moghania strobilifera* J.ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moghania tuberosa* KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Molineria crassifolia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Molinia coerulea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo cerviana* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo hirta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo lotoides* (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo nudicaulis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo nudicaulis* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo spargula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica balsamina* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica charantia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica charantia* L. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica charantia* L. *muricata* (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica cochinchinensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica cymbalaria* HK.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica dioica* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica exserta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica muricata* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica tuberosa* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Momordica umbellata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Monetia barlerioides* L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moniera cuneate* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moniera cuneifolia* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Monochoria hastaeifolia* PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Monochoria hastata* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Monochoria vaginalis* PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Monotropa uniflora* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morchella esculenta* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morina coulteriana* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morina longifolia* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morina persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda angustifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda coreia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda pubescens* J.E.SMITH IN REES pubescens VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda pubescens* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda tinctoria* ROXB. tomentosa (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda tomentosa* HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moringa concanensis* NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moringa conconensis* NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moringa oleifera* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moringa pterygosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morus acedosa* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morus australis* POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morus laevigata* WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moschosma polystachyum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Moullava spicata* (DALZ.) NICOLS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna bracteata* DC. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna capitata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna cochinchinensis* Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna gigantea* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna hirsuta* WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna monosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna nigricans* (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna pruriens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna prurita* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mucuna utilis* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mukia maderaspatana* (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mukia scabrella* (L.F.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mundulea sericea* (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mundulea suberosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Munronia pinnata* (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia edulis* (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia elata* (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia japonica* (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia nudiflora* (L.) BRENNAN and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia scapiflora* (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia semiteres* (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murdannia vaginata* (L.) BRUECK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Muricia cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murraya exotica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murraya koenigii* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Murraya paniculata* (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa balbisiana* COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa chinensis* SWEET. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa ornata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa paradisiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa rosacea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa sapientum* O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa sapientum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa textilis* NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa troglodytarum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Musa velutina* WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda belilla* BUCH.- HAM and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda erythrophylla* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda glabra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda glabrata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda hirsutissima* (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda laxa* (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda macrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mussaenda roxburghii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mutilla occidentalis* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mylitta lapidescens* HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myosoton aquaticum* (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrica cerifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrica esculenta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrica integrifolia* ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrica nagi* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrica pensylvanica* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrica sapida* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myricaria bracteata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myricaria coulteriana* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myricaria elegans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myricaria germanica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myriogyne minuta* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrioneuron nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myriophyllum spicatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myristica argentea* WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myristica dactyloides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myristica fragrans* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myristica laurifolia* HOOK.F. & THOMS. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myristica malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myristica moschata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myristica officinalis* L..F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myropyrum similacifolium* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrsine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrsine capitellata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrsine semiserrata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrsine serrata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrtus caryophyllata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myxopyrum serratum* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Myxopyrum smilacifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nannorrhops ritchiana* H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Naravelia zeylanica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nardostachys grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nardostachys jatamansi* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Naregamia alata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Naringi alata* (WALL. EX WIGHT & ARN.) EL NULL

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Naringi crenulata* (ROXB.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nasturtium fontanum* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nasturtium indicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nasturtium officinale* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nasturtium palustre* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Natsiatum herpeticum* BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nauclea aculeata* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nauclea cadamba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nauclea missionis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nauclea orientalis* (L.) L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nauclea ovalifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nauclea sessilifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis hirsuta* (L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neanotis rheedei* (WIGHT & ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neillia thyrsoflora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neisosperma oppositifolium* (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nelsonia canescens* (LAM.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nelumbium speciosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nelumbo nucifera* GAERTN. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neodissochaeta celebica* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neolamarckia cadamba* (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neolitsea cassia* (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neolitsea chinensis* (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neolitsea umbrosa* (NEES) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neolitsea zeylancia* (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepenthes distillatoria* AUCT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepenthes khasiana* KH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta cataria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta ciliaris* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta coerulascens* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta connata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta discolor* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta elliptica* ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta eriostachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta floccosa* BTH. LAB. GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta glomerulosa* BOISS and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta glutinosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta hindostana* (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta leucophylla* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta longibracteata* (BENTH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta malabarica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta podostachys* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta royleana* STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta ruderalis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nepeta spicata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nephelium lappaceum* LINN. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nephelium litchi* (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nephelium longana* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nephelium stipulaceum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nephrolepis biserrata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nephrolepis cordifolia* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nephrolepis multiflora* (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neptunia natans* (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neptunia oleracea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neptunia prostrata* (LAM.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neptunia triquetra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nerium antidysentericum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nerium coronarium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nerium indicum* MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nerium odorum* SOLANED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nerium tomentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nervilia aragoana* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nervilia plicata* SCHLTR and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nervilia prainiana* (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nesaea lanceolata* (WT. &ARN.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nesaea prostrata* (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neuracanthus sphaerostachyus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Neuracanthus trinervis* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicandra physalodes* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicotiana macrophylla* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicotiana plumbaginifolia* VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicotiana rustica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Niebuhr linearis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nigella damascena* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nigella sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nilgiranthus ciliatus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nilgiranthus heyneanus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nipa fruticans* WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nomocharis nana* (KLOTZ.) WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nopalea cochenillifera* (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothapodytes nimmoniana* (GRAH.) MABB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Notholaena eckloniana* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothopanax fruticosum* MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothopodia castaneifolia* (Roth) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothopodia colebrookiana* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nothosaerva brachiata* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Notonia grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea caerulea* SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea cyanea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea edulis* D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea lotus* HOOK. F.( NON L). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea nouchali* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea odorata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea pubescens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea rubra* ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea stellata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea stellata* WILLD. *cyanea* H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea tetragona* GEORGI and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphoides cristata* (ROXB.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphoides hydrophylla* (LOUR.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphoides indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphoides indicum* (L.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphoides macrospermum* VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphoides peltata* (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nypa fruticans* Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochlandra brandisii* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochlandra rheedii* BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochlandra scriptoria* (DENNST.) C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochlandra travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochna gamblei* KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochna lanceolata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochna obtusata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochna pumila* HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochna squarrosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochradeneus baccatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochradenus baccatus* DEL. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochreinauclea missionis* (WALL. EX G.DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochrocarpus longifolius* (WIGHT) T.ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ochthochloa coracana* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum adscendens* WIGHT EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum basilicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum basilicum* L. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum basilicum* L. *majus* and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum basilicum* L. pilosum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum basilicum* L. minimum DAMERT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum canum* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum kilimandscharicum* GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum pilosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum polystachyon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum prostratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum sanctum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Odina pinnata* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Odina woderi* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oenanthe javanica* (BI.)DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis acuminata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis imbricata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis nana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis scandens* ROXB. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oldenlandia auricularia* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oldenlandia biflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oldenlandia corymbosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oldenlandia dichotoma* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oldenlandia diffusa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oldenlandia fruticosa* (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oldenlandia glandulifera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oldenlandia herbacea* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oldenlandia heynii* BR. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oldenlandia umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olea cuspidata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olea dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olea europea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olea ferruginea* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olea glandulifera* WALL. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Olea polygama* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oleandra neriiformis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oleandra pistillaris* (SW.) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oleandra wallichii* PRESL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oligochaeta ramosa* (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oligomeris linifolia* (VAHL) MACB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Onosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Onosma echioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Onosma hispidum* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Onosma hookeri* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Onychium contiguum* (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Onychium japonicum* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Onychium siliculosum* (DESV.) C. CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oepulina petaloidea* (CHOISY) OOSTSTROOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oepulina turpethum* (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophelia angustifolia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophelia chiraita* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophelia densifolia* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophelia elegans* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophelia multiflora* DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiocephalus striatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophioglossum costatum* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophioglossum fibrosum* L. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophioglossum nudicaule* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophioglossum pendulum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophioglossum thermale* KUMAROV NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophioglossum vulgaatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophioglossum vulgatum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiopogon intermedius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiopogon japonicum* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiopogon malcolmsonii* ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiopogon wallichianus* HOOK.F. PAUCIFLORA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza nicobarica* BALAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza nutans* C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza ochroleuca* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza pauciflora* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiorrhiza rugosa* WALL. ARGUITEA DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophioxylon serpentinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophiuros exaltatus* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ophrestia pentaphylla* (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opilia amentacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oplismenus burmannii* (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opopanax chironium* KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia cochinellifera* MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia dillenii* (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia elatior* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia ferox* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia ficus-indica* (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia monacantha* HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia nigricans* HAW. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia stricta* (HAW.) HAW. *dillenii* (KER.GAWL) BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Opuntia vulgaris* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orchis chusua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orchis habenarioides* K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orchis latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orchis laxiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orchis mascula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orchis spathulata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oreocnide frutescens* (THUNB.) MIQ. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oreocnide integrifolia* (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Origanum majorana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Origanum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ormocarpum cochinchinense* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ormocarpum sennoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ormosia travancoria* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orobancha aegyptiaca* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orobancha solmsii* CLARKE EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orophea katschallica* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oroxylum indicum* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon aristatus* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon diffuses* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon glabratus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon grandiflorus* BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon incurvus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon pallidus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon rubicundus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon spiralis* (LOUR) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon stamineus* BENTH. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orthosiphon thymiflorus* (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orygia decumbens* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oryza granulata* Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oryza meyeriana* (Zoll.&Mor.)Baill *granulata* Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oryza mutica* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oryza rufipogon* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia aspera* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia capitata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia crinita* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia cupularis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia nepalensis* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia sexatilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia sikkimensis* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia stellata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osbeckia zeylanica* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osmanthus fragrans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osmunda claytoniana* L.F. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osmunda regalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osyris arborea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osyris quadripartita* SALZ EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Osyris wightiana* WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Othonnopsis intermedia* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Otostegia aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Otostegia limbata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ottelia alismoides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ougeinia dalbergioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ougeinia oojeinensis* (ROXB.) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ouratea angustifolia* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis corymbosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis latifolia* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis martiana* ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis pubescens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxyria digyna* (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxyspora paniculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxystelma esculentum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxystelma secamone* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxytenanthera nigrociliata* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxytenanthera thwaitesii* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxytropis lapponica* (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxytropis mollis* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxytropis tatarica* BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pachygone ovata* (POIR.) HOOK.F. & THOMS. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pachygone zeylanica* (GAERTN) SANT. & WAGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pachyrrhizus angulatus* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pachyrrhizus erosus* (L.) URBAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pachystoma senile* (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Padus cornuta* (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paederia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paederia scandens* (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paederia tomentosa* BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paeonia emodi* WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pajanelia longifolia* (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Palaquium ellipticum* (DOLZ.) BAILLON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Palhinhaea cernua* (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pamburus missionis* (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panax ginseng* MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panax pseudoginseng* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panax quinquefolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panax wangianus* Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panacratium triflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panacratium zeylanicum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus foetidus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus furcatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus kaida* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus odoratissimus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus tectorius* AUCTION. NON SOLAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus thwaitesii* MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *PKalamnus unipapillatus* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum antidotale* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum argyptiacum* HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum brizoides* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum crus-corvi* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum flavo-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum floro-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum frumentaceum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum incomtum* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum isachne* ROTH and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum italicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum maximum* FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum maximum* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum milliare* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum psilopodium* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum psilopodium* TRIN. *psilopodium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum sarmentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum stagninum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Panicum sumatrense* ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papaver argemone* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papaver dubium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papaver hybridum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papaver nudicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papaver orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paphiopedilum druryi* (BEDD.) STEIN. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papilionanthe teres* (ROXB.) SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paracalyx scariosa* (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paraleptochilus decurrens* (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parameria barbata* (BL.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parameria polyneura* HOOK.R. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paramignya angulata* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paramignya longispina* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paramignya monophylla* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pardanthus chinensis* KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paris polyphylla* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parkia biglandulosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parkia javanica* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parkia roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parkia timoriana* (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parkinsonia aculeata* L.SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parmelia cirrhata* FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parmelia kamstchadalis* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parmelia nilgherrensis* NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parmelia perforata* ACH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parmelia perlata* (HUDS.) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parmignya monophylla* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parnassia laxmannii* PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parnassia nubicola* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parnassia palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parnassia pusilla* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parochetus communis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parsonsia alboflavescens* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parsonsia helicandra* HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parsonsia laevigata* (Moon) Alston. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parsonsia spiralis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pasania truncata* (KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalum conjugatum* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paspalum scrobiculatum* L. *commersonii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora assamica* CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora edulis* SIMS and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora incarnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora perpera* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Passiflora quadrangularis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Paullinia cupana* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pausinystalia yohimba* PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta crassicaulis* BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta indica* L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavetta tomentosa* ROXB. EX SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavonia odorata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavonia procumbens* SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavonia propinqua* GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavonia repKalam* (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavonia zeylanica* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Payena lucida* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pecteilis susannae* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedicularis bicornuta* CLOTZ. EX. GARCKE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedicularis cheilanthifolia* SCHRENK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedicularis comosa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedicularis longiflora* RUDOLPH tubiformis (KLOTZSCH) PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedicularis pectinata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedicularis pycnantha* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedicularis pyramidata* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedicularis siphonantha* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pedilanthus tithymaloides* (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peganum harmala* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pegia nitida* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pegolettia senegalensis* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pegonatherum crinitum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pelargonium graveolens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pelargonium roseum* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peliosanthes bakeri* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peliosanthes tetra* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pellaea colomelanos* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pellaea hastata* (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peltigera canina* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peltophorum dasyrhachis* (MIQ.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peltophorum pterocarpum* (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pemphis acidula* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum alopecuroides* (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum americanum* (L.) LEEKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum compressum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum flaccidum* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum glaucum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum spicatum* ROEM. & SCHULT. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum typhoides* (BURM.F.) STAPF ET HUBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pennisetum typhoideum* (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentanema indicum* (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentaneura khasiana* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentaptera tomentosa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentatropis capensis* (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentatropis cynanchoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentatropis nivalis* (GMEL.) FIELD & WOOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentatropis spiralis* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peperomia pellucida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peperomia reflexa* (L.F.) A. DIETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peperomia tetraphylla* (G.FORST.) HOOK. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peranama cyatheoides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pergularia aktensa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pergularia daemia* (FORSK.) CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pergularia extensa* N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pergularia tomentosa* L. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pericampylus glaucus* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pericampylus incanus* MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Perilepta auriculata* (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Perilla frutescens* (L.) BRITT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Periploca aphylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Periploca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Periploca sylvestris* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristrophe bicalyculata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristrophe bivalvis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristrophe paniculata* (FORSK.) BRUMMITT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peristylus stocksii* (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Perotis indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Perovskia abrotanoides* KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Perovskia atriplicifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persea fructifera* KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persea gamblei* (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Persea macrantha* (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Petrea volubilis* GAERTN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Petroselinum crispum* NYM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peucedanum aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peucedanum dhana* BUCH.-HAM.EX CLARKE DALZELII C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peucedanum grande* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peucedanum graveolens* BENTH. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Peucedanum nagpurens* (CI.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaius grandifolius* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaius tancarvilleae* (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaius wallichii* LINDL. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phalaenopsis amabilis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phalaris arundinacea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phalaris canariensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phallus rubicundus* (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pharbitis nil* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pharnaceum cerviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pharnaceum mollugo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus aconitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus adenanthus* G.F. MEYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus aureus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus dalzellii* COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus mungo* (L) MANT. *radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus mungo* (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus pauciflorus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus roxburghii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus semierectus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus sublobatus* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus trilobus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaulopsis dorsiflora* (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phaulopsis imbricata* (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phlegmariurus phlegmaria* (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phlogacanthus curviflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phlogacanthus guttatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phlogacanthus jenkinsii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phlogacanthus pubinervis* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phlogacanthus thrysiflorus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phlogacanthus thrysiflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phlogacanthus thrysiformis* (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phlomis bracteosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoebe lanceolata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoebe wightii* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix asperulatus* HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix dactylifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix farinifera* ROXB. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix humilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix loureirii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix paludosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix pusilla* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoenix sylvestris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pholidota chinensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pholidota imbricata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pholidota pallida* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phoradendron leucarpum* (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Photinia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Photinia serrulata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phragmites australis* (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phragmites communis* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phragmites karka* TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phragmites maxima* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phragmites roxburghii* (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phrymium dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyla nodiflora* (L.) GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllagathis rotundifolia* BLUME and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus acidus* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus airy-shawii* BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus amarus* SCHUM. & THENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus clarkei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus debilis* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus distichus* (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus fraternus* WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus gomphocarpus* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus indofischeri* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus missionis* HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus mukherjeeanus* MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus multiflorus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus niruri* SENSU HOOK.F.Non Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus polyphyllus* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus reticulatus* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus rhamnoides* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus rheedii* WT. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus simplex* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllanthus virgatus* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllocephalum indicum* (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllocllamys taxoides* KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phymatodes scolopendria* (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis alkekengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis alkekengi* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis divaricata* D.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis flexuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis minima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physoclaina praealta* (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Physostigma venenosum* BALF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phytolacca acinosa* ROXB. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phytolacca americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Phytolacca lathenia* (MOQ.) HANS WALTERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Picrasma guassioides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Picea abies* (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Picrasma javanica* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Picrasma nepalensis* BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Picrasma quassioides* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Picrorhiza kurroa* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Picrorhiza scrophulariiflora* PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Picrorrhiza kurrooa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pieris ovalifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pilea microphylla* (L.) LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pilea umbrosa* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piliostigma malabaricum* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pilocarpus jaborandi* HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimenta acris* KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimenta racemosa* J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella anisum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella bracteata* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella diversifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella heyneana* (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella involucrata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella saxifraga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella stocksii* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pimpinella tirupatiensis* BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinanga dicksonii* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinanga manii* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus dammara* LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus deodara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus excelsa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus griffithi* M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus insularis* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus kesiya* GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus longifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus maritima* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus merkussi* JUNGH. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus picea* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus roxburghii* SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus sylvestris* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus wallichiana* JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pinus webbiana* WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper argyrophyllum* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper attenuatum* BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper aurantiacum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper auranticum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper baccatum* CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper bachystachyum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper bantamense* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper barberi* GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper betele* LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper betleoides* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper boehmeriaefolium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper caninum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper chaba* HUNTER and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper clusii* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper crassipes* KORTH. EX. C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper cubeba* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper dichotomum* HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper diffusum* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper gamblei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper griffithii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper guineense* SCHUM & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper lanceolatum* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper mullesua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper pedicellatum* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper pedicellosum* WALL.EX CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper peepuloides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper retrofractum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper ribesioides* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper sarmentosum* ROXB. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper sylvaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper thomsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper thomsonii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper trichostachyon* (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper trioicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Piper wallichii* (MIQ.) HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pipturus velutinus* WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pisonia alba* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pisonia grandis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pisonia mitis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pisonia morindifolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pisonia umbellata* (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pistacia chinensis* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pistacia chinensis* BUNGE *integerrima* (STEW) RECH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pistacia integerrima* STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pistacia khinjuk* STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pistacia lentiscus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pistacia terebinthus* LINN. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pistacia vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pistia stratiotes* LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pisum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecellobium angulatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecellobium bigeminum* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecellobium clypearia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecellobium dulce* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecellobium fasciculatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecellobium globosum* KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecellobium lobatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecellobium monadelphum* (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecolobium dulce* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecolobium subcoriaceum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pithecolobium umbelletum* (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum floribundum* SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum nepaulense* (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum nilghirens* WIGHT & ARN. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pityrogramma calomelanos* (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Planchonella obovata* (R.BR.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago amplexicaulis* CAV. *bauphula* (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago arenaria* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago brachyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago ciliata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago depressa* WILLD. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago erosa* WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago himalaica* PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago ispaghula* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago lagocephala* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago media* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago psyllium* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago pumila* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago stocksii* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plantago tibetica* HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Platanthera susannae* (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Platanus orientalis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Platostoma africanum* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Platostoma africanus* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Platostoma flaccidum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plecosperrum spinosum* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus ambonicus* (LOUR.) SPRENG. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus barbatus* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus coetsa* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus fruticosus* WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus incanus* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus japonicus* (BURM.F) KOIDZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus lophanthoides* (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus mollis* (AITON) SPLRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus nilgherriensis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus rugosus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus striatus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus ternifolius* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectranthus vettiveroides* (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectronia didyma* KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plectronia parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleione maculata* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleiospermium alatum* (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleopeltis contorta* (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleopeltis lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleopeltis macrocarpa* (BORRY EX WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleopeltis nuda* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plesmonium margaretiferum* (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleurospermum angelicoides* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleurospermum brunonis* (DC.) BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleurospermum candollei* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pleurostylia opposita* (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pluchea lanceolata* OSKIN & HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pluchea pinnatifida* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pluchea tomentosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumbago auriculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumbago capensis* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumbago rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumeria acuminata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumeria acutifolia* POIR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumeria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumieria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumieria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plumieria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poa cynosuroides* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poa malabarica* KLEIN.EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Podocarpus latifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Podocarpus neriifolius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Podophyllum emodi* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Podophyllum hexandrum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Podophyllum peltatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poeciloneuron indicum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poeciloneuron pauciflorum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogonatherum crinitum* (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogonia plicata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon auricularis* (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon benghalensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon cablin* (BLANCO) BENTH. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon elsholtzioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon heyneanus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon paniculatus* (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon parviflorus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon patchouli* PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon plectranthoides* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon purpurascens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon vestitus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pogostemon villosus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poikilospermum suaveolens* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poinciana elata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poinciana gilbesii* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poinciana pulcherrima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polanisia felina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polanisia icosandra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polemonium caeruleum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia cerasoides* (ROXB.) BEDD. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia coffeoides* (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia fragrans* BENTH. & HOOK. F. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia korinti* (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia longifolia* BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia simiarum* BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia suberosa* (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyanthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polycarpaea corymbosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polycarpon prostratum* (FORSK.) ASCH. & SCHWEINF.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala abyssinica* (R.BR.) FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala arillata* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala arvensis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala crotarioides* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala elongata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala erioptera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala glomerata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala irregularis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala leptalea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala longifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala persicariaefolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala senega* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala telephioides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala vulgaris* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygallata arillata* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonatum cirrhifolium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonatum multiflorum* (L.) ALL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonatum verticillatum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum affine* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum alatum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum alpinum* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum amphibium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum amplexicaule* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum auriculatum* MEISN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum aviculare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum bistorta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum bistorta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum capitatum* BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum chinense* LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum convolvulus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum cymosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum flaccidum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum glabrum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum hydropiper* LOUR. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum lapathifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum macrophyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum minus* HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum molle* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum multiflorum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum nepalense* MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum paronychioides* MEYER EX HOHEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum persicaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum plebeium* R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum plebeium* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum polystachyum* WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum posumbi* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum pulchrum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum recumbens* ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum roettleri* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum rumicifolium* ROY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum serrulatum* LAGASCA and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum sphaerostachyum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum stagninum* (BUCH.-HAM. EX MEISSN.) STEWARD *stagninum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum stewartianum* DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum strigosum* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum tenellum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum tomentosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum tortuosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum vacciniifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum virginianum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygonum viviparum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polypodium irioides* LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polypodium quercifolium* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polypodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyporus anthelminticus* BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyporus officinalis* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyscias fruticosa* (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polysolenia wallichii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polystichum aculeatum* (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polystichum biaristatum* (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polystichum squarrosum* (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polytoca barbata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polytrichum juniperinum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pometia pinnata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ponerorchis chusua* (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pongamia glabra* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pongamia pinnata* (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pontederia vaginalis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Populus alba* LINN. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Populus caspica* BORN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Populus ciliata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Populus euphratica* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Populus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Porana paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Porphyra umbilicalis* (L.) AG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Porphyra vulgaris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca grandiflora* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca meridiana* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca pilosa* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca sativa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla anserina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla arbuscula* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla argyrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla atrosanguinea* LODD. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla bifurca* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla fragarioides* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla fruticosa* L. *rigida* (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla fulgens* WALL. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla gerardiana* LINDL. EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla kleiniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla lineata* TREVIR EX REICH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla mooniana* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calophyllum polyanthum* Wall. ex Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia cowa* Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia gummi-gutta* (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia morella* (Gaertn.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia papilla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia rubro-echinata* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia spicata* (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia talbotii* Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia travancorica* Bedd. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia wightii* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Garcinia xanthochymus* Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum androsaemum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum humifusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum japonicum* Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum mysurense* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum patulum* Thunb ex Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum uralum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hypericum wightianum* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mesua ferrea* L. subsp. *ferrea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *pulchella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *coromandeliana* (Wight) Mahesh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poeciloneuron indicum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Poeciloneuron pauciflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Camellia japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Camellia sinensis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eurya nitida* Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gordonia obtusa* Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schima wallichii* (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ternstroemia japonica* (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saurauia fasciculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saurauia napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachyurus himalaicus* Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dipterocarpus indicus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hopea erosa* (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hopea glabra* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hopea parviflora* Bedd. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hopea ponga* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hopea utilis* (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Shorea roxburghii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ancistrocladus heyneanus* Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abelmoschus angulosus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abelmoschus esculentus* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abelmoschus ficulneus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abelmoschus manihot* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abelmoschus moschatus* Medicus subsp. *tuberosus* (Span.) Borss. Waalk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon crispum* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon hirtum* (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon indicum* (L.) Sweet subsp. *indicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon neilgherrense* Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon pannosum* (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon persicum* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon ramosum* (Cav.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon striatum* Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Abutilon theophrastii* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Decaschistia crotonifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Decaschistia rufa* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gossypium hirsutum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus canescens* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus furcatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus lobatus* (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus lunariifolius* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus micranthus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus panduriformis* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus platanifolius* (Willd.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus radiatus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus schizopetalus* (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hibiscus vitifolius* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kydia calycina* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malachra capitata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malvastrum coromandelianum* (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malvaviscus arboreus* Cav. var. *arboreus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Modiola caroliniana* (L.) G. Don and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavonia odorata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pavonia zeylanica* (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Plagianthus pulchellus* A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida acuta* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida cordata* (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida mysorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida rhombifolia* L. var. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida schimperiana* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thespesia populnea* (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urena lobata* L. subsp. *lobata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bombax ellipticum* Kunth and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bombax insigne* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ceiba pentandra* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chorisia speciosa* St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cullenia exarillata* Robyns and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Durio zibethinus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Byttneria herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cola acuminata* (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dombeya acutangula* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dombeya burgessiae* Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dombeya mastersii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dombeya mollis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dombeya platanifolia* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dombeya spectabilis* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dombeya wallichii* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriolaena hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriolaena lushingtonii* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriolaena quinquelocularis* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eriolaena stocksii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Firmiana colorata* (Roxb.) R. Br. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Guazuma ulmifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Heritiera papilio* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Leptonychia moacurroides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melhaniania balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melhaniania cannabina* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melhaniania hamiltoniana* Wall. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melhania incana* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melochia nodiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Melochia pyramidata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum acerifolium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum canescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum diversifolium* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum obtusifolium* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum reticulatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum rubiginosum* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum xylocarpum* (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterygota alata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia balanghas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia guttata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia urens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia villosa* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Theobroma cacao* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berrya cordifolia* (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berrya javanica* (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus fascicularis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus tridens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corchorus urticifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia abutilifolia* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia abutilifolia* Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia bracteata* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia damine* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia flavescens* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia gamblei* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia heterotricha* Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia hirsuta* Vahl. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia lanceaefolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia nervosa* (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia oppositifolia* Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia orbiculata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia pKalamica* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia rhamnifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia serrulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia tenax* (Forsk.) Fiori and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia tiliifolia* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia umbellifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Grewia villosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triumfetta pentandra* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triumfetta pilosa* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triumfetta rhomboidea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triumfetta rotundifolia* Lam. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus amoenus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus blascoi* Weibeln and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus lanceifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus munronii* (Wight) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus recurvatus* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus rugosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus glandulosus* Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus tuberculatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elaeocarpus venustus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Linum mysurense* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reinwardtia indica* Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylum coca* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylum lanceolatum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylum monogynum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylum moonii* Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erythroxylum obtusifolium* (Wight) Hook. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aspidopterys canarensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aspidopterys indica* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Galphimia gracilis* Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hiptage benghalensis* (L.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hiptage obtusifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hiptage parvifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malpighia coccigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malpighia glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malpighia heterantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Malpighia punicifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tristellateia australasiae* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Balanites aegyptiaca* (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Guaiaecum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tribulus lanuginosis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tribulus subramanii* P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Erodium moschatum* (L.) L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Geranium nepalense* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pelargonium capitatum* (L.) Ait. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pelargonium cucullatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pelargonium x domesticum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pelargonium graveolens* L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pelargonium grossularioides* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pelargonium x hortorum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pelargonium inquinans* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pelargonium peltatum* Soland. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tropaeolum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tropaeolum pentaphyllum* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Limnanthes douglasii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum longibracteatum* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum nudum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum polyphyllum* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum proliferum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum reinwardtii* (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum sensitivum* (L.) DC var. *candolleianum* (Wight) Edgew. & Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew. & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis cernua* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis corymbosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis deppei* Lodd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis latifolia* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis pubescens* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oxalis variabilis* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydrocera triflora* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens acaulis* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Impatiens campanulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla nepalensis* HOOK. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla reptans* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla salesoviana* STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla sericea* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla sibbaldi* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla sundaica* (BL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Potentilla supina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pothomorphe subpeltata* (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pothos cathcarti* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pothos kunstleri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pothos officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia bennettiana* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia frondosa* (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia hirta* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia indica* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia quinquenervis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia sanguinea* (BI.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia viminea* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pouzolzia zeylanica* (L.) BENN. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prangos pabularia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pratia begonifolia* (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pratia nummularia* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna barbata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna coriacea* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna corymbosa* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna divaricata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna flavescens* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna integrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna latifolia* ROXB. *mucronata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna macrophylla* WALL. EX SCHAUER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna mucronata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna obtusifolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna parasitica* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna spinosa* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna thyrsoidea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Premna villosa* CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Primula denticulata* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Primula macrophylla* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Primula reticulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prinsepia utilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prismatomeris tetrandra* K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Priva cordifolia* (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Priva leptostachya* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pronephrium nudatum* (ROXB. EX GRIFF.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prosopis chilensis* (MOLINA) STUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prosopis cineraria* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prosopis farcta* (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prosopis juliflora* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prosopis spicigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Protium kataf* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Protium pubescens* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Protium serratum* (COLEBR) ENGLER NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus amygdalus* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus carmesiana* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus cerasoides* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus cerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus ceylanica* (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus communis* FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus communis* HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus cornuta* (ROYLE) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus dulcis* (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus insititia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus mahaleb* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus malus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus persica* BATSCHE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus puddum* (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus salicina* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus triflora* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Prunus undulata* HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Przewalskia tangutica* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psalliotia campestris* L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psammogeton biternatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psammogeton canescens* (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudarthria viscida* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseuderanthemum bicolor* (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseuderanthemum platiferum* (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudodissochaeta assamica* (CL.) NAYAR NULL and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudodrynaria caronas* (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseudognaphalium luteoalbum* (L.) HILL. & BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pseuduvaria prainii* (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psidium cattleianum* SABINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psidium guajava* L. *pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psidium pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psidium pyrifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psidium quajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psilanthus travancorensis* (WIGHT & ARN.) LERAY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psilotrichum trichotomum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psilotum nudum* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psophocarpus tetragonolobus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psoralea plicata* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psoralea tetragonoloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria calocarpa* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria curviflora* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria dalzielii* J. HOOK. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria glandulosa* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria ipecacuanha* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria sarmentosa* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychotria viridiflora* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Psychogeton andryaloides* (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pteridium aquilinum* (L.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pteris aquilina* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pteris biaurita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pteris cretica* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pteris ensiformis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pteris longipes* DON F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pteris multifida* POIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pteris vitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pteris wallichiana* AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pternandra coerulescens* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterocarpus dalbergioides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterocarpus indicus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterocarpus marsupium* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterocarpus santalinus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterococcus corniculatus* (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterocymbium javanicum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterolobium hexapetalum* (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pteropyrum olivierii* JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum acerifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum canescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum diversifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum heyneanum* WALL. EX. WIGHT & ARN.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum rubiginosum* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum suberifolium* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterospermum xylocarpum* (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pterygota alata* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ptesmonium margaritiferum* (ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ptychopetalum olacoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ptychopetalum uncinatum* ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ptychotis ajowan* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pueraria hirsuta* (THUNB.) SCHU. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pueraria lobata* (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pueraria phaseoloides* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pueraria tuberosa* (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pulicaria crispa* SCH.-BIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pulicaria dysenterica* (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pulicaria glaucescens* JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pulicaria wightiana* (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Puneria coagulans* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pupalia lappacea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pupalia orbiculata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Putranjiva roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Putranjiva zeylanica* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnocycla aucheriana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnocycla glauca* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pycnospora lutescens* (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pygeum gardneri* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pygeum wightianum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pygmaeopremna herbacea* (ROXB.) MOLD. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pygmaepremna pyrifolia* - culta NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrethrum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrethrum umbeliferum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrola rotundifolia* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrrosia adnascens* (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrrosia heterophylla* (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrrosia lanceolata* (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrrosia mannii* (GIES.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrrosia penangiana* (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrus aucuparia* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrus chinensis* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrus cydonia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrus lindleyi* REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrus malus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrus pashia* BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pyrus tomentosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quamoclit coccinea* MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quamoclit phoenicea* CHOISY and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quamoclit pinnata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quamoclit vulgaris* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quassia indica* (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus acutissima* CARR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus floribunda* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus ilex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus incana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus infectoria* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus lamellosa* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus leucotrichophora* A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus pachyphylla* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus robur* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quercus truncata* KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Radermachera xylocarpa* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia cochinchinensis* (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia densiflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia dumetorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia fasciculata* DC. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia longiflora* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia longispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia malabaricum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia rugulosa* (THW.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia spinosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia tetrasperma* BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia tomentosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Randia uliginosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus aquatilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus cantoniensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus falcatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus hirtellus* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus hyperboreus* ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus laetus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus lingua* L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus pensylvanicus* L.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus sceleratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus tricuspidatus* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Raphanus caudatus* ALEF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rauvolfia canescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rauvolfia densiflora* (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rauvolfia micrantha* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rauvolfia reflexa* T. & B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rauvolfia serpentina* (L.) BENTH. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ravenala madagascarensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reaumuria hypericoides* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reinwardtia indica* DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reinwardtia trigyna* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reissantia arborea* (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reissantia grahamii* (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reissantia indica* (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Remirea maritima* AUBL. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Remusatia vivipara* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reseda odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhabdia lycioides* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus dahuricus* PALL. REISE RUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus nepalensis* WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus prostrata* JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus purpurea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus purshiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus triquetra* (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus virgatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhamnus wightii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhaphidophora decursiva* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhaphidophora laciniata* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhaphidophora pertusa* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhazya stricta* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum acuminatum* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum australe* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum emodi* WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum moorcroftianum* ROYLE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum nobile* HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum officinale* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum palmatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum undulatum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rheum webbianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhinacanthus calcaratus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhinacanthus communis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhinacanthus nasuta* (L.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhinacanthus obliquum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhizophora apiculata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhizophora mangle* Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhizophora mucronata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhodamnia trinervia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhodiola heterodonta* (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhodiola imbricata* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron anthopogon* D.DON and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron arboreum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron barbatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron campanulatum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron chrysanthum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron cinnabarinum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron decipiens* LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron falconeri* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron javanicum* BENN. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron lepidotum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron setosum* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhododendron thomsonii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhodomyrtus parviflora* ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhodomyrtus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhodomyrtus tomentosa* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus chinensis* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus coriaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus hookeri* SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus insignis* HOOK. F. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus javanica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus punjabensis* J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus succedanea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhus wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchocarpa foetida* SCHRAD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchoglossum obliquum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosia nummularia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchospermum verticillatum* REIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rhynchosyilis retusa* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ribes alpestre* WALL. EX DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ribes emodense* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ribes grossularia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ribes himalense* ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ribes nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ribes orientale* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ribes rubrum* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Riedlea corchorifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Riklilla squarrosa* (L.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rivea hypocrateriformis* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rivea ornata* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rocella montagnei* BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Roripa islandica* (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rorippa dubia* HARA and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rorippa indica* (L.) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rorippa indieca* HIERN. APETALA HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rorippa islandica* (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rorippa montana* SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa banksiae* AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa brunonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa chinensis* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa eglanteria* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa foetida* HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa macrophylla* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa moschata* HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa multiflora* THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa rubra* BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa sericea* LINDL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosa webbiana* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Roscoeia alpina* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Roscoeia procera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Roscoeia purpurea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rostellularia procumbens* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rosularia rosulata* (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala baccifera* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala densiflora* (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala indica* (WILLD.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotala rotundifolia* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rothia indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rotula aquatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rourea mimosoides* PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rourea minor* (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rourea santaloides* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Roylea cinerea* (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Roylea elegans* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubia cordifolia* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubia munjista* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubia sikkimensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubia tinctorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus biflorus* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus contennifer* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus ellipticus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus fruticosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus lasiocarpus* SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus lucens* FOCKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus moluccanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus niveus* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus paniculata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus rugosus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus saxatilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus strigosus* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rubus ulmifolius* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rudolphia frondosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruellia patula* JACQ. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruellia prostrata* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruellia secundra* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruellia strepens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruellia suffruticosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex dentatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex hastatus* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex hymenosepalus* TORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex maritimus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex nepalensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex orientalis* BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex paulsenianus* RECH. F. FEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex scutatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rumphia amboinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia parviflora* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia pectinata* (L.) NEES. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rungia repens* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Russelia equisetiformis* SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruta angustifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruta graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ruta tuberculata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rytelia granularis* (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sabia lanceolata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sabia robusta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharomyces cerevisiae* MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum arundinaceum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum bengalense* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum ciliare* ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum fuscum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum munja* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum robustum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum sara* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum sinense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sacciolepis indica* CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sacciolepis interrupta* (WILLD.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccolabium guttatum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccolabium papillosum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saccolabium praemorsum* HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sageraea dalzellii* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sageraea laurifolia* (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sagina saginoides* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sagittaria sagittifolia* L. *sagittifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saguerus rumphii* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia fruticosa* HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia grandiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia macrophylla* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia macrosperma* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia oblonga* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salacia reticulata* WIGHT and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salicornia brachiata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salicornia indica* DREGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salix acmophylla* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salix acutifolia* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salix alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salix caprea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salix daphnoides* VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salix elegans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salix pychnostachya* ANDERSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salix tetrasperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salmalia insignis* (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salmalia malabarica* SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salomonina cantoniensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salsola baryosma* (R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salsola foetida* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salsola kali* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvadora indica* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvadora oleoides* DECNE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvadora persica* L. *wightiana* (PLANCH EX THW.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvadora wightiana* PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia bengalensis* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia cabulica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia coccinea* BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia glutinosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia haematodes* W. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia hians* ROYLE EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia lanata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia macrosiphon* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia moorcroftiana* WALL. EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia mukerjeea* BENNET & RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia plebeia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia pumila* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia sclarea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvia spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Salvinia cucullata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalamdera indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalamdera lucida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Kalamnea Kalamn* (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sambucus ebulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sambucus hookeri* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sambucus javanica* REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sambucus wightiana* WALL. EX WGT. & ARN. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sandoricum indicum* CAV. DISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sandoricum koetjape* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sanguinaria canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sanicula europaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria cylindrica* BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria ebracteata* (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria hyacinthoides* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria lanuginosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria roxburghiana* SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria trifasciata* HORT. EX PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sansevieria zeylanica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Santaloides minus* SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Santalum flonum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Santolina chamaecyparissus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sapindus emarginatus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sapindus laurifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sapindus mukorossi* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sapindus trifoliatus* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sapium indicum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sapium insigne* TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sapium sebiferum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saponaria vaccaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saprosma ternatum* (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saraca asoca* (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saraca indica* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcandra glabra* (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcocephalus cordatus* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcocephalus missionis* HAVILAND REV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcococca saligna* (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcobolus globosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostemma acidium* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostemma acidum* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostemma brevistigma* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostemma brunonianum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostemma intermedium* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostemma secamone* (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostemma stocksii* HK. F and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sarcostigma kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sassafras albidum* (NUTT.) NESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sassafras officinale* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Satureja hortensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Satureja montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Satyrium nepalense* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saurauia armata* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saurauia macrotricha* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saurauia napaulensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saurauia nepalensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saurauia robusta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saurauia roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sauromatum guttatum* (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sauromatum pedatum* (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sauromatum venosum* (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sauropus androgynus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sauropus quadrangularis* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea affinis* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea albescens* (DC.) SCH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea auriculata* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea bracteata* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea candicans* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea ceratocarpa* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea costus* (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea gossypiphora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea gracilis* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea heteromalla* (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea hypoleuca* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea lappa* C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea obvallata* (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea sacra* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea schultzei* H.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea simpsoniana* (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saussurea taraxacifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saxifraga diversifolia* WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saxifraga imbricata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saxifraga ligulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scabiosa speciosa* ROYLE and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scaevola frutescens* KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scaevola koenigii* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scaevola sericea* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scaevola taccada* (GAERTN.) ROXB. N and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scaphium affine* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scaphium wallichii* SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scapiflora species* (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera elata* (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera elliptica* (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera hypoleuca* (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera shypoleucoids* HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera stellata* (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera venulosa* (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schefflera venulosum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schima wallichii* (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schinus molle* HORT. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schisandra chinensis* (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schisandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schizachyrium exile* STAPF. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schizaea dichotoma* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schizandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schizophyllum commune* FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schleichera oleosa* (LOUR.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schleichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schlerichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schrebera swietenoides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schultzia benthami* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schumannianthus virgatus* (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schweinfurthia papilionacea* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Schweinfurthia sphaerocarpa* A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scilla coromandeliana* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scilla hohenackeri* FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scilla hyacinthina* (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scilla indica* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scindapsus aureus* (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scindapsus officinalis* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus barbatus* ROTTB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus corymbosus* HEYNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus grossus* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus inclinatus* (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus kysoor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus lacustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scirpus tuberosus* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria hebecarpa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria levis* RETZ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria lithosperma* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria pergracilis* (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria poaeformis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleria terrestris* (L.) FASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sclerocarya birrea* HOCHST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleropyrum pentandrum* (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleropyrum wallichianum* (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scolopia aculeata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scolopia crenata* CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scopolia anomala* (LINK & OTTO) AIRY-SHAW NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scopolia lurida* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scopolia stramonifolia* (WALL.) SHRESTHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scorzonera virgata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scrophularia koelzii* PENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scrophularia variegata* M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scurrula philippensis* (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutellaria angulosa* BENTH. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutellaria assamica* MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutellaria discolor* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutellaria galericulata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutellaria glandulosa* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutellaria heydei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutellaria indica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutia indica* BRONG.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scutia myrtina* (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scyphiphora hydrophyllacea* GAERTN.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sebastiania chamaelea* MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Secamone emetica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sechium edule* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Securinega leucopyrus* (WILLD.) MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Securinega suffruticosa* (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Securinega virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sedum asiaticum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sedum crassipes* WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sedum ewersii* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sedum multicaule* WALL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sedum quadrifidum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sedum tibeticum* HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sedum tillacoides* DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sedum trifidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sedum wallichianum* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selaginella bryopteris* (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selaginella chrysocaulos* (HOOK. & GREV.)SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selaginella ciliaris* (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selaginella involvens* SPRENG. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selaginella krausiana* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selaginella monosperma* SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selaginella plumosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selaginella repKalam* (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selaginella rupestris* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selaginella willdenowii* (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selenicereus grandiflorus* (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selinum candollei* DC. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selinum filicifolium* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selinum striatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selinum tenuifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Selinum vaginatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Semecarpus anacardium* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Semecarpus heterophylla* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Semecarpus kurzii* ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Semecarpus travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sempervium sedoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio didyma* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio aureus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio bhutanicus* BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio cappa* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio graciliflorus* . DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio hohenackeri* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio jacquemontianus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio kraschennikovii* SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio laetus* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio nudicaulis* HAM. EX D. DON NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio quinquelobus* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio scandens* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio tenuifolius* BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senecio vulgaris* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Senna prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Serenoa repens* (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesamum laciniatum* KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesamum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesamum prostratum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania aculeata* PERS. *cannabina* (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania aegyptiaca* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania bispinosa* (JACQ.) W.F. WIGHT *bispinosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania cannabina* RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania grandiflora* (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania paludosa* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania sesban* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania sesban* (L.) MERR. *bicolor* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania sesban* (L.) MERR. picta (CON.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania sesban* (L.) MERR. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania sesban* (L.) MERR. sesban sesban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesbania speciosa* TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Seseli diffusum* (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Seseli indicum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Seseli sibiricum* BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sesuvium portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria glauca* BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria italica* (L.) BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria planifolia* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria plicata* (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria verticillata* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Setaria viridis* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Shorea robusta* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Shorea roxburghii* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Shorea tumbaggaia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida acuta* BURM. F. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida carpinifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida cordata* (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida humilis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida lanceolata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida orientalis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida rhombifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida rhombifolia* L. *retusa* (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida rhombifolia* L. *retusa* (L.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida rhombifolia* L. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida rhombifolia* L. *rhomboidea* (DC.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida rhomboidea* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sida veronicaefolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sideroxylon spinosum* WILLD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sideroxylon tomentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Siegesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sigesbeckia orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Silene apetala* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Silene inflata* SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Silene laxantha* MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Silene moorcroftiana* WALL. EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Silene vulgaris* (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Silybum marianum* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Simmondsia chinensis* (LINK) C.K. SCHNEID. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sinapis alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sinapis chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sinapis juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sinapis ramosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sison ammi* HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sisymbrium altissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sisymbrium irio* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sisymbrium loeselii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sisymbrium orientale* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sisymbrium sophia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sium latijugam* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Skimmia anquetilia* N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Skimmia arborescens* T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Skimmia laureola* (DC.) ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax china* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax glaucophylla* KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax lanceifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax macrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax ocreata* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax ovalifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax parvifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax perfoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax proliferata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax pseudo-china* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax wightii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smilax zeylanica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia conferta* J.E. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia geminiflora* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Smithia sensitiva* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum aculeatissimum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum albicaule* KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum americanum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum anguivi* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum aviculare* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum capsicoides* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum ciliatum* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum denticulatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum dulcamara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum erianthum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum giganteum* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum gracilipes* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum hirsutum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum incanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum indicum* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum insanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum jacquini* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum khasianum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum kurzii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum laciniatum* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum lasiocarpum* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum lycopersicum* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum mauritianum* SCORP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum melongena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum melongena* L. incanum KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum myriacanthum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum pseudocapsicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum pubescens* HEYNE. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum sarmentosum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum seforthianum* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum sisymbriifolium* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum spirale* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum surattense* BURM. F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum torvum* SWARTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum verbascifolium* AUCTION L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum viarum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum villosum* SCHUR. puniceum (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum violaceum* ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solanum xanthocarpum* SCHRAD & WENDL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solena amplexicaulis* (LAM.) GANDHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Solena heterophylla* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonchus arvensis* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonchus asper* (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonchus brachytus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonchus maritimus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonchus wightianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila maculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila rheedei* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonerila tenera* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonneratia acida* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonneratia apetala* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonneratia caseolaris* (L.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sonneratia griffithii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sophora glauca* LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sophora griffithii* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sophora mollis* (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sophora tomentosa* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sophora wightii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sopubia delphinifolia* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorbaria tomentosa* (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorbus aucuparia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorbus tianshanica* RUPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum bicolor* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum halepense* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum saccharatum* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sorghum vulgare* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Soymida febrifuga* (ROXB.) A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sparganium stoloniferum* BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spathodea campanulata* P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spathoglottis plicata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spatholobus parviflorus* (ROXB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spatholobus roxburghii* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spergula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spergularia rubra* (L.) J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermacoce articularis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermacoce hispida* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spermatoclyon suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphaeranthus amaranthoides* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphaeranthus hirtus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphaeranthus microcephalus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphaeranthus senegalensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphaerostephanos subtractus* (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphaerostephanos unitus* (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphenoclea zeylanica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphenodesme involucrata* (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphenodesme pentandra* JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphenomeris chinensis* (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphenomeris chusana* COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sphyrnthera lutescens* (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spilanthus acmella* MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spilanthus calva* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spilanthus oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spilanthes paniculata* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spinifex littoreus* (N.BURM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spiraea aruncus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spiraea bella* SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spiraea canescens* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spiraea lindleyana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spondias acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spondias mangifera* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spondias mombin* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spondias pinnata* (L.F.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachyphrynium spicatum* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachys floccosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachys officinalis* (L.) TREV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachys palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachys parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachys sylvatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachys tuberosa* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachytarpheta indica* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachytarpheta jamaicensis* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachytarpheta mutabilis* (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Statice aegyptica* DELILE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stauranthera grandifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stauranthera umbrosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stellaria alsine* GRIMM. undulata (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stellaria aquatica* SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stellaria media* WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stellera chamaejasme* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stemodia viscosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stemona tuberosa* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenochlaena palustris* (N.BURM.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenolobium stans* SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenoloma chinensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stenotaphrum dimidiatum* (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stephania glabra* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stephania glandulifera* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stephania hernandifolia* (WILLD.) WALP. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stephania japonica* (THUNB.) MIERS discolour (BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stephania japonica* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stephania japonica* (THUNB.) MIERS. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stephania rotunda* LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stephania wightii* (A.) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stephegyne parvifolia* KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia alata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia balanghas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia foetida* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia guttata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia rubiginosa* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia scaphigera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia urens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sterculia villosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stereospermum chelonoides* (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stereospermum colais* (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stereospermum neuranthrum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stereospermum personatum* (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stereospermum suaveolens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stereospermum tetragonum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stereospermum xylocarpum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Steudnera virosa* (KUNTH) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stichoneuron caudatum* RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stictocardia campanulata* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stipa capensis* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stipa capillata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stipa sibirica* (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stipa tortilis* L. NULL and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stranvaesia glaucescens* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Streblus asper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Striga asiatica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Striga gesnerioides* (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Striga lutea* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Striga orobanchoides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthesacrocephalus* T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes auriculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes callosus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes ciliatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes consanguineus* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes dalhousianus* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes flaccidifolius* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes heyneanus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes kunthiana* T. ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes lupulinus* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes nobilis* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes wallichii* NEES and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strobilanthes wightianus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stroemia tetrandra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strophanthus dichotomus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strophanthus wallichii* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strophanthus wightianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos aenea* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos axillaris* COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos cinnamomifolia* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos colubrina* AUCTION. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos gaultheriana* PIER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos ignatia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos ignatii* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos maingayi* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos minor* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos nux-bl* Kalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos rheedei* CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Strychnos wallichiana* STEUD. EX DC. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stylocoryne lucens* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stylophorum lactucoides* (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stylosanthes fruticosa* (RETZ.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Styrax benzoin* DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Styrax hookeri* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Styrax officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Styrax serrulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Styrax tonkinensis* CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Suaeda fruticosa* FORSK. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Suaeda monoica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Suregada multiflora* (JUSS.) BAILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia affinis* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia alata* ROYLE EX. D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia angustifolia* BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia angustifolia* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia chirayita* ROXB. EX (FLEMING) KARST. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia ciliata* (G.DON) BURTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia cordata* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia corymbosa* (GRISEB.) WT. EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia decussata* NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia densiflora* (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia densifolia* (GRISEB.) KASHYAPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia lawii* BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia minor* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia perennis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia petiolata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia pulchella* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia purpurascens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swertia thomsonii* CI. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swietenia febrifuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swietenia macrophylla* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Swietenia mahagoni* (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symphorema involucratum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symphorema polyandrum* WT. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos caudata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos chinensis* (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos cochinchinensis* S.MOORE laurina laurina (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos cochinchinensis* S.MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos crataegoides* BUCH.-HAM. EX.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos laurina* WALL. EX REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos monantha* WIGHT and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos paniculata* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos spicata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos sumuntia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Symplocos theaefolia* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Synadenium grantii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Synantherias sylvatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Synapis dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Synedrella nodiflora* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syringa emodi* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syringa persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium alternifolium* (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium aromaticum* (L.) MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium caryophyllaeum* AUCT. NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium caryophyllatum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium cerasoides* (ROXB.) CHATT. & KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium cerasoideum* (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium cumini* (L.) SKEELS and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium hemisphericum* (WIGHT) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium heyneanum* WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium jambolana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium jambolanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium jambos* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium malaccense* (L.) MERR. & MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium neyneanum* (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium operculatum* (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium operculatum* GAMBLE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium travancoricum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Syzygium zeylanicum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabernaemontana alternifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabernaemontana coronaria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabernaemontana crispa* ROBT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabernaemontana dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabernaemontana heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabernaemontana sphaerocarpa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tabernaemontana wallichiana* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tacca aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tacca integrifolia* KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tacca leontopetaloides* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tacca pinnatifida* J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tagetes minuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarindus indica* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarix aphylla* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarix ariculata* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarix dioica* ROXB. EX. ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarix ericoides* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarix gallica* AUCT. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarix indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarix troupii* HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tanacetum dolichophyllum* KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tanacetum fruticosum* LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tanacetum gracile* HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tanacetum longifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tanacetum parthenium* (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tanacetum tenuifolium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tanacetum tibeticum* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tanacetum tomentosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tanacetum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taraktogenos kurzii* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taraktogenos macrocarpa* (BEDD.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taraxacum officinale* WIGGERS and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taraxacum officinale* WIGG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tarenna asiatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taverniera cuneifolia* (ROTH) ARN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taverniera nummularia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taxillus tomentosus* (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taxillus umbellifer* (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taxus baccata* L. wallichiana Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Taxus wallichiana* ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tecoma capensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tecoma grandiflora* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tecoma radicans* JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tecoma stans* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tecoma undulata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tecomella undulata* (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tectaria coadunata* (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tectaria macrodonta* (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tectaria polymorpha* (WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tectona grandis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Telosma minor* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Telosma pallida* (ROXB.) CRAIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia hamiltonii* J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia hirta* (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia petrosa* BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia procumbens* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia purpurea* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia purpurea* PERS. pumila and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia senticosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia spinosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia tinctoria* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia uniflora* PERS. *petrosa* (BLATT. & HALLB.) GILLET & ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia uniflora* PERS. *petrosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tephrosia villosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teramnus labialis* (L.F.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teramnus mollis* BENTH and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia alata* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia arjuna* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia bellerica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia bellerica* ROXB. *laurinoides* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia bellirica* (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia bialata* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia chebula* RETZ. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia chebula* RETZ. & WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia citrina* FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia coriacea* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia crenulata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia manii* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia myriocarpa* HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia oSkinii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia pallida* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia paniculata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia pyrifolia* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia reticulata* ROTH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia tomentosa* (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Terminalia travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Termitomyces microcarpus* (BERK. & BR.) HEIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ternstroemia gymnanthera* (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ternstroemia japonica* AUCT. NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetracera akara* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetracera indica* (HOUTT. EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetracera laevis* AUCT. NON VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetracera scandens* (L.) MERR and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetrameles nudiflora* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetranthera roxburghii* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetrastigma lanceolarium* (ROXB.) PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetrastigma leucostaphylum* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetrastigma serrulata* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teucrium chamaedrys* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teucrium polium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teucrium scordium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Teucrium stocksianum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum alpinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum cultratum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum dalzelli* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum javanicum* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum minus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum pauciflorum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum pedunculatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum reniforme* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thamnia vermicularis* (SWARTZ) ACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thea assamica* J.W.MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thecagonium biflorum* (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thelypteris gracilescens* (BL.) CHING. glandulysis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Themeda arguens* (L.) HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Themeda arundinacea* (ROXB.) RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Themeda gigantea* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Themeda triandra* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Theobroma cacao* LINN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Theriophonum infaustum* N.E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Theriophonum minutum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thespesia lampas* (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thespesia populnea* (L.) SOL.EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Theum tibeticum* MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thevetia neriifolia* JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thevetia peruviana* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thlaspi kotschyannum* BOISS. & HOHEN BROIGAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thlaspi tetragona* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thomsonia nepalensis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thonningia axillaris* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thottea siliquosa* (LAM.) DING HOU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thuja orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia alata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia erecta* (BENTH.) T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia fragrans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia hawtayneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thunbergia laurifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thymus linearis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thymus serpyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thysanolaena acarifera* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thysanolaena agrostis* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thysanolaena maxima* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thysanolaena procera* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tiaridium indicum* LEHM. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tiliacora acuminata* MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tiliacora racemosa* COLEBR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tinospora crispa* (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tinospora sinensis* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tithonia diversifolia* (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tithonia tagetiflora* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Toddalia aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Toddalia asiatica* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Toddalia bilocularis* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tonningia axillaris* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Toona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia bicolor* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia parviflora* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia polygonoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia thouarsii* KUNTZE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Torenia vagans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tournefortia candollii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tournefortia montana* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tovara virginiana* (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Toxocarpus villosus* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trachelospermum fragrans* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trachelospermum lucidum* (DON) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trachycarpus martianus* H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trachydium lehmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trachyspermum ammi* (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trachyspermum khasianum* (CI.) WOLFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trachyspermum roxburghianum* (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tradescantia axillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia bicolor* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia cannabina* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia cordata* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia cordifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia involucrata* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia muelleriana* PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragia plukenetii* A.RADCLIFFE-SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragopogon gracilis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragopogon porrifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tragopogon pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trapa bicornis* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trapa bispinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trapa natans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trapa natans* L. bispinosa (ROXB.) NAKIN and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trema cannabina* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trema orientalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trevesia palmata* (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trewia polycarpa* BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trianthema decandra* L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trianthema govinda* BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trianthema govindia* BUCH.-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trianthema monogyna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trianthema pentandra* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trianthema triquetra* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tribulus alatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tribulus terrestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tricalysia singularis* (KORTH.) K. SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tricalysia sphaerocarpa* (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichilia connaroides* (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichilia spinosa* WILLD. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichodesma africanum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichodesma indicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichodesma zeylanicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tricholepis angustifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tricholepis glaberrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tricholepis montana* DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tricholepis procumbens* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichomanes javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichopus zeylanicus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichopus zeylanicus* GAERTN. *travancoricus* (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes anaimalaiensis* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes anguina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes bracteata* (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes cordata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes incisa* ROTTL. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes laciniosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes lobata* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes palmata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes tricuspidata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trichosanthes wallichiana* (SERINGE) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium fragiferum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium indicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium officinalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triglochin maritima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triglochin palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trigonella corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trigonella emodi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trigonella hamosa* (L.) WILLD. uncata (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trigonella incisa* BENTHA. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trigonella occulta* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trigonella polycerata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trigonella uncata* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trigonostemon longifolius* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trillium govanianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trimufetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triphasia trifolia* (BURM. F.) P. WILS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tripleurospermum maritimum* (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triticum amyleum* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triticum durum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triticum pilosum* (DALZ. & GIBS) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triticum sativum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triticum spelta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triticum vulgare* WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triumfetta bartramia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triumfetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triumfetta rotundifolia* LAM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triumfetta semitriloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Triumfetta tomentosa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tropaeolum minus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Trophis aspera* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tropidia curculigoides* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tuber cibarium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tulipa stellata* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turbina corymbosa* (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turnera angustifolia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turnera diffusa* WILLD. *APHRODISIACA* (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turpinia nepalensis* WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turpinia pomifera* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Turraea villosa* BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tussilago farfara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora asthmatica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora dalzelli* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora fasciculata* BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora hirsuta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora indica* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora tenuis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora tenuissima* (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tylophora tetrapetala* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Typha angustata* BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Typha australis* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Typha elephantina* GRAH, NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Typha laxmannii* LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Typhonium divaricatum* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Typhonium flagelliforme* (LODD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Typhonium roxburghii* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Typhonium trilobatum* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ulmus campestris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ulmus wallichiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uncaria cordata* (LOUR.) MERR. ferruginea (BL.) RIDSD. FORMA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uncaria gambier* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uncaria sessilifructus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Unona narum* DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uria alopecuroides* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uria crinita* DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uria hamosa* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uria lagopodioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uria picta* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uria prunellaefolia* GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uria rufescens* (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uria lobata* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urena repKalam* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urena simiata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urena sinuata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urginea coromandeliana* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urginea indica* (ROXB) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urginea maritima* (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urginea nagarjunae* Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urtica ardens* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urtica dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urtica hyperborea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urtica parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Urtica pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Usnea sikkimensis* BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Usnea flexilis* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Usnea florida* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Usnea hirta* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Usnea longissima* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Usnea rubicunda* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Usnea sikkimensis* BISPAS. SP. NOV. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Usnea venosa* MOT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uteleria salicifolia* BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uteleria salicifolia* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia bifida* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia gibbosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia reticulata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Utricularia stellaris* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uvaria dulcis* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uvaria ebracteolata* PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uvaria hookeri* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uvaria micrantha* (A.DC.)Hook.f.Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uvaria narum* (DUNAL) WALL EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vaccaria pyramidata* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vaccinium leschenaultii* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vaccinium macrocarpon* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana brunoniana* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana dubia* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana hardwickii* WALL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana jatamansi* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana pyrolaefolia* DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Valeriana wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vallaris heynei* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vallaris pergulanus* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vallaris solanacea* (ROTH.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *VKalam coerulea* GRIFF. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *VKalam parviflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *VKalam roxburghii* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *VKalam spathulata* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *VKalam teres* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *VKalam tessellata* (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *VKalam testacea* (LINDL.) REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vandellia erecta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vandellia pedunculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vandellia pyxidaria* MAXIM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vangueria pubescens* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vangueria spinosa* SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vanilla planifolia* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vanilla wightiana* LINDL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vateria macrocarpa* B.L.GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vateria malabarica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vatica lancaefolia* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ventilago calycina* TUL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ventilago calyculata* TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ventilago denticulata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ventilago madraspatana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vepris bilocularis* (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veratrum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veratrum viride* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbascum chinense* (L.) SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbascum coromandelianum* (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbascum thapsus* PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbena nodiflora* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verbesina calendulacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Verchellia farnesiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia albicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia anthelmintica* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia arborea* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia aspera* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia cinerea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia patula* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia pyramidale* (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia revoluta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia roxburghii* LESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia squarrosa* (D.DON) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vernonia teres* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica agrestis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica anagallis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica beccabunga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica biloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica hederaefolia* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Veronica serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vetiveria zizanioides* (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum acuminatum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum colebrookianum* WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum coriaceum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum corylifolium* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum cotinifolium* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum cylindricum* BUCH.-HAM.EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum foetidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum hebanthum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum nervosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum obovatum* WALT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viburnum punctatum* BUCH.- HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vicatia wolffiana* (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vicia faba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vicia hirsuta* KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vicia sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vicoa auriculata* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vicia indica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna aconitifolia* (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna adenantha* (MEYER) MARECHAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna angularis* (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna catjang* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna cylindrica* SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna dalzelliana* (O.KTZE ) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna grahmiana* (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna mungo* (L.) HEPPEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna pilosa* BAKER and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna radiata* (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna radiata* (L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna trilobata* (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna umbellata* (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna unguiculata* (L.) WALP. *cylindrica* (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna unguiculeta* (L.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vigna vexillata* (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vinca major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vinca minor* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vinca parviflora* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vinca pusilla* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vinca rosea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vincetoxicum album* (MILL.) ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vincetoxicum hirundinaria* MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola biflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola caespitosa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola cinerea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola diffusa* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola patrinii* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola pilosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola serpens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola sylvestris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum articulatum* BURM.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum monoicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum nepalense* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viscum orientale* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex agnus-castus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex altissima* L.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex glabrata* F. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex leucoxydon* SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex negundo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex negundo* L. *incisa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex negundo* L. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex negundo* L. *purpurascens* SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex paniculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex peduncularis* WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex pubescens* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex quinata* (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitex trifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis adnata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis araneosus* DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis carnosus* (ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis hastata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis heyneana* ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis indica* W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis lanata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis objecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis pallida* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis parvifolia* ROXB. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis pedata* VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis planicaulis* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis polystachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis quadrangularis* WALT EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis repens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis rugosa* HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis setosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis tomentosa* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vitis vitifera* HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vittaria elongata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vittaria zosterifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viverra zibetha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Volkameria inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Volutarella divaricata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wagatea spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wahlenbergia marginata* (THUNB.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Waldheimia glabra* (DECNE) REGEL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Waldheimia stoliczki* (CI.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Waldheimia tomentosa* (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wallichia disticha* T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Walsura piscidia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Walsura trifoliata* (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wattakaka volubilis* (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Webera corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Webera tetrandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wedelia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wedelia calendulacea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wedelia chinensis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wedelia wallichii* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wendlandia exerta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wendlandia heynei* (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wendlandia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wendlandia pendula* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wendlandia tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wikstroemia canescens* MEISSN. NULL and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wikstroemia indica* (L.) C. A. MEY. *viridiflora* (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wikstroemia ridleyi* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wikstroemia viridiflora* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Willughbeia edulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Withania coagulans* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Withania somnifera* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wolffia globosa* (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wollastonia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Woodfordia floribunda* SALISB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Woodfordia fruticosa* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wrightia antidysenterica* GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wrightia arborea* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wrightia coccinea* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wrightia tinctoria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wrightia tomentosa* R.& S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Wrightia zeylanica* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xanthium indicum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xanthium strumarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xanthophyllum arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xanthophyllum flavescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xanthoxylum fraxineum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xantolis tomentosa* (ROXB.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xeromphis spinosa* (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xeromphis uliginosa* (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ximenia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xylaria polymorpha* PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xylia dolabriformis* BENTH.& HOOK.F. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xylia xylocarpa* (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xylocarpus granatum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xylopia parvifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xylosma longifolium* CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xyris anceps* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xyris auceps* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xyris complanata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xyris indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xyris pauciflora* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Yucca aloifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Yucca filamentosa* WOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zaleya decandra* (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zaleya govindia* (DON) NAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zaleya pentandra* (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zalia decandra* (L.) BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zannichellia indica* ROTTL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanonia indica* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zantedeschia aethiopica* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum acanthopodium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum alatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum budrunga* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum hamiltonianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum hostile* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum limonella* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum nitidum* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum ovalifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum oxphyllum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum rhetsa* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zanthoxylum triphyllum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zataria multiflora* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zehneria hookeriana* ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zehneria indica* (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zehneria maysorensis* (WT. & ARN.) ARN. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zehneria scabra* (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zehneria thwaitesii* (SCHWEIN.) JEFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zehneria umbellata* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zephyranthes ajax* SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zephyranthes grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zephyranthes rosea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zeuxine longilabris* (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zeuxine strateumatica* (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zeuxine sulcata* LINDL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber capitatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber cassumunar* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber cernuum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber chrysanthum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber mioga* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber montanum* (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber officinale* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber purpureum* ROSC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber roseum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber rubens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber squarrosus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zingiber zerumbet* ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zinnia elegans* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zizania caduciflora* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zizania latifolia* TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphora clinopodioides* M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphora tenuior* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus glaberrata* HEYNE, EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus glabrata* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus jujuba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus mauritiana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus napeca* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus nummularia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus oenoplia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus oxyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus rugosa* LAM. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus sativa* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus sororia* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus trinervia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus trinervius* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anemone hupehensis* Lemoine ex Boynton var. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anemone rivularis* Buch.- Ham.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis gouriana* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis munroiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis smilacifolia* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis theobromina* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Clematis wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Consolida ambigua* (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Naravelia zeylanica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus reniformis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ranunculus wallichianus* Wight & Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum javanicum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thalictrum saniculaeforme* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Chimonanthus praecox*(L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Acrotrema arnottianum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dillenia bracteata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dillenia pentagyna* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dillenia retusa* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dillenia suffruticosa* (Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tetracera akara* (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Magnolia campbellii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Magnolia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Magnolia liliflora* Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Magnolia x alba* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Michelia nilagirica* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alphonsea lutea* (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alphonsea sclerocarpa* Thw. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Alphonsea zeylanica* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Annona cherimola* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artabotrys hexapetalus* (L. f.) BhKalamri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Artabotrys zeylanicus* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cananga odorata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyathocalyx zeylanicus* Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmos lawii* (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Desmos viridiflorus* (Bedd.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goniothalamus cardiopetalus* (Dalz.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goniothalamus rhynchantherus* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goniothalamus salicina* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goniothalamus thwaitesii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goniothalamus wightii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Goniothalamus wynadensis* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meiogyne pannosa* (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Meiogyne ramarowii* (Dunn) Gandhi and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Miliusa eriocarpa* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Miliusa montana* Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Miliusa nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Miliusa tomentosa* (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Miliusa wightiana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mitrephora heyneana* (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orophea erythrocarpa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orophea thomsonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Orophea uniflora* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia cerasoides* (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia fragrans* (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia korintii* (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia longifolia* (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia rufescens* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia suberosa* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polyalthia tirunelveli*ensis M. B. Viswan. & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Popowia beddomeana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sageraea dalzellii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uvaria macropoda* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uvaria narum* (Dunnal) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xylopia parvifolia* (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Anamirta cocculus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cissampelos pareira* L. var. *hirsuta* (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocculus hirsutus* (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cocculus pendulus* (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coscinium fenestratum* (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclea arnottii* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cyclea peltata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Diplocclisia glaucescens* (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stephania japonica* (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stephania wightii* (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tinospora sinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis lycium* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis nilghiriensis* Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis tinctoria* Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Berberis wightiana* Schneid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nelumbo nucifera* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea nouchali* Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Nymphaea rubra* Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Eschscholzia californica* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Mecanopsis wallichii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papaver caasicum* Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papaver fugax* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Romneya coulteri* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Corydalis lutea* (L.) DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dicentra scandens* (D. Don.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fumaria indica* (Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barbarea intermedia* Boreau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barbarea verna* (Miller) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Barbarea vulgaris* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica juncea* (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica nigra* (L.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica oleracea* L. var. *botrytis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica oleracea* L. var. *capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica oleracea* L. var. *gemmifera* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica oleracea* L. var. *gongylodes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Brassica rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capsella bursa-pastoris* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardamine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardamine hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cardamine trichocarpa* Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Coronopus didymus* (L.) Sm. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iberis amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Iberis umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium ruderales* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lepidium virginicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lobularia maritima* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Matthiola incana* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rorippa indica* (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Rorippa nasturtium - aquaticum* (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sisymbrium volgense* Ledeb. ex Shmal. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cadaba fruticosa* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cadaba trifoliata* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis brevispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis decidua* (Forsk.) Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis divaricata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis diversifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis fusifera* Dunn and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis grandiflora* Wall ex. Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis moonii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis nilgiriensis* Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis rotundifolia* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis shevaroyensis* Sundararaghavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome angustifolia* Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome aspera* Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome burmannii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome chelidonii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome felina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome hassleriana* Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome monophylla* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome rutidosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome speciosa* Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crateva adansonii* DC. subsp. *odora* (Buch. - Ham.) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Crateva magna* (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gynandropsis gynandra* (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maerua apetala* (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Maerua oblongifolia* (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Steriphoma clemoides* Spreng. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reseda alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Reseda luteola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hybanthus enneaspermus* (L.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hybanthus travancoricus* (Bedd.) Melch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola arcuata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola canescens* Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola hamiltoniana* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Viola pilosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cochlospermum religiosum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Aphloia theiformis* (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia championii* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia graveolens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia ovata* (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia rubescens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia thwaitesii* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Casearia wynadensis* Bedd. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flacourtia indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flacourtia jangomas* (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Flacourtia montana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Homalium jainii* A. N. Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Homalium travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Homalium ceylanicum* (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus alpina* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus macrocarpa* (Bedd.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Oncoba spinosa* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xylosma latifolium* Hoof. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xylosma longifolia* Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Hymenoporus flavum* (Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum anamallayense* Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum bicolor* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum ceylanicum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum crassifolium* Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum dasycaulon* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum eugenoides* A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum napaulense* (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum neelgherrense* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum tetraspermum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum tobira* (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum umbellatum* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum undulatum* Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Pittosporum viridulum* Nayar, Giri & Chandrasekaran and



15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sollya heterophylla* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Muraltia juniperifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala arillata* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala arvensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala bolbothrix* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala elongata* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala erioptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala jacobii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala javana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala longifolia* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala myrtifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala persicariifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala rosmarinifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala telephioides* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala virgata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polygala wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Securidaca bracteata* Bennett and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xanthophyllum flavescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Xanthophyllum manickamii* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Arenaria neelgerrensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerastium glomeratum* Thuill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Cerastium indicum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Dianthus caryophyllus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Drymaria villosa* Cham. & Schlect. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Gypsophila elegans* M. Bieb. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Lychnis coronaria* (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polycarpaea aurea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polycarpaea corymbosa* (L.) Lam. var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polycarpaea diffusa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polycarpaea spicata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Polycarpon tetraphyllum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Sagina saginoides* (L.) Karsten, Deutsch and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Saponaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Scleranthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Silene armeria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Silene coeli - rosa* (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Silene gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Spergula arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stellaria media* (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stellaria monosperma* Buch. - Ham. ex D. Don var. *paniculata* (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Stellaria vestita* Kurz and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Vaccaria pyramidata* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca oleracea* L. var. *oleracea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca pilosa* L. subsp. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulaca wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Portulacaria afra* Jacq. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Talinum portulacifolium* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Talinum triangulare* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarix aphylla* (L.) Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarix ericoides* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Tamarix indica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bergia ammannioides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatine ambigua* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Elatine triandra* Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calophyllum apetalum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Calophyllum austroindicum* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus vulgaris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Ziziphus xylopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zornia diphylla* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zornia gibbosa* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zosima absinthifolia* (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Goodyera repens* (L.) R. Br, *Zosima orientalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>,

**(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)**

For queries write at [pankajoudhia@gmail.com](mailto:pankajoudhia@gmail.com)